

SCAN TO VIEW OUR FULL RANGE ONLINE







Materials Handling, Workplace & Safety Equipment

1800 750 900 www.mhaproducts.com.au



ABOUT US

Here at MHA (Manual Handling Australia), we have the largest range of manual handling & workplace materials handling equipment in Australia. This includes thousands of workplace & storage items suited to every workplace as well as lifting equipment and trolleys for every application. Our products are designed to eliminate or reduce manual handling effort in the workplace to improve productivity whilst ensuring workplace safety.

MHA has spent countless hours over the years on product development & sourcing to provide a fast, safe & efficient service for your workplace. We have branches located in Sydney, Brisbane & Melbourne with our services offered nationally from these locations.

MHA sources products globally & sells them direct meaning there is no middle man or middle margin added, giving you the best possible price with faster service. We also offer customised solutions with trolleys, lifters & many other materials handling equipment to ensure you have the perfect product to improve the safety & efficiency of your workplace.

As a family owned company operating for over 25 years, dealing with us means dealing with someone who cares. It is our mission to exceed your expectations by doing that extra bit to make our customers happy.

We have over 3000 products in this catalogue & you can find more information including images, details & videos on our website at mhaproducts.com.au. If you would like a technical sales person to visit your site just give us a call or send us an email to arrange a suitable time.

Not only do we stock a vast range of standard products, but we can also manufacture custom items to suit your specific requirements. If you are unable to find what you're looking for, simply let us know! We will tailor & design a product which meets your needs from anything such as specialised trolleys, stillage/storage cages, scissor lift tables, conveyor systems, drum handling equipment etc.

MHA is dedicated to providing you with the highest quality products at the best possible price with the best possible service. With a long & trusted reputation in the industry, MHA is a name you can rely on.

We look forward to servicing your requirements & assisting with improving the overall safety & efficiency of your workplace.

The MHA Sales Team

(02) 8865 1800 | Sydney

(03) 9115 9100 | Melbourne

(07) 3558 9700 | Brisbane

sales@mhaproducts.com.au

www.mhaproducts.com.au



Instant 30 Day account for Government Department orders

_____ DELIVERING AUSTRALIA WIDE DAILY!





Delivers Australia wide Monday - Friday Delivery is also available world-wide via our preferred carrier Fedex

Alternatively we can ship with your own nominated carrier

Order online at www.mhaproducts.com.au



Melbourne (03) 9115 9100

Sydney (02) 8865 1800

3

C Brisbane (07) 3558 9700



www.mhaproducts.com.au

Scan here to visit our website



EXPERIENCE THE MHA ADVANTAGES

Quality Guarantee

At MHA we stand behind our products. If you are not satisfied with any of our products we will either replace it or provide you with a full refund so you can be rest assured when ordering from us

Extensive Range

MHA have a huge range of industrial products ranging from materials handling equipment to office & storage equipment. Save time & hassle by ordering all your needs through one supplier



Our products are available to order via our easy to use online ordering system. Visit our website **mhaproducts.com.au** to order online

Technical Services

Our trained professional Sales team can provide obligation free advice on any storage or handling requirements you may have. Get in touch with our team today on 1800 750 900

Customised Equipment

Not only do we stock a huge range of materials handling & storage equipment; but we can manufacture or customise a product specific to your requirements. Contact our sales team for a quotation on your custom order

Prepurchase Trials

It is our mission to satisfy your workplace needs which is why MHA offers prepurchase trials on selected products. This gives you the opportunity to trial our equipment in your workplace

TROLLEYS &
HAND
TRUCKS8-83















Full index on pages 277-281

V-Cart Folding Plastic and Aluminium Trolley

- The V-Cart is a collapsible trolley that can be used for hundreds of applications.
- It is ideal for use in the workplace, schools, home, office, hospitals, courier services, • shopping malls, nursing homes an much more!
- It can be completely collapsed by the push of a button on the handle. The wheels are able to be removed by the push of a button and stored underneath for compact transport and storage.
- The V-Cart is supplied with one collapsible basket which will lock into place on either the top or bottom platform.
- The top platform can be folded back to allow larger items to be transported if required.
- Features support bars that give added stability to the top platform
- Extra baskets are available for use on both platforms or • up to 4 baskets can be stacked on the bottom platform.
- A robust foot pedal brake allows the V-Cart to be locked in position whilst loading or unloading.
- The injection moulded plastic and aluminium design means that whilst the V-Cart is lightweight it is still very robust and has a great carrying capacity.
- The basket fits foolscap suspension files, which is great for transporting documents throughout the office.
- The V-Cart can also be used with our standard No.7, No.10.No.15 tubs

Specifications

- Total Trolley Capacity: 90kg
- Top Shelf Capacity: 40kg •
- Bottom Shelf Capacity: 50kg •
- Trolley Weight: 10kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

Dimensions

- Overall Length Assembled: 1000mm •
- Overall Width Assembled: 600mm •
- Overall Height Assembled: 1070mm •
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm











View video of this in operation here www.mhaproducts.com.au/vcart







Code		Details	
M1800	V-Cart Folding Plastic & Aluminium Trolle	y (Includes 1 Folding Basket)	
M1805	V-Cart Extra Basket		
M1806	Lid to suit V-Cart Basket		
M1810	V-Cart Vinyl Cover		
M1815	V-Cart Tool Bin		


















Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
M1000	150	100	860	740x480	150	12
M1001	250	125	860	920x610	180	18

Multi-Purpose Platform Trolleys (Fixed Handle)

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Rubber castors 2 x fixed, 2 x swivel



Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
M1012	1 Handle	300	160	860	1150x750	240	35
M1013	2 Handle	300	160	860	1150x750	240	40



Extra Large Prestige Platform Trolley

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Polyurethane castors 2 x fixed, 2 x swivel
- Optional pneumatic wheel kit includes • 2 x fixed wheels and 2 x swivel wheels with brakes





Pneumatic Wheel Kit (M1845)



Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
M1015	XL Platform Trolley	650	200	1000	1125x720	245	40
M1016	Optional Extra Handle						
M1845	Pneumatic Wheel Kit						

Trolleys & Hand Trucks

Visit www.mhaproducts.com.au for more images and prices

Heavy Duty Steel Platform Trolleys

- Heavy duty steel platform trolleys are ideal for general warehouse use
- Available in 3 sizes
- Welded steel construction
- Durable baked enamel paint finish
- Rubber castors 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Overall Length (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
M1040	540	200	1020	970	920x610	290	32
M1041	540	200	1320	970	1220x610	290	36
M1043	540	200	1620	970	1520x760	290	49

Heavy Duty Aluminium Platform Trolleys


Strong and lightweight aluminium platform trolleys which are great for general transportation of goods around warehouses, shopping centres and courier goods delivery.

- Lightweight and corrosion resistant
- Highly manoeuvrable & heavy duty construction
- Checker plate deck
- Removable handles
- (comes standard with 1 Handle)3 standard sizes available
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Optional flat free wheel kit available
 2 x fixed wheels and 2 x swivel wheels with brakes



Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)		
M1050	Platform Trolley	500	125	1010	930x620	260	22		
M1051	Platform Trolley	500	125	1010	1230x620	260	25		
M1052	Platform Trolley	500	125	1010	1530x770	260	30		
M1053	M1053 Optional 2nd Handle to suit M1050 & M1051								
M1054	Optional 2nd Handle to suit M1052								

M1055 Flat Free Wheel Kit



M1806 Lid to suit V-Cart Basket

Nestable Stock Trolley

sales@mhaproducts.com.au

The Nestable Stock Trolley is ideal for transporting heavy boxes and other product long and awkward items, due to its open platform design and quality construction. Platform folds up for nesting Electro galvanised construction and powder coated handles Rubber castors - 4 x swivel Code Load Capacity (kg) Castors (mm) Platform Size (mm) Overall Size LxWxH (mm) Unit Weight (kg) M1260 200 125 850x600 1170x700x980 22

www.mhaproducts.com.au



Handle Platform Trolley

- Bolt together steel construction (supplied flatpack)
- Powder coated blue
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Optional flat free wheel kit available 2 x fixed
- wheels and 2 x swivel wheels with brakes
- Load Capacity (with flat free wheel kit): 350kg
- Handle Height: 1000mm
- Platform Height: 230mm

Code	Load Capacity (kg	Castors (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1860	550	160	1100x600	1305x610x990	53

Heavy Duty 2 Tier Platform Trolley

- Bolt together steel construction (supplied flatpack)
- Powder coated blue
- Top platform and extra shelves can be used as flat shelf or turned upside down to be used as a tray

Castors (mm)

160

- Additional shelf available to make it multi-tier
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Optional flat free wheel kit available 2 x fixed wheels and 2 x swivel wheels with brakes
- Handle Height: 1000mm

Code

M1862

14

Platform Heights: 230mm + 720mm



Load Capacity (kg

Accessories to suit Platform Trolleys



M1849 Scanner Holder

M1852Extra Shelf (Only Suits M1862)M1853Centre Wheel Kit with Swivel Brake

M1845 Flat Free Wheel Kit (includes 2 swivel wheels with brakes and 2 fixed wheels)

Powered Platform Trolley

These powered heavy duty platform trolleys provide a strong 400kg capacity platform to move heavy items around your workplace.

- Comes with a removable cage (as pictured) to avoid items falling off while moving. •
- Platform has an anti-slip grip so that items don't slide off easily in transit. .
- Rubber bumper edge •
- Emergency stop button
- Comes with forward and reverse drive options •
- Variable speed controller
- Powered by 2 x 12V / 33Ah batteries
- 2 x swivel castors •
- 2 x pneumatic drive wheels •
- Clearance From Battery Box to Ground: 65mm •
- Electro magnetic brake
- Cage Height: 930mm
- Moving Speed: 5-8km/h •

Shown with removable cage




Code	Load Capacity (kg)	Front Wheels (mm)	Rear Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1065	400	260	150	1080	1290x640	320	1420x630x1090	110



Sydney (02) 8865 1800

L Brisbane (07) 3558 9700



Large Powered Platform Trolley

Great for both indoor and outdoor use with high load capacity Platform has an anti-slip grip so that items don't slide off ann easily in transit Rubber bumper edge Supplied with removable cage Emergency stop button Forward and reverse drive Supplied standard Variable speed controller with removable cage to Powered by 3 x 12V prevent items falling / 55Ah batteries off during transit Pneumatic wheels **Clearance From Battery Box** to Ground: 75mm Moving Speed: 5-8km/h Electro magnetic brake Load Handle Platform **Overall Size** Unit Wheels Platform Code Weight Capacity Height Height With Cage Size (mm) (mm) LxWxH (mm) (kg) (mm) (mm) (kg) M1066 800 950 2070x900x980 170 310 1400x900 385

Trolleys & Hand Trucks

Visit www.mhaproducts.com.au for more images and prices

Multi-Purpose 2 Tier Trolleys

- General purpose industrial quality
 2 tier trolleys for goods movement
- Powder coated steel construction
 with vinyl decks
- Surround bumper on perimeter of trolley
- M1020 Rubber castors -2 x fixed, 2 x swivel
- M1021 Polyurethane castors -2 x fixed, 2 x swivel





Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Unit Weight (kg)
M1020	2 Tier Trolley	120	100	860	750x490	140 + 660	20
M1021	2 Tier Trolley	370	125	1000	920x620	180 + 780	27
M1005	Brake Kit to suit M	1021					

Multi-Purpose 3 Tier Trolleys

- General purpose industrial quality trolleys for transporting goods safely in the workplace
- Powder coated steel construction
 with vinyl decks
- Surround bumper on perimeter
 of trolley
- M1025 Rubber castors -2 x fixed, 2 x swivel
- M1026 Polyurethane castors -2 x fixed, 2 x swivel





Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Unit Weight (kg)
M1025	3 Tier Trolley	120	100	860	740x480	140 + 410 + 660	26
M1026	3 Tier Trolley	370	125	990	920x620	180 + 480 + 780	36
M1005	Brake Kit to suit M1	026					



3 Tier Multi Shelf Trolley

- 3 Tiered Multi Shelf Trolley is ideal for order picking • and transporting goods in the workplace
- Suitable for use in retail and industrial applications .
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Powder coated finish •
- Available in Blue or White
- Overall Size (LxWxH): 1080x480x940mm
- Rubber castors 2 x swivel, 2 x swivel with brakes



Shelves can be used as a tray or flat platform



Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Height to Top Shelf (mm)	Unit Weight (kg)
M1660	Blue	250	125	900x440	250	760	30
M1661	White	250	125	900x440	250	760	30

Tall Multi Shelf Trolley

- The multi tier shelf trolley is ideal for order picking • & transporting goods in the workplace
- Suitable for use in retail & industrial applications
- Supplied standard with 3 shelves (extra shelves available)
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Powder coated finish
- Available in Blue or White
- Overall Size (LxWxH): 980x585x1445mm
- Rubber castors 2 x swivel, 2 x swivel with brakes








Pictured with extra shelves

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Height to Top Shelf (mm)	Unit Weight (kg)
M1662	Blue	250	125	900x540	1340	39
M1663	Extra Shelf to	Suit M1662				
M1664	White	250	125	900x540	1340	39
M1665	Extra Shelf to	Suit M1664				



2 Tier Steel Trolley

- Simple bolt together construction
- Powder coated blue finish
- Reversible top shelf which gives a tray option
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 25
- Internal Tray Size: 905x600mm
- Distance between shelves: 665mm








Code	Load	Castors	Handle	Overall Size	Shelf	Shelf	Unit
	Capacity (kg)	(mm)	Height (mm)	LxWxH (mm)	Size (mm)	Heights (mm)	Weight (kg)
M1880	300	125	1050	1095x660x1050	960x655	184 + 875	33

3 Tier Steel Trolley

- Simple bolt together construction
- Powder coated blue finish
- Middle shelf is removable if not required
- Reversible top and middle shelf which gives a tray option
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 25
- Internal Tray Size: 905x600mm
- Distance between shelves: 313mm







Code	Load	Castors	Handle	Overall Size	Shelf	Shelf	Unit
	Capacity (kg)	(mm)	Height (mm)	LxWxH (mm)	Size (mm)	Heights (mm)	Weight (kg)
M1881	300	125	1050	1095x660x1050	960x655	184 + 530 +875	42

20

Sydney (02) 8865 1800

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700

2 Tier Steel Tub Trolley

- Simple bolt together construction
- Powder coated blue finish
- Supplied standard with no tubs
- Fits a variety of tubs see online for more details
- Bin colours: Black, Red, Blue, Green, Yellow & White
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 25
- Distance between shelves: 665mm
- M1882K pictured which comes with 4x No. 4D Recycled Plastic Black Bins





Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Overall Size LxWxH (mm)	Shelf Size (mm)	Base Height (mm)	Unit Weight (kg)
M1882	2 Tier Tub Trolley	300	125	1050	1095x660x1050	960x655	184	36
M1882K	2 Tier Tub Trolley - S	supplied with	4 x No 4D B	lack Tubs				

3 Tier Steel Tub Trolley

- Simple bolt together construction
- Powder coated blue finish
- Supplied standard with no tubs
- Fits a variety of tubs see online for more details
- Bin colours: Black, Red, Blue, Green, Yellow & White
- Tubs sit inside rails
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 25
- Distance between shelves with no tubs: 665mm
- M1883K pictured which comes with 8x No. 4D Recycled Plastic Black Bins





Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Overall Size LxWxH (mm)	Shelf Size (mm)	Base Height (mm)	Unit Weight (kg)
M1883	3 Tier Tub Trolley	300	125	1050	1095x660x1050	960x655	184	40
M1883K	3 Tier Tub Trolley - Supplied with 8 x No 4D Black Tubs							



3 Tier Multi-Tub Trolley

- Simple bolt together construction •
- Powder coated blue finish .
- . Supplied standard with no tubs
- Fits a variety of tubs see online for more details .
- . Bin colours: Black, Red, Blue, Green, Yellow & White
- Tubs sit in channels as pictured .
- . Rubber castors - 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 25
- . M1884K pictured - which comes with 4x No. 10 Recycled Plastic Black Bins





Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Overall Size LxWxH (mm)	Shelf Size (mm)	Base Height (mm)	Unit Weight (kg)
M1884	3 Tier Multi-Tub Trolley	300	125	1050	1095x660x1050	960x655	184	38
M1884K	3 Tier Multi-Tub Trolley - Supplied with 4 x No 10 Black Tubs							

2 Tier Single Basket Trolley

- Simple bolt together construction •
- Powder coated blue finish •
- Mesh basket as top tray with 25mm punch holes •
- Rubber castors 2 x fixed, 2 x swivel with brakes •
- Many accessories available to suit see page 25 •
- Clearance from shelf to underside of basket: 460mm
- Basket Size (LxWxH): 905x600x225mm •





Sydney (02) 8865 1800

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Overall Size LxWxH (mm)	Shelf Size (mm)	Base Height (mm)	Unit Weight (kg)
M1885	300	125	1050	1095x660x1050	960x655	184	39
22	Sydney	12) 8865 1800	Malbau	(02) 0115 0100	Brisbar	o (07) 3558 970	

Melbourne (03) 9115 9100

📞 Brisbane (07) 3558 9700



2 Tier Double Basket Trolley

- Simple bolt together construction
- Powder coated blue finish
- Mesh basket as top tray with 25mm punch holes
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 25
 Bottom mesh basket can be removed if not required
- Bottom mesh basket can be removed if not required
- Distance between baskets: 230mm
 Distance between baskets: 230mm
- Basket Size (LxWxH): 905x600x225mm





Code	Load	Castors	Handle	Overall Size	Shelf	Unit
	Capacity (kg)	(mm)	Height (mm)	LxWxH (mm)	Size (mm)	Weight (kg)
M1886	300	125	1050	1095x660x1050	960x655	36

2 Tier Deep Basket Trolley

- Simple bolt together construction
- Powder coated blue finish
- Mesh basket as top tray with 25mm punch holes
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 25
- Clearance from shelf to underside of basket: 313mm
- Basket Size (LxWxH): 905x600x375mm



Accessories available to suit - See page 25

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Overall Size LxWxH (mm)	Shelf Size (mm)	Base Height (mm)	Unit Weight (kg)
M1893	300	125	1050	1095x660x1050	960x655	184	42

2 Tier Rubber Top Trolley

- Simple bolt together construction
- Powder coated blue finish
- Top shelf has a rubber mat which prevents items from sliding around in transit
- Supplied standard with no tubs
- Fits a variety of tubs see online for more details
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Platform Heights: 184mm + 875mm
- Many accessories available to suit see page 25
- M1887K Pictured which comes with 2x No. 10 Recycled Plastic Black Bins





Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Overall Size LxWxH (mm)	Shelf Size (mm)	Unit Weight (kg)
M1887	2 Tier Rubber Top Trolley	300	125	1050	1095x660x1050	960x655	34
M1887K	2 Tier Rubber Top Trolley	- Supplied wit	h 2 x No 10 B	lack Tubs			

Steel Trolleys featuring Accessories





Accessories to suit Steel Trolleys

Range of accessories to suit trolleys on pages 20-24



3 Sided Mesh Cage Trolley

- Simple bolt together construction
- Powder coated blue finish
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Many accessories available to suit see page 29
- Mesh Size: 50x50mm







Code	Load	Castors	Handle	Overall Size	Internal Size	Base	Unit
	Capacity (kg)	(mm)	Height (mm)	LxWxH (mm)	LXWxH (mm)	Height (mm)	Weight (kg)
M1888	300	125	1050	1095x660x1050	910x630x690	184	35

Mesh Cage Trolley with Drop Down Gate

- Simple bolt together construction
- Powder coated blue finish
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Drop down half gate is removable
- Many accessories available to suit see page 27
- Mesh Size: 50x50mm







Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Overall Size LxWxH (mm)	Internal Size LXWxH (mm)	Base Height (mm)	Unit Weight (kg)
M1889	300	125	1050	1095x660x1050	910x630x690	184	45

Sydney (02) 8865 1800

26

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700





Mesh Cage Trolley with Lockable Drop Down Gate & Lid

- Simple bolt together construction
- Powder coated blue finish
- Rubber castors 2 x fixed, 2 x swivel with brake
- Drop down half gate is removable
- Fold back lid that can be locked if required
- Padlock not included
- Many accessories available to suit see page 29
- Height to fold down section: 550mm
- Mesh Size: 50x50mm





Code	Load	Castors	Handle	Overall Size	Internal Size	Base	Unit
	Capacity (kg)	(mm)	Height (mm)	LxWxH (mm)	LXWxH (mm)	Height (mm)	Weight (kg)
M1890	300	125	1050	1095x660x1050	910x605x670	184	48

Mesh Cage Trolley with Lockable Double Swing Door

- Simple bolt together construction
- Powder coated blue finish
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Double Swing Door (180 degree opening)
- Many accessories available to suit see page 29
- Mesh Size: 50x50mm







Code	Load	Castors	Handle	Overall Size	Internal Size	Base	Unit
	Capacity (kg)	(mm)	Height (mm)	LxWxH (mm)	LXWxH (mm)	Height (mm)	Weight (kg)
M1891	300	125	1050	1095x660x1050	910x605x690	184	44

300

M1892

Mesh Cage Trolley with Lockable Double Swing Doors & Lid Simple bolt together construction Powder coated blue finish . Rubber castors - 2 x fixed, 2 x swivel with brakes Fold back lid that can be locked if required . Padlock not included . Double Swing Door (180 degree opening) Many accessories available to suit - see page 29 Mesh Size: 50x50mm Accessories available to suit - See page 29 **Internal Size** Load Castors Handle **Overall Size** Unit Base Code Capacity (kg) Height (mm) LxWxH (mm) LXWxH (mm) Height (mm) Weight (kg) (mm)

1095x660x1050

910x630x690

184

50

Mesh Cage Trolleys featuring Accessories

1050



Accessories to suit Mesh Trolleys

• Range of accessories to suit trolleys on pages 26-28



Stainless Steel Instrument Trolleys

- High grade 304 grade stainless steel
- 2 trolleys available with 2 sides and rail on 3 sides
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Front castors have locks
- Smooth welding



Code	Details	Castors (mm)	Shelf Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1546	Instrument Trolley (No Rails)	95	80	500x500x900	10
M1547	Instrument Trolley (No Rails)	95	80	600x500x900	11
M1548	Instrument Trolley (No Rails)	95	80	800x500x900	14

Stainless Steel Instrument Trolleys (With Rails)

- High grade 304 grade stainless steel
- 2 trolleys available with 2 sides and rail on 3 sides
- Rubber castors 2 x swivel, 2 x swivel with brakes

Sydney (02) 8865 1800

- Rails on top and bottom shelf
- Front castors have locks
- Smooth welding








Code	Details	Castors (mm)	Shelf Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1530	Single Instrument Trolley (With Rails)	95	80	500x500x900	11
M1535	Double Instrument Trolley (With Rails)	95	80	600x500x900	14

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700





Stainless Steel Trolleys (with Drawers)

- High grade 304 grade stainless steel
- 495mm deep drawers
- German made drawer runners which are soft closing
- Rails on top and bottom shelf
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Front Castors feature locks
- Smooth welding











Code	Details	Castors (mm)	Drawer Capacity (kg)	Shelf Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1531	Single Instrument Trolley (1 Drawer)	95	25	80	500x500x900	18
M1532	Single Instrument Trolley (2 Drawer)	95	25	80	500x500x900	23
M1533	Single Instrument Trolley (3 Drawer)	95	25	80	500x500x900	30
M1534	Single Instrument Trolley (4 Drawer)	95	25	80	500x500x900	34

Double Stainless Steel Instrument Trolleys (With Drawers)

- High grade 304 grade stainless steel
- 495mm deep drawers
- German made drawer runners which are soft closing
- Rails on top and bottom shelf
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Front Castors feature locks
- Smooth welding









Code	Details	Castors (mm)	Drawer Capacity (kg)	Shelf Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1536	Double Instrument Trolley (1 Drawer)	95	25	80	800x500x900	23
M1537	Double Instrument Trolley (2 Drawer)	95	25	80	800x500x900	32
M1538	Double Instrument Trolley (2 Drawer Side by Side)	95	25	80	800x500x900	26
M1539	Double Instrument Trolley (4 Drawer -2 x Side by Side)	95	25	80	800x500x900	36





Trolleys & Hand Trucks

Double Stainless Steel Instrument Trolleys (With Drawers)

- High grade 304 grade stainless steel •
- 495mm deep drawers
- German made drawer runners which are soft closing •
- Rails on top and bottom shelf •
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Front Castors feature locks
- Smooth welding

M1540







Code	Details	Castors (mm)	Drawer Capacity (kg)	Shelf Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1540	Instrument Trolley (5 Drawer - 4x Half Side By Side, 1 Full)	95	25	80	800x500x970	44
M1541	Instrument Trolley (6 Drawer with 2 Shelves)	95	25	80	900x500x970	55
M1542	Instrument Trolley (6x Half Side By Side, 1 Full)	95	25	80	800x500x970	56
M1543	Instrument Trolley (4 Drawer)	95	25	80	600x500x1070	45
See onli	ne for drawer sizes					

Stainless Steel Specific Trolleys

304 grade stainless steel construction

M1544 Specifications:

- Rubber castors 2 x swivel, . 2 x swivel with brakes
- Telescopic height adjustment: 850-1400mm .
- ٠ Removable Tray Size: 600x400x20mm

M1545 Specifications:

A strong and portable oxygen bottle trolley to suit D size cylinders.

Sydney (02) 8865 1800

- Features a chain to secure bottle
- Rubber castors 2 x swivel, 2 x swivel with brakes



Code	Details	Overall Size (mm)	Castors (mm)
M1544	Instrument Table / Trolley	600x400x20	65
M1545	Oxygen Trolley (with Safety Chain)	380x270x1000	95

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700



Trolleys & Hand Trucks

Stainless Steel Platform Trolleys

- Heavy duty stainless steel platform trolley which is great • for use in food and medical areas.
- Fixed handle
- 304 grade stainless steel
- Rubber castors 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
M1420	600	200	970	915x610	280	41
M1421	600	200	970	1220x610	280	46



4 Tier Stainless Steel Trolley

- The 4 tier stainless steel trolley is the perfect solution for restaurants, hospitals, hair salons, nursing homes etc.
- Grade of stainless: 201
- Polyurethane castors 2 x swivel, 2 x swivel with brakes





Code	Load Capacity (kg)	Castors (mm)	Height to Top Shelf (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1440	100	100	1125	825x500	280	910x590x1260	20

2 Tier Flat Deck Trolley

- Electro galvanised handle and end frame
- Chipboard shelves covered in stainless steel sheet
- Polyurethane castors 2 x swivel, 2 x swivel with brakes
- Top Shelf Height: 720mm
- Handle Height: 950mm



Sydney (02) 8865 1800



Brisbane (07) 3558 9700

Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1445	200	100	760x435	510	840x430x970	21

Melbourne (03) 9115 9100

3 Tier Stainless Steel Platform Trolley • Great for use in medical areas, food preparation, schools, laundrys etc where hygiene is important Rubber corner protectors as standard Middle shelf can be removed to make a 2 tier trolley Rubber castors - 2 x swivel, 2 x swivel with brakes Castors: 100mm Middle shelf can be removed to make a 2 Tier Trolley Lip on shelves Load Handle Shelf Shelf **Overall Size** Unit Code Capacity (kg) Height (mm) Size (mm) Heights (mm) LxWxH (mm) Weight (kg) 850x450 200 + 510 + 820 850x450x890 150 890 12 M1436

Heavy Duty Fully Welded Stainless Steel Tier Trolley

- Heavy duty stainless steel 2 tier trolleys are ideal for food and medical areas
- Ergonomic handles at both ends
- Optional PVC buffers available
- 304 grade stainless steel
- Rubber castors 2 x swivel, 2 x swivel with brakes







Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1431	2 Tier Trolley	300	125	1095	880x480	325 + 855	1120x540x1095	18
M1433	PVC Buffer Kit (in	ncludes 4 bu	ffers)					





Furniture Mover Set

- Great for moving heavy furniture
 and equipment
- Winch handle geared mechanism
- Non marking castors
- Sold as a set of 2 onlyRachet straps are included



Code	Load	Castors	Lifting	Lifting Plate	Overall Size	Unit Weight per
	Capacity (kg)	(mm)	Height (mm)	Size (mm)	LxWxH (mm)	Set of 2 (kg)
M1225	600	150	300	120x225	570x390x825	34



Flat Equipment Moving Dollies

- Great for moving furniture and equipment due to their low height and high capacity
- Both models come with 4 heavy duty swivel castors
- M1219 is made from polypropylene with steel tubing.
 Rubber moulds on each end to protect items from scatching and marking. Supplied with nylon castors
- M1220 has a non slip vinyl platform with a PVC bumper strip around the edge.
- Supplied with polyurethane castors.

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1219	Flat Equipment Moving Dolly	350	75	765x460x130	6
M1220	Flat Platform Steel Dolly	370	125	920x620x180	15



Sydney (02) 8865 1800



Self Levelling Shelf Trolley

- This trolley has an innovative design in which the top platform automatically adjusts to maintain a safe working height as weight is added or taken off.
- Makes work operations faster, safer and more efficient by reducing manual exertion and bending.
- Ideal for use in supermarkets, liquor and hardware stores
- At 90kg, the platform is at the lowest position.
- Trolleys are nestable for compact storage
- Electro galvanised finish
- Rubber castors 2 x swivel, 2 x swivel with brake







Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Height to Top Shelf (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1690	300	125	995	810	610	960x525x1030	36

Nestable Basket Trolley

- The Nestable Basket Trolley is ideal for use in supermarkets, liquor and hardware stores
- Top basket can be folded upwards so that multiple trolleys can be nested together when not in use
- Electro galvanised finish
- Rubber castors 2 x swivel, 2 x swivel with brake






Code	Load Capacity (kg)	Top Shelf Capacity (kg)	Castors (mm)	Handle Height (mm)	Distance Between shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1691	300	100	125	1010	430	870x530x1010	21

Auto Levelling Trolley

- The Auto Levelling Trolley is designed to dramatically reduce back injuries and strain as the load automatically increases in height as items are lifted offf and lowers as items are loaded.
- The top shelf is self levelling at 0-250kg
- At 200kg the top shelf will be at the lowest position which is 290mm above the bottom shelf allowing for empty crates to be stored underneath
- Bottom Platform Height: 200mm •
- Top Platform Height: 890mm (highest position)
- Top Platform Height: 485mm (lowest position)
- Type of castors 4 swivel 2 with brake
- 4 x elastic rubber castor swivel castors diameter 125mm and 2 fixed centre wheels which allow forturning within its own length.
- Spring operated press foot floor brake





890mm

485mm

200mm





Sydney (02) 8865 1800

Melbourne (03) 9115 9100

📞 Brisbane (07) 3558 9700



Prestige 2 & 3 Tier Trolleys

Heavy duty steel trolleys which are great for dozens of uses in warehouses, schools, hospitals etc.

- Powder coated steel construction
- Chrome steel handle with plastic end caps
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors 2 x fixed, 2 x swivel









M1071

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1070	2 Tier Trolley	250	100	890	750x500	820x500x915	18
M1071	3 Tier Trolley	250	100	890	750x500	820x500x915	22

Timber Deck Wagon Platform Truck

- Swivel handled platform truck for moving and turning easily
- The platform is reinforced with steel cross bars for extra strength
- Heavy duty timber platform
- Powder coated blue
- Rubber castors 2 x fixed, 2 x swivel




Code	Load	Castors	Handle	Platform	Overall Size	Unit Weight
	Capacity (kg)	(mm)	Height (mm)	Size (mm)	LxWxH (mm)	(kg)
M1060	700	250	1100	1200x700	1200x700x1100	60

Wagon Platform Truck (With Sides)

- Swivel handled platform truck for moving and turning easily
- Timber floor and side panels
- The platform is reinforced with steel cross bars for extra strength
- Powder coated blue
- Side Panel Height: 610mm
- Rubber castors 2 x fixed, 2 x swivel



Code	Load	Castors	Handle	Platform	Platform	Overall Size	Unit Weight
	Capacity (kg)	(mm)	Height (mm)	Height (mm)	Size (mm)	LxWxH (mm)	(kg)
M1061	700	250	1100	410	1200x700	1440x700x1100	76







Trolleys & Hand Trucks

Basket Picking Trolley

- The Basket Picking Trolley is lightweight making it ideal for use in clothing stores, mail rooms & order picking in warehouses
- Two mesh baskets allow various sized items to be moved
- Electro galvanised finish
- Rubber castors 2 x swivel, 2 x swivel with brake





Code	Load Capacity (kg)	Castors (mm)	Distance Between Baskets (mm)	Size of Lower Basket LxWxH (mm)	Size of Top Basket LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1677	100	100	300	605x400x110	605x400x360	690x410x950	13

Ezi Mover Trolley

- The Ezi Mover trolley is great for both indoor or outdoor use
- Black powder coated frame which fits 3 bin sizes
- Trolley shown with bin which is sold separately (see page 115 for bins)
- · Rear pneumatic wheel and rubber front castor



Code	Load	Front	Rear	Height to	Overall Size	Unit
	Capacity (kg)	Castor (mm)	Wheels (mm)	top lip (mm)	LxWxH (mm)	Weight (kg)
M1615	70	125	230	730	1040x570x860	10

Service Cart With Side Rails

- Ideal cart for use in environments such as restaurants, hospitals, libraries, retail stores, schools etc.
- Lightweight trolley yet very robust design
- Electro galvanised finish
- Rubber castors 2 x swivel, 2 x swivel with brake

sales@mhaproducts.com.au



Code	Load	Castors	Distance Between	Height to Top	Tray Size	Overall Size	Unit
	Capacity (kg)	(mm)	Shelves (mm)	Shelf (mm)	LxWxH (mm)	LxWxH (mm)	Weight (kg)
M1037	250	125	325	705	935x535x90	1130x550x940	24

www.mhaproducts.com.au

Mesh Trolley with Folding Lid

- The Mesh Trolley with Folding Lid is the perfect solution for hospitals, laundries and nursing homes etc
- Lockable lid ensures that goods can be stored securely in high traffic areas
- White powder coated finish
- Polyurethane castors 4 x swivel





VERDEX

Brisbane (07) 3558 9700

Code	Load	Castors	Basket Size	Overall Size	Unit
	Capacity (kg)	(mm)	LxWxH (mm)	LxWxH (mm)	Weight (kg)
M1680	100	100	770x570x430	800x600x915	18

Plastic X Shape Laundry Cart

- · Lightweight trolley which is great for carting linen or waste
- Easily remove the waste bag by unhooking from the frame

Sydney (02) 8865 1800

- Can be folded when not in use
- Strong vinyl bag
- Rubber castors 4 x swivel



Melbourne (03) 9115 9100



Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1525	50	100	500x400	520x470x1085	11

Trolleys & Hand Trucks

2 Tier Trolley (With Adjustable Shelves) • This 2 tier trolley is ideal for stock picking in warehouses and retail applications. Optional ladder and clipboard. Ladder can be folded up for compact storage when not in use. Electro galvanised finish with laminate shelves Shelf Size: 1000x425mm Rubber castors - 2 x swivel, Optional 2 x swivel with brakes Ladder Pr **Ergonomic Handle** Optional Clipboard Load Castors **Overall Size** Unit Details Code Capacity (kg) (mm) LxWxH (mm) Weight (kg) 2 Tier Trolley (with adjustable shelves) 250 125 1195x470x1120 M1670 26 **Optional Ladder with Handles** 125 M1672 550x450x670 9 M1673 **Optional Clipboard Unit**

3 Tier Trolley (With Adjustable Shelves)

- This 3 tier trolley is ideal for stock picking in warehouses and retail applications.
- MIddle shelf is height adjustable
- Optional ladder can be folded up for compact storage when not in use.
- Electro galvanised finish with laminate shelves
- Shelf Size: 1000x425mm
- Rubber castors 2 x swivel, 2 x swivel with brakes







Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1671	3 Tier Trolley (with adjustable shelves)	250	125	1195x470x1120	32
M1672	Optional Ladder with Handles	125	-	550x450x670	9
M1673	Optional Clipboard Unit				

44

Sydney (02) 8865 1800

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700

Retail Stock Trolley

- The Retail Stock Trolley is ideal for retail applications to move stock between back of house and front of house
- This trolley is also suitable for transferring goods of any type throughout super markets, factories, and any workplace
- Centre wheel kit for turning in tight spaces
- Basket for storage of small items
- Electro galvanised and clear coated
- Rubber castors 2 x fixed, 4 x swivel







Code	Details	Load Capacity (kg)	Castors (mm)	Height to Top Shelf (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1685	Stock Trolley	400	125	715	475	1320x430x1120	24
M1673	Optional Clipb	oard Unit					

3 Tier Utility Service Cart

- Heavy duty plastic construction which resists dents, chips and rust.
- Supplied standard with 2 removable buckets
- Small bucket size (LxWxH): 360x290x360mm
- Large bucket size (LxWxH): 360x290x560mm
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Top Shelf Size (Internal): 450x740mm









Code	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7100	250	100	1395x520x975	19

2 Tier Utility Service Carts

- Heavy duty plastic construction which resists
 dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Rubber castors 2 x swivel, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1480	250	100	680x450	870x500x950	9



Large 2 Tier Utility Cart

- Heavy duty plastic construction which
 resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy for manoeuvrability
- Rubber Castors 2 x fixed, 2 x swivel with brakes

Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1481	250	100	915x520	1100x500x950	13



46

3 Tier Utility Carts Heavy duty plastic construction which resists dents, chips and rust Polypropylene handles with aluminium frames Sturdy and stable but lightweight making it easy to manoeuvre Rubber castors - 2 x swivel, 2 x swivel with brakes M1452 M1451 Load Castors Shelf Size **Overall Size** Unit Code Details Capacity (kg) (mm) (mm) LxWxH (mm) Weight (kg) M1451 3 Tier Utility Service Trolley (Narrow) 180 75 485x365 660x380x900 6 3 Tier Utility Service Trolley 180 100 615x450 10 M1452 810x500x970



DELIVERING AUSTRALIA WIDE

Utility Carts (With Side Panels)

Trolleys & Hand Trucks

- These utility carts have the same specifications as the other 3 tier utility carts with the added benefit of polypropylene side panels Rubber castors - 2 x swivel,
- 2 x swivel with brakes

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1455	3 Tier Utility Trolley (with sides)	250	100	680x450	870x500x1010	15
M1456	Extra Long 3 Tier Service Trolley (with sides)	250	100	920x520	1110x520x1010	21

3 Tier Service Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Lockable front doors
- Rubber castors 2 x swivel, 2 x swivel with brakes



Code

M1461

Load Capacity (kg) 250

Castors (mm) 100

Shelf Size (mm) 680x450

Overall Size LxWxH (mm) 870x500x1010


Unit Weight (kg)



2 Tier Plastic Utility Cart

(with Ergonomic Handle)

- Heavy duty plastic construction
- Built in storage bin in the handle which is great for storing small parts or tools
- Ergonomic handle design
- Round corners which avoid marking of walls and furniture from sharp edges
- Rubber castors 2 x fixed, 2 x swivel





Code	Load Capacity (kg)	Castors (mm)	Platform Heights (mm)	Tray Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1415	250	125	150 + 850	920x625x70	1110x650x990	22.4

3 Tier Plastic Utility Cart

(with Ergonomic Handle)

- Heavy duty plastic construction
- Built in storage bin in the handle which is great for storing small parts or tools
- Ergonomic handle design
- Round corners which avoid marking of walls and furniture from sharp edges
- Distance between shelves with middle shelf is 200mm
- Rubber castors 2 x fixed, 2 x swivel





Unit Load Castors **Platform Heights Overall Size Tray Size** Weight Code Capacity (mm) (mm) LxWxH (mm) LxWxH (mm) (kg) (kg) 25.4 250 M1417 125 150, 475 & 850 920x625x70 1110x650x990

Sydney (02) 8865 1800

48

Melbourne (03) 9115 9100

L Brisbane (07) 3558 9700



3 Tier Utility Cart

- Versatile functional carts for food service, catering etc •
- Lightweight, strong, reinforced polymer construction • with aluminium posts
- Rubber castors 4 x swivel
- Spacing between shelves: 340mm •





Code	Load	Castors	Handle	Shelf Size	Overall Size	Unit
	Capacity (kg)	(mm)	Height (mm)	(mm)	LxWxH (mm)	Weight (kg)
M1450	150	75	910	600x430	845x430x910	10

Quad Deck Tool Cart (With Tool Board)

Excellent tool cart with square hole pegboard • Supplied with accessories • Tray depth: 50mm . Nylon castors - 2 x swivel, 2 x swivel with brakes Shelf Size: 585x405mm

Code	Castors	Load	Overall Size	Shelf	Unit
	(mm)	Capacity (kg)	LxWxH (mm)	Heights (mm)	Weight (kg)
M1466	100	300	680x430x1215	170 + 370 + 570 + 770	24

2 Tier Tool Trolley (With Drawers)

- Twin drawers with ball bearing sliders and quick return system
- Top drawer depth: 60mm
- Bottom drawer depth: 80mm
- Rubber castors 2 x swivel, 2 x swivel with brakes



			9		
Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1485	250	100	680x450	870x500x950	20
and the second sec					


Triple Deck Tool Cart

(With Tool Board & Drawer)

- Single drawer with ball bearing sliders and quick return system
- Hooks sold seperately
- Side can holder and tray supplied
- Drawer depth: 80mm
- Rubber castors 2 x swivel, 2 x swivel with brakes

Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1465	250	100	680x450	900x500x1430	25





Steel Utility Cart (3 Drawers + 3 Shelves)

- Strong steel construction great for a general parts and tool storage trolley
- Comes complete with 3 drawers and 3 shelves

sales@mhaproducts.com.au

- Drawers and middle shelf can be removed if not required
- Shelf Depth: 50mm
- Poly castors 2 x fixed, 2 x swivel with brakes





Code	Load	Castors	Shelf	Shelf Size	Overall Size	Unit
	Capacity (kg)	(mm)	Capacity (kg)	(mm)	LxWxH (mm)	Weight (kg)
M1405	150	125	50	715x410	830x420x870	23

www.mhaproducts.com.au

Order Picking Trolleys

- Single and double order picking trolleys
- Heavy duty warehouse order picking trolley which is ideal for order picking and other applications
- Simple bolt together construction
- Powder coated finish
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Handle Height: 1050mm
- Top Rail Height: 1000mm
- Bottom Shelf Height: 230mm
- Range of accessories available to suit
- Single Tub Trolley (M1610) fits 1 tub
- Double Tub Trolley (M1611) fits 2 tubs
- Trolleys fit either No.7, No. 10 and No.15. Plastic tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)



Single Order Picking Trolley





Double Tub Order Picking Trolley

M1610K pictured with M1842 Laptop Holder & M1843 Mesh Basket Accessory Tray M1611K pictured with M1841 Clipboard Holder & M1843 Mesh Basket

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1610	Single Order Picking Trolley	250	125	835x425x1050	15
M1610K	Single Order Picking Trolley Kit*	250	125	835x425x1050	17
M1611	Double Tub Order Picking Trolley	250	125	1010x650x1050	21
M1611K	Double Tub Order Picking Trolley Kit**	250	125	1010x650x1050	23

* Kit supplied with 1x No. 10 Red Plastic Tub

** Kit supplied with 1x No. 10 Red Plastic Tubs

Twin Offset Tub Order Picking Trolley


- · Heavy duty warehouse order picking trolley which is ideal for order picking and other warehouse applications
- Simple bolt together construction ٠
- Powder coated finish .
- Rubber castors 2 x swivel, 2 x swivel with brakes •
- Range of accessories available to suit
- Fits 2 tubs in either No.7, No. 10 and No.15. Plastic tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1612	Twin Offset Tub Trolley	250	125	835x425x1050	15
M1612K	Twin Offset Tub Trolley Kit*	250	125	835x425x1050	17

* Kit supplied with 2x No. 10 Red Plastic Tubs

Accessories to suit Order Picking Trolleys



M1849

Scanner Holder

Multi-Purpose Cage Trolleys

- Industrial quality trolleys with cage stop goods falling off the platform
- The cage has fold down sides for easy loading and unloading
- Powder coated steel construction with vinyl platform
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Polyurethane castors 2 x fixed, 2 x swivel



		(kg)	(mm)	(mm)	Size (mm)	(mm)	LxWxH (mm)	(kg)
M1030	Cage Trolley	220	100	1000	750x490	140	820x490x1000	19
M1031	Cage Trolley	370	125	1000	880x580	190	1000x620x1000	27
M1005	5 Brake Kit to suit M1031							
M1673	Clipboard Holder Attachment to suit M1030 & M1031							

Extra Large Prestige Platform Trolley (With Cage)

- Wire cage has fold down sides to make loading and unloading easier
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Cage Height: 770mm
- Polyurethane castors 2 x fixed, 2 x swivel
- Optional flat free wheel kit available includes 2 swivel wheels with brakes and 2 fixed wheels
- Platform height with pneumatic wheels: 310mm







Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1032	Platform Trolley	500	200	1000	1170x770	240	1270x770x1000	47
M1845	Flat Free Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels							
M1673	Clipboard Holder Attachment to suit M1032							



DELIVERING AUSTRALIA WIDE

Multi-Purpose 2 Tier Cage Trolleys

- General purpose 2 tier trolleys with wire sides which keep items on platform
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Cage can be removed if not required
- Polyurethane castors 2 x fixed, 2 x swivel






Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1035	2 Tier Trolley	220	100	1010	740x480	140 + 660	790x480x1010	23
M1036	2 Tier Trolley	370	125	1000	920x620	180 + 650	960x620x1000	33
M1005	D5 Brake Kit to suit M1036							
M1673	Clipboard Holder Attachment to suit M1035 & M1036							

3 Tier Convertible Cage Trolley

- General purpose 3 tier trolley which can be converted into a platform trolley with sides as pictured
- Rubber castors 2 x fixed, 2 x swivel with brakes







Code	Load	Castors	Handle	Shelf	Shelf	Overall Size	Unit
	Capacity (kg)	(mm)	Height (mm)	Heights (mm)	Size (mm)	LxWxH (mm)	Weight (kg)
M1085	200	125	1160	190 + 600 + 980	900x600	950x610x1160	45

Mesh Trolley with Folding Lid & Side

- The Mesh Trolley is able to hold items safely and securely due to the attached lid.
- Foldable side and lid for easy access to products
- Comes with a padlock hook which allows the trolley to be securely locked when not in use
- Mesh Size: 50x50mm
- Electro galvanised finish
- Polyurethane castors 2 x swivel, 2 x swivel with brakes



Load Capacity (kg)

150

100



1180x662x858

28

Mesh Trolley

Code

M1682

- The Mesh Trolley is suitable for holding and storing a large variety of items
- This trolley is ideal for use in warehouses, hospitals, schools and sporting events etc
- Optional lid for storing items securely
- Electro galvanised finish
- Polyurethane castors 2 x swivel, 2 x swivel with brakes





Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1683	Mesh Trolley	100	125	830x630x735	18
M1684	Optional Lid for Mesh Tro	lley			2

Sydney (02) 8865 1800





Parcel Trolley with Removable Sides

- This Parcel Trolley is ideal for stock picking and moving boxed products.
- Removable sides for ease of access to platform.
- Adjustable handle height
- Electro galvanised finish with white laminate base
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Castors: 160mm







Code	Details	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1675	Parcel Trolley	300	1190x650x1025	36
M1845	Flat Free Wheel Kit - 2 Swivel Wheels with Brakes & 2 Fixed Wheels			
M1673	Clipboard Holder Attachment to suit M1675			

Scooter Stock Picker

- The Scooter Stock Picker is the ideal product for moving stock in large warehouses
- Comes standard with single base shelf
- Optional extra shelf, clipboard writing
 panel and cage basket available to suit
- Rubberized handles for ergonomic grip.
- Base plate with Antislip surface.
- Bell on handle to alert people
- Rubber surround on base shelf
- Rubber wheels Rear wheel has brake










Code	Details	Capacity (kg)	Wheels (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)	
M1720	Scooter Stock Picker	200	200	1470x70x1020	42	
M1721	Optional Shelf (used to make	Optional Shelf (used to make a 2nd tier)				
M1673	Optional Clipboard Writing Pc	340x248 (LxW)	2			
M1723	Optional Cage Basket			541x645x535	7	



4 Sided Roll Cage Trolley

Ideal for use in retail, e-commerce • and warehouse applications. This trolley has doors to keep contents secure, making it ideal for front of house. Rear of Trolley has 2 half doors Front of Trolley has 1 full height door Middle shelf is foldable Z base for perfect nesting Trolleys are Nestable to increase space efficiency Finish: Zinc Nylon castors - 2x fixed, 2x swivel with brakes Internal Dimensions (WxDxH): 770x695x1635mm Lower level height: 210mm Shelf Height: 1140mm Shelf Size: 770x695mm Watch a video of this in operation here: www.mhaproducts.com.au/M1763 Load Capacity (kg) Castors (mm) Overall Size WxDxH (mm) Unit Weight (kg) Code M1763 500 125 845x760x1855 56

ROLL CAGE TROLLEYS



Heavy Duty Goods Trolley

- This goods trolley is able to be completely folded • when not in use
- Multi-purpose trolley with lockable gates is ideal for transporting goods safely and securely
- Powder coated finish .
- Rubber castors 2 x swivel, 2 x swivel with brakes
- Castors: 125mm •
- Optional flat free wheel kit available 2 x fixed • wheels and 2 x swivel wheels with brakes
- Load Capacity: 500kg
- Internal Size (LxWxH): 1030x720x750mm
- Overall Size (LxWxH): 1085x795x990mm
- Unit Weight: 75kg






Sydney (02) 8865 1800



Has a small footprint when folded for compact storage when not in use



Melbourne (03) 9115 9100



Heavy Duty Goods Trolley with Shelf

- An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use.
- Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.
- Powder coated finish
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 700mm
- Lower Shelf Height: 205mm
- Upper Shelf Height: 1010mm
- Rubber castors 2 x swivel, 2 x swivel with brake
- Castors: 125mm
- Optional flat free wheel kit available 2 x fixed wheels and 2 x swivel wheels with brakes
- Load Capacity: 500kg
- Internal Size (LxWxH): 1030x720x750mm
- Overall Size (LxWxH): 1085x795x990mm
- Shelf Size: 1030x750mm
- Unit Weight: 90kg



(Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels)



Trolley can be folded for nesting when not in use



Heavy Duty Goods Trolley with Shelf

Code	Details
M1091	Heavy Duty Goods Trolley With Shelf
M1845	Flat Free Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels

Light Duty Mesh Cage Trolley (With Steel Shelves)

- Powder coated finish
- Key lockable
- Comes with 3 steel shelves plus the base shelf
- Shelf Heights: 630mm, 1040mm and 1450mm
- Load Capacity: 500kg (125kg per shelf, evenly distributed)
- Base Height: 280mm
- Mesh Size: 50x50mm
- Rubber castors 2x fixed, 2x swivel with brakes
- Optional flat free wheel kit includes 2 Swivel wheels with brakes and 2 fixed wheels



Lockable to secure contents



Clipboard Holder Attachment



Flat Free Wheel Kit (Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels)



Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1145	Mesh Cage Trolley	500	200	950	1170x730	1300x750x1790	55
M1845	Flat Free Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels						
M1841	Clipboard Holder Attachment to suit M1145						

Melbourne (03) 9115 9100



Heavy Duty Sloping 4 Shelf Trolleys

Heavy duty bolt together trolley ٠ which is great for stock picking 4 backwards sloping shelves which • prevents items falling off Shelves are removable but not • adjustable Shelves have 10° decline • M1845 Flat Free Wheel Kit 350mm space between each shelf ٠ Push/pull handles on each end . Rubber castors: 2 fixed, 2 swivel • with brakes M1080 Shelves are reinforced M1081 underneath for extra strength Load Shelf Unit Castors Overall Size

Code	Details	Capacity (kg)	(mm)	Size (mm)	LxWxH (mm)	Weight (kg)	
M1080	Sloping Shelf Trolley - 1410mm wide	500	150	1160x580	1410x620x1770	94	
M1081	Sloping Shelf Trolley - 1730mm wide	500	150	1460x730	1730x770x1770	122	
M1845	Pneumatic Wheel Kit to suit M1080 & M1081						

Chair Trolley

- Lifts and moves stacks of chairs with ease ٠
- Fitted Rubber Pads to protect the chairs
- Powder coated black finish •
- Chair Capacity: 10 chairs •
- Rubber castors -. 2 x large fixed, 2 x swivel

Code

M1208

	À	H			
Load	Front	Rear	Handle	Overall Size	Unit
Capacity (kg)	Wheels (mm)	Castors (mm)	Height (mm)	LxWxH (mm)	Weight (kg)

200

70

75

1230x495x1120

1120

17

280L Plastic Bin Trolley (Blue)

- Heavy duty rotomoulded bin with 25mm steel tubular frame
- Bin is ribbed for extra strength
- Additional bins are available to purchase
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Nylon castors 2 x fixed, 2 x swivel
- Load Capacity: 400kg
- Bin Capacity: 280L



M1271

Code	Details	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1270B	Blue Bin Trolley (Includes Bin)	100	1170x730x800	25
M1271	Blue 280L Tub		1030x730x600	8

280L Plastic Bin Trolley (White)

C Sydney (02) 8865 1800

- Heavy duty rotomoulded bin with 25mm steel tubular frame
- Bin is ribbed for extra strength
- Additional bins are available to purchase
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Nylon castors 2 x fixed,
- 2 x swivel • Load Capacity: 400kg
- Bin Capacity: 280L



M1271

Code	Details	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1270W	White Bin Trolley (Includes Bin)	100	1170x730x800	25
M1272	White 280L Tub		1030x730x600	8

Brisbane (07) 3558 9700



400L Steel Waste Trolley

- · The waste trolley is an ideal device for collecting and moving waste and scrap parts
- Perfect for collecting waste from production lines and engineering workshops
- Powder coated finish
- Pneumatic Wheels: 400mm diameter
- Single Rubber Rear Wheel: 200mm diameter





Code	Load	Castors	Overall Size	Unit
	Capacity (kg)	(mm)	LxWxH (mm)	Weight (kg)
M6060	400	200	1390x740x920	55



www.mhaproducts.com.au

Forklift Waste Tipping Bin

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- · Fitted standard with 2 front wheels and 1 rear wheel
- Simply pull the cord or handle which releases mechanism for tipping into larger bins or skips
- Painted finish
- Polyurethane castos 2 x fixed, 1 swivel with brake







Code	Castors (mm)	Load Capacity (kg)	Bin Capacity (L)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Height to Top of Lip (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M6000	125	500	150	140x55	600	710	1160x750x805	95

Steel Triangular Frame Panel Cart

- Triangular framed panel cart is useal for transporting heavy items in warehouses sich as plasterboard, mattresses etc.
- Bolt together constuction
- Comes with 2 fixed castors and 2 swivel castors with brakes
- Castors: 150mm
- Front Platform Height: 330mm
- Back Platform Height: 220mm





Code	Details	Load Capacity (kg)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1230	Steel Triangular Panel Cart	500	380x1200	580x1200x1160	40
M1845	Pneumatic Wheel Kit to suit M1230				

66

Melbourne (03) 9115 9100



A Frame Trolley for Glass

- Suitable for storing & transporting glass, stone & other sheet materials
- Load is secured by 4 adjustable clamp bars
- Detachable ratchet straps supplied
- Rubber profiles protect the load from damage and help prevent movement
- Heavy duty A Frame construction for maximum stability
- · 4-way fork access and crane lugs fitted for transport by forklift or crane
- 150mm poly wheels with brakes allow easy manoeuvering around the worksite
- Wheel kit is designed for quick release with a provision for storage when not in use
- M1279 base is sized (800mm) to use less space on a ute tray and fit through a standard doorway
- M1281 base is designed with racking locators to suit storage in highbay racking
- to suit storage in highbay racking

Code	Details	Maximum Load Width (mm)	Fork Pocket Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1279	Glass A-Frame Trolley - 1500mm long	215	250x80	1500x800x1620	105
M1281	Glass A-Frame Trolley - 1800mm long	340	250x80	1800x1150x1620	130



Panel Cart with Adjustable Load Bars

- The Panel Cart is ideal for moving long/bulky products
- Bars can be set at different spacing so that a variety of different sized products can be transported.
- Zinc finish
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Supplied standard with 2 load bars, but can be fitted with up to 5 bars at once
- Range of accessories available to suit (see page 71)





Code	Load Capacity (kg)	Castors (mm)	Base Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1293	1000	160	240	1250x700x1050	47.5

Panel Cart with Adjustable Load Bars

(Pneumatic Wheels)

- The Panel Cart is ideal for moving long/bulky products
- Bars can be set at different spacing so that a variety • of different sized products can be transported.
- Zinc finish
- Pneumatic Wheels 2 x fixed, 2 x swivel with brakes
- Supplied standard with 2 load bars, but can be fitted with up to 5 bars at once
- Range of accessories available to suit (see page 71)



1000

Sydney (02) 8865 1800



Code

M1294

Wheels (mm)

200

📞 Brisbane (07) 3558 9700



A Frame Panel Cart The A frame panel trolley is ideal for • transporting bulky items Optional trestle racks so that long product can be stored at different heights Zinc Finish Polyurethane castors - 2 x fixed, 2 x swivel with brakes Castors: 160mm • Range of accessories available to suit (see page 71) Q. M1295 Optional Accessories available to suit - page 71 м1295к

Code	Details	Load Capacity (kg)	Base Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1295	A Frame Panel Cart	1000	240	1250x700x1350	55.5
M1295K	A Frame Panel Cart with Trestle Racks	1000	240	1250x700x1350	60.5

A Frame Panel Cart

(Pneumatic Wheels)

- The A frame panel trolley is ideal for transporting bulky items
- Optional trestle racks so that long product can be stored at different heights
- Zinc Finish
- Pneumatic Wheels 2 x fixed, 2 x swivel with brakes
- Range of accessories available to suit (see page 71)



Optional Accessories available to suit - page 71



Code	Details	Load Capacity (kg)	Wheels (mm)	Base Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1296	A Frame Panel Cart	1000	200	280	1250x700x1390	53
M1296K	A Frame Panel Cart with Trestle Racks	1000	200	280	1250x700x1390	68



Transport Trolley with Storage Tray

- Ideal for transporting large and bulky items
- Storage tray is ideal for transporting smaller items
- Zinc Finish
- Polyurethane castors 2 x fixed, 2 x swivel with brakes
- Tray Size (LxWxH): 1120x200x200mm
- Range of accessories available to suit (see page 71)





Code	Load Capacity (kg)	Castors (mm)	Base Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1297	1000	160	240	1250x700x1155	53

Transport Trolley with Storage Tray

(Pneumatic Wheels)

- Ideal for transporting large and bulky items
- Storage tray is ideal for transporting smaller items
- Zinc Finish
- Pneumatic Wheels 2 x fixed, 2 x swivel with brakes
- Tray Size (LxWxH): 1120x200x200mm
- Range of accessories available to suit (see page 71)



Load Capacity (kg)

1000

Sydney (02) 8865 1800



Code

M1298

Wheels (mm)


200

Grisbane (07) 3558 9700



Accessories to suit Panel Carts

• Range of accessories to suit M1280 panel trolleys












Code	Details	M1293	M1294	M1295	M1296	M1297	M1298
M1284	High Load Bar	Y	Y	-	-	Y	Y
M1285	Low Load Bar	Υ	Υ	-	-	Y	Y
M1287	Side Panels (set of 2)	Y	Y	-	-	Y	Y
M1289	Trestle Racks (175kg capacity per level)	-	-	Y	Y	-	-
M1291	Entry Rollers	Y	Y	Y	Y	Y	Y
M1292	Add-On Tray with one Load Bar	Y	Y	-	-	-	-
M1916	Fork Pockets	Y	Y	Y	Y	Y	Y
M1920	Trolley Towing Set	Y	Y	Y	Y	Y	Y



Melbourne (03) 9115 9100


Castors: 150mm


72

• Foot Plate Size (WxDx): 355x240mm

Code	Load Capacity (kg)	Closed Size WxDxH (mm)	Open Size WxDxH (mm)	Unit Weight (kg)	1
M1170	90	390x410x1090	390x410x1090	6	

Sydney (02) 8865 1800





v• Lightweight Aluminium Convertible Hand Trolleys

sales@mhaproducts.com.au

- Quickly convert from a 2 wheel upright trolley to a 4 wheel platform trolley
- Load Capacity: two wheels status: 200kg; four wheels status: 250kg





Code	Details	WxD (mm)	WxDxH (mm)	WxDxH (mm)	Weight (kg)
M1180	1320mm High	460x180	500x470x1320	1120x500x1030	18
M1181	1560mm High	460x180	500x470x1560	1450x500x1140	18

Heavy Duty Appliance Trolleys

- Industrial quality hand trolleys to suit a • variety of applications
- Powdercoated steel frame with poly load protectors •
- M1250 + M1255 are supplied with appliance strap •



Code	Details	Load Capacity (kg)	Foot Size WxD (mm)	Overall Size WxH (mm)	Unit Weight (kg)
M1250	Appliance Trolley - Stair Climber	350	450x200	610x1520	22
M1255	Appliance Trolley - Flat Free	350	450x200	610x1520	19
M1257	P Handle Trolley with extended Foot - Flat Free	300	350x240	525x1305	15

Keg Trolley

- Highly manoeverable ٠
- Ergonomically designed to prevent back strain •
- Standard unit fitted with solid 250mm polyurethane wheels •
- Overall Size (WxH): 530x1150mm •
- Tyre Type: Solid Polyurethane •
- Suits all Australian kegs

Code	Castors (mm)	Load Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1212	250	100	530x1150	10



THE OWNER.

74

Court / Solicitors File Trolleys

- These steel basket court trolleys are ideal for solicitors documents
- The trolley has 3 separate levels which are designed specially to fit lever arch files
- The 2 shelves fold back which gives more space for larger items and boxes
- Available with solid or pneumatic wheels
- Shelf Depth: 340mmOptional rain cover also
- available as pictured
- Court trolleys are supplied assembled ready for immediate use



Code	Details	Front Castors (mm)	Rear Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1160	Court Trolley - Solid Rear Wheels	80	250	620x640x1160	20
M1161	Court Trolley - Pneumatic Rear Wheels	80	270	620x740x1160	20
M1162	Vinyl Rain Cover to suit Court Trolleys				

Gas Cylinder Trolleys

- Ideal for transporting gas cylinders
- Supplied with securing chains as pictured



Code	Details	Castors (mm)	Cylinder Size Dia. (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1210	Single Cylinder Trolley	200	140-250	600x600x1360	17
M1211	Double Cylinder Trolley	390	210-250	700x700x1380	46

	N

Gas Cylinder Trolley Cage

- Suitable for oxygen and acetylene gas cylinders with provision to store hoses inside the cage
- Craneable trolley designed to carry one type "G" Oxygen • and one type "G" Acetylene gas cylinder
- Supplied with an internal load binder to securely • fasten both cylinders
- Fitted with a handle, crane lift point and 400mm • diameter air inflated rubber wheels
- Supplied with IT crane lifting sling
- Enamel paint finish
- HGC: 167mm
- Supplied flatpacked



Rubber air filled wheels

l	

Code	Safe Working	Load Centre	Fork Pocket	Fork Pocket	Overall Size	Unit
	Load (kg)	(mm)	Size (mm)	Centres (mm)	LxWxH (mm)	Weight (kg)
M1215	250	202	165x45	480	882x615x1371	55

Pipe Trolley


- Heavy duty construction for maximum stability •
- 8 spaces available for sorting and accessing pipes
- Arm stops prevent items falling off
- 4 corner posts supplied for fitting to base frame
- Poly/cast wheels 2x fixed, 2x swivel with brakes
- 7inc finish






Designed for long length materials such as pipe and conduit

Zinc finish		VICC		
Code	Working Load Limit (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1280	2000	150	1895x1065x1790	112



Code	Spill Bin Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
M7583	230	610x1210x431	90





Visit www.mhaproducts.com.au for more images and prices

Heavy Duty 3 Sided Mesh Cage Trolley

- These cage trolleys are an ideal trolley for • stock packing and goods movement
- The base folds up for compact storage
- Optional heavy duty removable shelves •
- Flat free wheel kit available to suit (pictured)
- These trolleys come with a removable front bar
- Comes with signboard area on the side •
- Rubber castors- 2 x swivel, 2 x swivel with brakes
- Powder coated finish
- Base Height: 200mmm
- Shelf can be positioned on mesh with 60mm increment
- Shelf Size: 1020x750mm



Code	Castors (mm)	Load Capacity (kg)	Shelf Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1900	125	500	125	1100x850x1700	62

Heavy Duty Mesh Cage Trolley

- These cage trolleys are an ideal trolley for • stock packing and goods movement
- The base folds up for compact storage
- Optional heavy duty removable shelves available •
- Flat free wheel kit available to suit
- These trolleys come with a removable front bar •
- Comes with signboard area on the side
- Rubber castors-2 x swivel, 2 x swivel with brakes

Sydney (02) 8865 1800

- Powder coated finish
- Base Height: 200mmm
- Shelf can be positioned on mesh with 60mm increment
- Shelf Size: 1020x750mm



Brisbane (07) 3558 9700

Code	Castors (mm)	Load Capacity (kg)	Shelf Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1904	125	500	125	1100x850x1700	62
78	Sydney (02) 889	35 1800 (Me	bourne (03) 9115 9100		3558 9700

Melbourne (03) 9115 9100



Heavy Duty Mesh Cage Trolley (with Roof)

- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage
- Roof for fully securing contents of cage
- Optional heavy duty removable shelves
- Flat free wheel kit available to suit
- These trolleys come with a removable front bar
- Comes with signboard area on the side
- Rubber castors- 2 x swivel, 2 x swivel with brakes
- Powder coated finish
- Base Height: 200mmm
- Shelf can be positioned on mesh with 60mm increment
- Shelf Size: 1020x750mm



Code	Castors (mm)	Load Capacity (kg)	Shelf Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1905	125	500	125	1100x850x1700	62

Accessories to suit Heavy Duty Mesh Cage Trolleys







Code	Details
M1901	Optional Shelves to suit Mesh Cage Trolleys
M1845	Flat Free Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels
M1673	Optional Clipboard Holder Attachment to suit Mesh Cage Trolleys

The second

Open Front Cage Trolley

- Ideal for stock packing, goods movement and more.
- Garment rail for transporting hanging goods
- Removable back panel (supplied as 3 panels)
- Multiple accessories available see page 83
- Able to fit up to 6 shelves at 200mm pitch
- Bolt together construction
- Zinc plated finish
- Rubber Castors 2 x swivel, 2 x swivel with brakes
- Internal Size (LxWxH): 1305x675x1476mm
- Handle Height: 1065mm
- Base Height: 223mm



See accessories to suit on page 83

)	Overall Size LxWxH (mm)	Unit Weight (kg)

Code	Castors (mm)	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1930	125	350	1472x687x1710	47

Fully Lockable Cage Trolley with Doors & Roof

- Ideal for stock packing, goods movement and more. •
- Roof and doors for securing goods during transport
- Removable back panel (supplied as 3 panels) •
- Multiple accessories available see page 83
- Able to fit up to 6 shelves at 200mm pitch
- Bolt together construction •
- Zinc plated finish
- Rubber Castors 2 x swivel, 2 x swivel with brakes
- Internal Size (LxWxH): 1305x675x1476mm
- Handle Height: 1065mm
- Base Height: 223mm



Castors (mm)

125

Sydney (02) 8865 1800



Code M1931

Melbourne (03) 9115 9100

350



Cage Trolley with 3 Mesh Tray Shelves

- Ideal for stock packing, goods movement and more.
- Supplied with 3 tray mesh shelves (M1913) centre shelf is adjustable
- Multiple accessories available see page 83
 Zing plated finish
- Zinc plated finish
- Rubber Castors 2 x swivel, 2 x swivel with brakes
- Internal Size (LxWxH): 1305x675x1476mm
- Handle Height: 1065mm
- Base Height: 223mm



See accessories to suit on page 83



Code	Castors (mm)	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1932	125	350	1472x687x1710	58

Fully Lockable Cage Trolley with Doors & Roof

- Ideal for stock packing, goods movement and more.
- Roof and doors for securing goods during transport
- Removable back panel (supplied as 3 panels)
- Multiple accessories available see page 83
- Able to fit up to 6 shelves at 200mm pitch
- Bolt together construction
- Zinc plated finish
- Rubber Castors 2 x swivel, 2 x swivel with brakes
- Internal Size (LxWxH): 1305x675x1476mm
- Handle Height: 1065mm
- Base Height: 223mm

Code

M1933



Castors (mm)

125





Load Capacity (kg)

350

Cage Trolley with Basket


- Ideal for stock packing, goods movement and more.
- Garment rail for transporting hanging goods
- Lower basket to stop boxes falling off in transport (removable sides if not required)
- Multiple accessories available see page 83
- Able to fit up to 4 shelves (M1912, M1913, M1914) at 200mm pitch
- Bolt together construction
- Zinc plated finish
- Rubber Castors 2 x swivel, 2 x swivel with brakes
- Internal Size (LxWxH): 1305x675x1476mm
- Handle Height: 1065mm
- Base Height: 223mm



See accessories to suit on page 83



Code	Castors (mm)	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1934	125	350	1472x687x1710	43











Accessories to suit 1910 Trolleys

Range of accessories available to suit cage trolleys



🔀 sale

M1921

M1922

M1673

M1840

M1848

M1849

Handles to suit Retractable Ladder (M1921)

Retractable Ladder

Drink Holder

Scanner Holder

A4 Pocket

Clipboard Writing Panel

Y

Y

Υ

Y

Υ

Y

Υ

Y

Y

γ

Y

Y

Y

Y

Υ

γ

Y

Υ

Υ

Y

Υ

Y

Y

Y

γ

Υ

γ

γ

Υ

γ

Steerable Load Skates The steerable skate can be used to move heavy objects up to 12000kg The rubber padded platform swivels on a thrust bearing allowing easy movement around corners

- M1330 & M1335 have nylon roller wheels
- M1340 has steel roller wheels




M1330


м1340

Code	Details	Load Capacity (kg)	Castors Dia. (mm)	Castors Width (mm)	Pad Size (mm)	Base Size LxWxH (mm)	Unit Weight (kg)
M1330	Steerable Load Skate	3000	85	90	180x150	230x185x105	15
M1335	Steerable Load Skate	6000	85	90	400x220	550x590x120	45
M1340	Steerable Load Skate	12,000	80	85	400x220	560x585x120	66

Equipment Roller Skates

- Ideal for linear motion, repetitive movement or use as a built in component in equipment
- Fixed hole pattern for bolt mounting
- The rollers can be used in up down or sideways position





Code	Details	Load Capacity (kg)	Hole Centres A (mm)	Hole Centres B (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1350	Roller Skates	750	64	140	165x178x80	5
M1355	Roller Skates	2500	64	140	165x180x90	10
M1360	Roller Skates	5000	83	171	203x203x80	15
M1365	Roller Skates	15,000	94	216	270x254x100	21

84


Brisbane (07) 3558 9700







Load Shifting Skates 2.5 Tonne & 6 Tonne Capacity



- Large diameter nylon rollers ensure ease of movement and spread the load to protect floors from damage caused from high load points
- Fitted with a rubber surface to protect the objects being moved









Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1310	Shifting Skates	2,500	2 x 85	210x100x105	4
M1315	Shifting Skates	6,000	6 x 85	260x230x105	12

Pegboard Tool Trolley

- Great tool trolley for general workshop use
- Comes with metal pegboard on back as well as the sides which can be used to hold tools and equipment
- Powder coated light grey finish
- 75mm rubber castors 2 x fixed, 2 x swivel with brakes





Code	Load	Handle	Shelf	Shelf	Back Panel	Overall Size	Unit
	Capacity (kg)	Height (mm)	Heights (mm)	Size (mm)	Size (mm)	LxWxH (mm)	Weight (kg)
M7225	250	825	160 + 510 + 900	595x405	605x440	670x415x1730	43.5

Industrial Tooling Cabinet on Wheels

- Heavy duty tooling cabinets are ideal for industrial applications
 and workshops
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% access
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- Rubber castors 2 x fixed, 2 x swivel with brakes
- All drawers come with adjustable steel dividers
- 6 Drawers: 2 Drawers x 75mm
 2 Drawers x 100mm
 - 2 Drawers x 150mm



Castors

(mm)

125

Sydney (02) 8865 1800



Code

M7215

Melbourne (03) 9115 9100

565x580x900

76



Parts Bin Trolley

- PVC mat on top and bottom tray
- Transparent front window on the parts bin
- Each bin comes with one divider and one bin label card
- Parts trays have a raised back lip
- Plastic Parts Bin size (LxWxH): 450x165x105mm
- 265mm distance between bottom and middle shelf on M7226 model
- Load capacity: 400kg
- Rubber castors 2 x fixed, 2 x swivel with brakes







Code	Details	Castors (mm)	Distance Between Shelves (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)	
M7226	Parts Bin Trolley (8 parts bins)	100	110	755x465	850x500x855	34	
M7227	Parts Bin Trolley (16 parts bins)	100	110	755x465	850x500x855	38	
M7228	Optional Divider for Parts Bins (available seperately to parts bin)						







Mobile Panel Cart with Storage Cabinet

- The Panel Cart is used for transporting and storing a range of products
- The Mobile Panel Cart features 3 storage shelves as well as a large base which provides easy storage & accessibility for a range of products
- Pegboard Size (WxH): 850x300mm
- Louvre and pegboard panels are
- compatible with our Stor-Pak and
- pegboard accessories
- Storage cabinet supplied with a lock
- Powder coated dark grey finish
- Rubber castors 2 x swive &l 2 x swivel with brakes



Code	Castors (mm)	Shelf Capacity (kg)	Shelf Size (mm)	Cupboard Internal Size WxDxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7275	125	50	870x150	865x220x430	1025x670x1420	65

5 Tier Shelving Unit with Adjustable Feet

- This unit is used for displaying or storing food products and can also be used in warehouses, retail stores, offices etc.
- Includes five shelves
- Adjustable feet
- Overall Capacity: 400kg
- Tray Size (LxW): 915x520mm





Code	Shelf	Overall Size	Tray Size	Unit Weight
	Capacity (kg)	LxWxH (mm)	(mm)	(kg)
M7090	120	920x520x1800	915x520	24

Sydney (02) 8865 1800



Louvre & Pegboard Panel Trolleys

- Strong metal panel trolleys which are ideal for storing either Stor-Pak Bins or tools on hooks
- Fitted with 4 swivel castors (2 with brakes)
- Powder coated grey colour
- Can be ordered one side with louvre panel and one side with square hole metal pegboard with code 10736
- Wheels can be removed to make fixed shelving if required
- Stor-Pak Bins and panel hooks are sold separately





- 16 x No. 5 Stor-Pak Bins (Yellow)
- 16 x No. 10 Stor-Pak Bins (Red)
- 16 x No. 10 Stor-Pak Bins (Green)
- 12 x No. 25 Stor-Pak Bins (Yellow)
- 8 x No. 60 Stor-Pak Bins (Blue)
- 8 x No. 60 Stor-Pak Bins (Red)
- 4 x No. 120 Stor-Pak Bins (Green)

Pegboard					_	L	ouv	re P	an	el		
							_		1			
								-	-14			-
												_
							_	-			-	-
											E	

Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
M7260	Louvre Panel Trolley	980x600x1540	60
M7270	Panel Trolley (1 side pegboard & 1 side louvre panel)	980x600x1540	60
M7262	Square Pegboard Panel Trolley	980x600x1540	60
M7260K	Louvre Panel Trolley Kit*	980x600x1540	85
M7265	Shelf to suit Panel Trolley	940x220	3

*With Stor-Pak Bins exactly as pictured above

Industrial Tooling Workstation

- Heavy duty tooling cabinets for industrial workshop applications
- The sliding drawers have quality smooth operation bearings
- Lockable cupboard with adjustable shelf
- Finish: Powder coated light grey and blue
- 2 fixed castors and 2 swivel lockable castors
- Fixed metal pegboard panel which suits our range of hooks and accessories
- Rubber mat on workbench area
- 5 lockable drawers with dividers
- (3 x 100mm and 2 x 200mm drawers)



Code	Individual Drawer Capacity (kg)	Bench Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7230	75	950	1100x580x1450	115

Industrial Cabinet with 2 Drawers

- Storage cabinet is ideal for workshop and industrial applications
- Pegboard, drawer and cupboard storage spaces guarantee various sized tools and equipment can be stored efficiently
- Metal pegboard to neatly arrange tools and equipment for easy access
- Sliding drawers with smooth operation bearings allow smaller parts
- to be organised. Drawers also have adjustable dividers.
- 2 door lockable cabinet with 1 adjustable shelf







Workplace Equipment

7 Drawer Industrial Tooling Cabinet


- Heavy duty tooling cabinets for Industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers
- Drawer 1 to 6 150mm high
- Drawer 7 200mm high




CodeIndividual Drawer
Capacity (kg)Overall Size
WxDxH (mm)Unit
Weight (kg)M7220100881x653x1200121

10 Drawer Industrial Tooling Cabinet

- Heavy duty tooling cabinets for industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design for safe storage.
- Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- · All drawers come with adjustable steel dividers
- Drawer 1 to 9 100mm high
- Drawer 10 200mm high







Heavy Duty Industrial Storage Cabinets

- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Full height cabinets come standard with 4 adjustable shelves and 1/2 height cabinet comes standard with 2 adjustable shelves - extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Drawers come standard with 15 compartments (4 slotted partitions & 10 dividers)
- Total Cabinet Load Capacity: 600kg
- Shelf Capacity: 100kg
- Finish: Powder coated light grey with light blue coloured doors/drawers
- M7205 Cabinet Base Stand is ideal for levelling the cabinets on uneven floors (suits M7201 only)

1/2 Height Cabinet

- · Shelf Capacity: 100kgs
- 3 point key lock system
- · 2 adjustable shelves as standard
- Option drawer units available which fit inside unit so doors can be locked





M7209 Divider to suit **M7200** & M7201 1/2 & Full Height Cabinets





Cabinet base stand available to suit M7201







Code	Details	Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M7200	1/2 Height Industrial Cabinet	100 per shelf	900x450x900	45
M7201	Full Height Industrial Cabinet	100 per shelf	900x450x1800	85
M7202	Small Drawer Unit (to suit cabinets)	50 per drawer	100mm deep	8
M7203	Large Drawer Unit (to suit cabinets)	75 per drawer	200mm deep	15
M7204	Extra Shelves to suit Cabinets	150	840x380x30	5
M7205	Cabinet Base Stand (suits M7201) raises cabinet 70mm			4
M7206	100mm Divider to suit M7202 & M7203 (Pack of 10)	-	-	-
M7207	200mm Divider to suit M7202 & M7203 (Pack of 10)	-	-	-
M7209	Divider to suit M7200 & M7201	_	385x60x330	1.5

Industrial Tooling Drawer Unit

- These industrial tooling drawers are a heavy duty drawer cabinet for industrial applications
- The 1/2 height industrial cabinet can be mounted on top of the tooling cabinet (as per image shown below)
- Finish: Powder coated light grey with light blue coloured drawers
- 2 x 100mm deep drawers
- 3 x 200mm deep drawers
- Drawers have adjustable dividers

Drawer

Capacity (kg)

75

Code

M7210



Unit

Weight (kg)

95





Overall Size

WxDxH (mm)

900x450x900

Heavy Duty Industrial Storage Cabinets Complete With Drawers

- These heavy duty industrial storage cabinets are • made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- · Finish: Powder coated light grey with light blue coloured doors
- Supplied with 4 adjustable shelves •
- Drawers come standard with 15 compartments (4 slotted partitions & 10 dividers)
- Overall Size (HxWxD): 1800x900x450mm
- Total Cabinet Load Capacity: 600kg
- 100mm Drawer Capacity: 50kg
- 200mm Drawer Capacity: 75kg
- Shelf Capacity: 100kg •

M8150 - 2 Drawer Cabinet

1 x 100mm drawer & 1 x 200mm drawer

M8151 - 4 Drawer Cabinet

2 x 100mm drawers & 2 x 200mm drawers

M8152 - 6 Drawer Cabinet

• 3 x 100mm drawers & 3 x 200mm drawers

M8160 - 8 Drawer Cabinet

• 8 x 100mm drawers

M8162 - 10 Drawer Cabinet

• 10 x 100mm drawers

M8170 - 7 Drawer Cabinet

• 2 x 100mm drawers & 5 x 200mm drawers

M8171 - 6 Drawer Cabinet

• 5 x 100mm drawers & 1 x 200mm drawer

M8172 - 8 Drawer Cabinet

5 x 100mm drawers & 3 x 200mm drawers

M8175 - 5 Drawer Cabinet

5 x 200mm drawers



200mm drawer



Doors can be removed if preferred

Code	Details	Unit Weight (kg)
M8150	2 Drawer Cabinet (1 x 100mm & 1 x 200mm drawers)	108
M8151	4 Drawer Cabinet (2 x 100mm & 2 x 200mm drawers)	131
M8152	6 Drawer Cabinet (3 x 100mm & 3 x 200mm drawers)	154
M8160	8 Drawer Cabinet (8 x 100mm drawers)	149
M8162	10 Drawer Cabinet (10 x 100mm drawers)	165
M8170	7 Drawer Cabinet (2 x 100mm & 5 x 200mm drawers)	176
M8171	6 Drawer Cabinet (5 x 100mm & 1 x 200mm drawers)	140
M8172	8 Drawer Cabinet (5 x 100mm & 3 x 200mm drawers)	170
M8175	5 Drawer Cabinet (5 x 200mm drawers)	160

Melbourne (03) 9115 9100





















Heavy Duty Warehouse Packing Bench

- Strong heavy duty work or packing bench
- 25mm MDF bench top and shelf
- Bench is supplied flat packed
- Image shown with optional bottom shelf
- Castor Kit raises bench height by 140mm
 Top and bottom shelves are height adjustable
- Bench Size: 2390x860x25mm





Code	Details	Load Capacity(kg)	Overall Size LxWxH (mm)	Unit Weight (kg)	
M7320	Heavy Duty Packing Bench	500	2525x900x1000	74	
M7321	Optional Bottom Shelf	-	2390x860x25	36	
M7325	M7325 100mm Lockable Castor Kit to suit Packing Bench				

Heavy Duty Industrial Workbenches 900 Series

- Heavy duty steel industrial workbench is ideal for use as a work or tool bench
- This workbench has a 600kg top bench capacity
- 28mm thick laminated wooden top
- Comes standard with adjustable feet for levelling on uneven floors

Sydney (02) 8865 1800

Finish: Powder coated light grey











Workplace Equipment

Heavy Duty Industrial Workbenches 1200 Series

- Heavy duty steel industrial workbench with bottom shelf is ideal for use as a work or tool bench
- 1000kg wood top bench capacity
- 53mm thick laminated wooden top
- Comes standard with adjustable feet for levelling on uneven floors and an optional lockable castor kit is available if required
- Drawer Unit Capacity: 100kg per drawer
- Finish: Powder coated light grey







Drawer & Cabinet Options



M7244 - 2 Drawer Unit 2 x 100mm drawers





Code	Details	Dimensions (mm)
M7305	Industrial Workbench	1200x750x900 (WxLxH)
M7253	Lockable Drawer Unit (2 drawer)	565x650x280mm (WxDxH)
M7312	Lockable Drawer Unit (3 drawer)	565x650x450mm (WxDxH)
M7315	Lockable Cabinet Unit (with shelf)	565x650x450mm (WxDxH)
M7244	2 Tier Shelf Unit to suit M7305	1200mm long
M7250	Adjustable Shelf to suit M7305	1200mm long
M7246	Workbench Castor Kit (includes 4 swivel castors with brake	es)



Heavy Duty Industrial Work Benches 1800/2100 Series

- Heavy duty steel industrial workbenches which are ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- 40mm thick laminated wooden top (M7240, M7242)
- 53mm thick laminated wooden top (M7306, M7307)
- Comes standard with adjustable feet for levelling on uneven floors and an optional lockable castor kit is available if required
- Bottom shelf benches available in both 1800 and 2100mm sizes
- Drawer Unit Capacity: 100kg per drawer
- Finish: Powder coated light grey





Shelf Options



Accessory Options





Drawer & Cabinet Options



M7307 Shelf Options

M7251	Adjustable Shelf to suit 1800mm bench	1800x250 (LxD)
M7252	Adjustable Shelf to suit 2100mm bench	2100x250 (LxD)
M7254	2 Tier Shelf Unit to suit 1800mm bench	1800x285 (LxD)
M7255	2 Tier Shelf Unit to suit 2100mm bench	2100x285 (LxD)
M7241	Back Panel Kit to suit 1800mm bench	1800x750x900 (LxWxH)
M7243	Back Panel Kit to suit 2100mm bench	21035x205x825 (LxWxH)
Underbench (Options	
M7244	Lockable Drawer Unit (2 drawer)	565x650x280mm (WxDxH)
M7312	Lockable Drawer Unit (3 drawer)	565x650x450mm (WxDxH)
M7245	Lockable Drawer Unit (6 drawer)*	565x580x750mm (WxDxH)
M7315	Lockable Cabinet Unit (with shelf)	565x650x450mm (WxDxH)

M7246 Workbench Castor Kit (includes 4 swivel castors with brakes)

Industrial Workbench 2100mm (with bottom shelf)

*Please Note: The M7245 (6 drawer unit) won't fit under the workbenches with bottom shelves

2100x750x900 (LxWxH)

Stainless Steel Benches

- Ideal for hospitality, pharmaceutical and medical
- 1.2mm thick 304 grade stainless steel top and undershelf
- 201 grade stainless steel legs
- Easy to wipe clean and keep hygienic
- Six widths available from 900mm to 2400mm
- Bench Depth: 600mm
- Bench Height: 900mm
- Supplied flat packed ready for assembly



M8202 M8203 M8204 Code Details M8200 Stainless Steel Bench 900x600x900mm (WxDxH) M8201 Stainless Steel Bench 1200x600x900mm (WxDxH) M8202 Stainless Steel Bench 1500x600x900mm (WxDxH) M8203 Stainless Steel Bench 1800x600x900mm (WxDxH) M8204 Stainless Steel Bench 2100x600x900mm (WxDxH) M8205 Stainless Steel Bench 2400x600x900mm (WxDxH) M8205

Stainless Steel Benches (With Splashback)

- 1.2mm thick 304 grade stainless steel top and undershelf
- 201 grade stainless steel legs
- 100mm splashback to stop items falling down back of bench
- Easy to wipe clean and keep hygienic
- Seven widths available from 600mm to 2400mm
- Bench Height with Splashback: 1000mm















Code	Details
M8220	Stainless Steel Bench with splashback 600x600x900mm (WxDxH)
M8221	Stainless Steel Bench with splashback 900x600x900mm (WxDxH)
M8222	Stainless Steel Bench with splashback 1200x600x900mm (WxDxH)
M8223	Stainless Steel Bench with splashback 1500x600x900mm (WxDxH)
M8224	Stainless Steel Bench with splashback 1800x600x900mm (WxDxH)
M8225	Stainless Steel Bench with splashback 2100x600x900mm (WxDxH)
M8226	Stainless Steel Bench with splashback 2400x600x900mm (WxDxH)

Stationery Cabinets

- Versatile, functional & practical steel office furniture allows freedom to create & configure storage solutions to suit your individual requirements.
- Supplied fully assembled
- All Cupboards are Key lockable
- Available in 1/2 Height and Full Height Sizes
- Full height cabinet comes standard with 3 shelves and 1/2 height cabinet comes standard with 1 shelf (extra shelves available)
- Shelf Thickness: 25mm
- Extra Shelves are supplied with clips



Seal Grey







Code	Details	Overall Dimensions (mm)
M7070	Half Height Stationery Cabinet (Dark Grey)	1015x910x450
M7071	Full Height Stationery Cabinet (Dark Grey)	1830x910x450
M7072	Extra Shelf to suit M7070 & M7071	900x390
M7073	Half Height Stationery Cabinet (Light Grey)	1015x910x450
M7074	Full Height Stationery Cabinet (Light Grey)	1830x910x450
M7075	Extra Shelf to suit M7073 & M7074	900x390



Open Steel Shelving Unit

- This Open steel shelving Unit is roll formed from durable premium pre-painted steel
- Designed for both office and warehouse applications
- Comes with 4 Shelves
- Optional shelves sold as a pair only, available (Can fit up to 14 shelves at 118 pitch)
- Powder coat Finish
- Max. Capacity: 250kg
- Shelf Capacity: 20kg





Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
M7085	Open Steel Shelving Unit	890x455x2200	40
M7086	Open Steel Shelving Unit Extra Shelves	887x420x25	3.25

Steel Shelving Parts Tray Kits

- This steel shelving is roll formed from premium pre-painted steel to ensure durability and engineering integrity for both office and warehouse storage applications.
- Colour: Silver Grey
- Supplied flat packed Easy to assemble •
- 100kg shelf load capacity •
- Max Load Capacity Per Bay: 500kg
- Overall Size (WxDxH): 910x400x2200mm

			IH-017 Parts Trays Size LxWxH: 400x100x100mm (with 3 dividers)
			IH-025 Parts Trays Size LxWxH: 400x200x100mm (with 3 dividers)
M7082	M7083	M7084	

Code	Details
M7082	Shelf Unit Kit (includes 112 x IH-017 parts trays)
M7083	Shelf Unit Kit (includes 56 x IH-025 parts trays)
M7084	Shelf Unit Kit (includes 48 x IH-017 & 32 x IH-025 parts trays)

102

Sydney (02) 8865 1800

Melbourne (03) 9115 9100



Workplace Equipment

Heavy Duty Parts Cabinet (30 Parts Trays)

- These Heavy Duty Parts Cabinets are a great way to store • parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside
- Parts trays have a raised back lip
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- External Plastic Parts Bin Size (LxWxH): 415x170x105mm
- Internal Plastic Parts Bin Size (LxWxH): 380x140x100mm





Code	Details	Parts Bin Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
M7350	Heavy Duty 30 Parts Cabinet	10	900x420x880	51
M7353	Optional Dividers to suit M7350 (available seperately to parts trays)			

Heavy Duty Parts Cabinet (60 Parts Trays)

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside.
- Parts trays have a raised back lip
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification
- External Plastic Parts Bin Size (LxWxH): 415x170x105mm
- Internal Plastic Parts Bin Size (LxWxH): 380x140x100mm







Code	Details	Capacity (kg)	WxDxH (mm)	Weight (kg)
M7351	Heavy Duty 60 Parts Cabinet	10	900x420x1760	110
M7353	Optional Dividers to suit M7351 (available seperately to parts trays)			



Palomat Greenline Pallet Dispenser

The user inserts or removes the pallets using a pallet truck or a forklift truck. All pallet handling is carried out at floor level. The PALOMAT Greenline detects the pallets via photo sensors which they are automatically stacked or destacked one by one.

• No manual pallet handling - reduces back strain from manually lifting pallets

- Space saving and a tidy workplace
- Optimised pallet flow
- Improved work environment
- Fewer back injuries, jammed fingers, and feet
- Stainless steel version available if required
- Increased efficiency
- No of Pallets: 15
- Suits Australian Chep and Loscam sized pallets
- Noise Level: 70 dBa
- Power: 220-240VAC / 50 Hz
- Can be adjusted for cool-room environments down to -25°C
- Fully electric operation
- Warranty: 12 months
- Made in Denmark











Fully-Auto Stretch Wrapping Machine

- Electronic screen with 'Soft Touch' control
- Variable film carriage and turntable speeds
- Photocell eye for automatic height detection
- Automatic and Manual wrapping programs
- Soft-start and stop turntable drive
- Ramp is supplied as an optional extra
- Ramp can be positioned anywhere around the turntable
- Ramp is great for pallet truck access
- Ramp Finish: Powercoated Blue
- Ramp Overall Size (WxLxH): 1000x1500x80mm
- Ramp Weight: 56kg
- 250% Pre-Stretch film carriage
- Power supply: 240v, single phase
- Heavy-duty industrial chain driven turntable
- Forklift relocation slots for easy machine transportation
- Rugged steel construction for long-term reliability
- Standard 12 month warranty
- Max height of wrapping: 2100mm
- Load capacity: 1500kg
- Fork Pocket Size: 154x54mm
- Fork Pocket Centres: 570mm
- Max pallet size: 1200x1200mm
- Turntable diameter: 1500mm
- **Overall Machine Dimensions** (LxWxH): 2455x730x2200mm
- Turntable Height: 80mm
- Turntable speed: 1-12 RPM
- Stretch film size: 500mm
- Machine weight: 435kg

M7742 pictured	with	M7743
(optional ramp	to su	uit)

Code Details M7742 Full-Auto Stretch Wrapping Machine M7743 Ramp to suit M7742



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M7742



Semi-Auto Strapping Machine

- Power Supply: 240V
- Electric adjustment for strap length and tension
- PP Strapping Width: 5 15.5mm
- PP Strapping Thickness: 0.6-1.0mm
- Max Strapping Tension: 5-40kg
- Strapping Speed: 2.5 Seconds/Strap
- Table Height: 750mm



Code	Max Loading	Machine Dimensions	Unit
	Weight (kg)	LxWxH (mm)	Weight (kg)
M7760	180	785x545x750	60



Visit website for more details and price

M7

www.mhaproducts.com.au

20

Stor-Pak Parts Bins

- Strong polypropylene bins which are ideal for parts and products storage
- Sit on shelves, benches, stack them or clip them to louvre panels
- All Stor-Pak bins are stackable
- Available in green, blue, red, yellow and clear
- Optional dividers available for #60, #120 and #240 bins
- Hospital grade material bacterial free
 and chemical free
- Bin colours available:



Orange Yellow Clear



for sizes 60, 120 & 240 bins



MICRANA J

Size #5



Size #10



Size #25



Size #60



Size #80

Size #120



Size #240

Code	Details	Size WxDxH (mm)	Volume (L)	Ctn Qty
IH-060	Stor-Pak Bin #5	100x115x60	0.5	12
IH-061	Stor-Pak Bin #10	100x170x85	1.0	6
IH-062	Stor-Pak Bin #25	133x220x125	2.5	6
IH-063	Stor-Pak Bin #60	200x275x165	6.0	6
IH-200	Stor-Pak Bin #80	200x440x165	8.0	6
IH-064	Stor-Pak Bin #120	410x275x165	12	5
IH-065	Stor-Pak Bin #240	410x440x210	24	4
Dividers				
IH-058	Stor-Pak Dividers (suits bins #	Stor-Pak Dividers (suits bins #60 and #120)		
IH-057	Stor-Pak Dividers (suits bins #	ŧ240)		45

*Please specify colour when placing your order



Spare Parts Trays

- Strong polypropylene oil resistant trays which are supplied with dividers
- Extra dividers are available to create more compartments in the trays
- Ideal for small parts storage
- Hospital grade material bacterial free and chemical free





Mesh-Pak Storage Bins

- The ultimate practical storage system and part of the stor-pak range
- Available in three sizes to accommodate small as well as bulky items
- Produced in tough and durable hospital grade material bacterial free and chemical free
- Angled front provides easy picking access
- Perforated bottom ensures no dust collects at the bottom of the box
- Dividers available for Stor-Pak #60 and #120
- Colours Available: Blue or Clear





Code	Details	Size WxDxH (mm)	Volume (L)	Ctn Qty
IH-061MPB	Mesh-Pak Bin #10-Blue	100x170x85	1.0	6
IH-061MPC	Mesh-Pak Bin #10-Clear	100x170x85	1.0	6
IH-062MPB	Mesh-Pak Bin #25-Blue	133x220x125	2.5	6
IH-062MPC	Mesh-Pak Bin #25-Clear	133x220x125	2.5	6
IH-063MPB	Mesh-Pak Bin #60-Blue	200x275x165	6.0	6
IH-063MPC	Mesh-Pak Bin #60-Clear	200x275x165	6.0	6
IH-064MPB	Mesh-Pak Bin #120-Blue	410x275x165	12	5
IH-064MPC	Mesh-Pak Bin #120-Clear	410x275x165	12	5
Dividers				

Dividers

IH-058 Dividers

Dividers (to suit bins #60 & #120)

Melbourne (03) 9115 9100



Visi-Pak Storage Bins

- Fully modular the Visi-Pak is supplied with special clips which enable them to fit onto a louvre panel doors swivel forward for easy access
- They can also be screwed onto a wall or left free standing on a bench top
- Ideal for small parts storage
- Available in 3 standard sizes
- Hospital grade material bacterial and chemical free









Code	Details	Size WxDxH (mm)	Volume (L)	Ctn Qty
IH-040	Visi-Pak - Small	103x83x120	0.25	12
IH-041	Visi-Pak - Medium	154x126x180	1.5	6
IH-042	Visi-Pak -Large	208x167x235	3.5	6

Drawer Organisers

- Ideal for storing nuts, bolts, screws etc
- Can be mounted onto louvre panel or screwed directly onto a wall
- Blue with clear drawers
- Hospital grade material bacterial free and chemical free
- Material: Durable Co-Polymer



Code	Details	Unit Size WxDxH (mm)	Drawer Size WxDxH (mm)
IH-048	Drawer Organiser (2 drawer)	87x136x98	70x125x40
IH-044	Drawer Organiser (3 drawer)	155x125x140	145x125x40
IH-050	Drawer Organiser (12 drawer)	230x128x188	70x125x40
IH-051	Drawer Organiser (20 drawer)	305x128x230	70x125x40

Ezi-Pak Carry Case

- Tough carry cases for tools and accessories
- Made from ABS plastic with polycarbonate lids
- Comes with removable dividers (21 compartments)
- Removable dividers
- Available in Red and Blue
- Modular frame which is great for use in vehicles or can be mounted to a workbench and can have multiple modules stacked on top of each other
- Modular frame is self locking





Code Details Overall S WxDxH (r	
IH-150BEzi-Pak Accessory Case- Blue (with clear lid)370x432	x85
IH-150REzi-Pak Accessory Case- Red (with clear lid)370x432	x85
IH-151BEzi-Pak Accessory Case- Blue (with blue lid)370x432	x85
IH-156Ezi-Pak Accessory Case Modular Frame (fits 2 cases, not included)415x435x	270
IH-155*Ezi-Pak Accessory Case Modular Frame (complete with 2 cases)415x435x	270

*This comes with red or blue lid cases (please specify colour when ordering)





Clear Accessory Boxes

for • All • Ma	storii plast ide fre	ng small parts ic construction	ar plastic for easy view	-				
• Pro	tects	goods from di	irt & dust					
	ality (dless	catch for secur uses	re locking			IH-031	IH-03	80
	-033		IH-029	IH-038		IH-039		
ІН	-095		IH-097	IH-091		IH-098	IH-08	8
Cod	de		Details		Overall Si	ze LxWxH (mm)	Compartme	nts Ctn Qty
IH-0	031	Small - 1 com	partment		18	3x118x31	1	12
IH-0	30	Small - 5 com	npartments		18	3x118x31	5	12
IH-0		Small - 10 cor	•			3x118x31	10	12
IH-0		Medium - 1 co				ix157x48	1	12
IH-0			ompartments			ix157x48	6	12
IH-0			compartments			ix157x48	14	12
IH-0			o - 1 compartment			x136x66	1	14
IH-0		Large - 1 com				x200x48	1	5
IH-0		Large - 12 cor	•			x200x48	12	5
IH-0		Large - 18 compartments		310x200x48		18	5	
IH-0		Large Deep - 1 compartment		310x200x80		1	3	
IH-0			3 compartments			x200x80	3	3
IH-0		• •	6 compartments			x200x80	6	3
IH-0		-	20 compartments			x270x55	20	5
IH-0		-	tra Deep - 1 compartr			x270x100	1	3
IH-0		-	tra Deep - 8 compart	ment		x270x100	8	3
IH-0	88	8 A4 Size - 1 Compartment		315	5x230x71	1	3	



Louvre Panel & Square Hole Boards & Accessories

- These wall mountable panels are available with louvre panel slots or square pegboard holes for hanging items
- Panels can be mounted onto benches, walls, racking, shelving trolleys and more
- Large range of hanging hooks accessories available



M7289

M7290

Spanner Holder

Screwdriver Holder

135mm long

390mm long

1





Workplace Equipment

Louvre Panels (Metal & ABS Plastic)

- These louvre panels are available in both metal and ABS plastic and can be used for many applications including workbenches, packing areas, walls, shelving etc
- 4 standard sizes in the metal louvre panel and 2 standard sizes in the ABS plastic panels



M7297



M7293




M7298



M7294



-	10	30	10	3.5	1
	30	30	30	30	-
		30	3.0	35	3
00	30	30	30	35	
		35	.) () ()	35	-
	0.0	20		35	-
29		35	3.4	2.5	-
Contraction of the second	25	25	3.5		-
- + -	25	35	2.5	35	- *
	29	29		1	1
	12	25	12	29	-
	32	10	112	26	
20	38	-	12	11	2
HE	52				-
		-	12		
	3.0	5-		-	
	30	30		30	-
00	3.0	30	3-	3.8	-
-	35	3-	-	3.0	-
		3.0			-
	-	-	35	-	-
	30	-	30		-
	3.0	30	-		-



M7295

M7296

Code	Details	Overall Size WxH (mm)	Unit Weight (kg)	Ctn Qty
M7293	Metal Louvre Panel Board	450x450	2.5	1
M7294	Metal Louvre Panel Board	455x610	3.3	1
M7295	Metal Louvre Panel Board	455x914	5	1
M7296	Metal Louvre Panel Board	450x1800	10	1
M7297	ABS Plastic Louvre Panel Board	460x153	0.2	1
M7298	ABS Plastic Louvre Panel Board	460x460	0.5	1



Enviro Plastic Stack & Nest Crates

(Recycled Plastic)

- These recycled stack and nesting crates are injection moulded from tough, durable, UV resistant recycled polypropylene.
- · Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only

Size #4	Size #4D	Size #7	Size #10	Size #1	5
Code	Detail	S	Size LxWxD (mm)	Capacity (L)	Ctn Qty
M7820	No. 4 Bins (Black Recy	cled)	430x323x127	13.5	10
M7821	No. 4D Bins (Black Rec	ycled)	430x323x210	22	10
M7822	No. 7 Bins (Black Recycled)		645x413x210	32	5
M7823	No. 10 Bins (Black Recycled)		645x413x276	52	5
M7824	No. 15 Bins (Black Recycled)		645x413x397	68	3
Lids to suit					
M7825	Bin Crate Lids to suit No. 4 crates (Black Recycled)				10
M7826	Bin Crate Lids to suit N	o. 7-15 crates (Blacl	k Recycled)		5

Stack & Nest Crate Dollies

- Industrial strength made from heavy duty, durable recycled PP material
- M7840 & M7843: Zinc plated Castors
- M7841: Stainless Castors
- M7840 & M7841: Wheel wells to allow for stackable, secure storage (when not in use)
- M7840 & M7841: Rear castors with brakes to secure when stopped on an incline.
- Designed to fit our number 7, 10 or 15 stack and nest bin





		Capacity (kg)	weight (kg)
M7840	Enviro Dollie Dark Grey Frame (405x615x190mm LxWxH)	600	6
M7841	Enviro Dollie Blue Frame (405x615x190mm LxWxH)	600	6
M7843	Stack & Nest Crate Dollie Blue Frame (405x610x170mm LxWxH)	250	4.5

Brisbane (07) 3558 9700





Workplace Equipment

Plastic Stack & Nest Crates (Virgin Plastic)

- These stack and nesting crates are injection moulded from tough, durable, UV resistant polypropylene. They are suitable for food handling, engineering, warehousing or distribution
- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only
- Available in 5 colours (please specify your preferred colour when ordering)



M7831

M7832

M7833

M7834

Lids to suit M7835



Bin Crate Lids to suit No. 4 crates (Black or white)

No. 4D Bins

No. 7 Bins

No. 10 Bins

No. 15 Bins

430x323x210

645x413x210

645x413x276

645x413x397

10

5

5

3

5

5

22


32

52

Access Plastic Bin Rack

- These access bin racks store and display products for easy access and stock picking
- Extra strong powder coated frames and beams
- Rack fits the No. 4D size bins (choice of 6 colours)
- Available in 2 standard sizes
- This rack can have castors fitted for easy maneuverability
- M8100 Access Plastic Bin Racking: 1800x1800x450mm
- M8101 Access Plastic Bin Racking: 2400x1800x450mm
- Add-on Bays available so you can make one continuous line of Acess Bin Racking






Code	Details
M8100	Access Plastic Bin Rack (includes 20 plastic bins)
M8100A	Access Plastic Bin Rack Add on Bay to suit M8100
M8101	Access Plastic Bin Rack (includes 28 plastic bins)
M8101A	Access Plastic Bin Rack Add on Bay to suit M8101
M7325	Castor Kit to suit (includes 4 castors with brakes)





Access Stor-Pak Bin Rack

- These access Stor-Pak bin racks store and display products for easy access and stock picking
- Stor-Pak bins are available in Red, Green, Blue or Yellow
- Stor-Pak Bin Size: 410x440x210mm (Length x Depth x Height)
- Extra strong powder coated frames and beams
- Available in 2 standard sizes
- This rack can have castors fitted for easy maneuverability
- M8105 Access Plastic Bin Racking: 1800x1800x450mm
- M8106 Access Plastic Bin Racking: 2400x1800x450mm
- Add-on Bays available so you can make one continuous line of Acess Bin Racking





Code	Details
M8105	Access Stor-Pak Rack (includes 16 plastic bins)
M8105A	Access Plastic Bin Rack Add on Bay to suit M8105
M8106	Access Stor-Pak Rack (includes 20 plastic bins)
M8106A	Access Plastic Bin Rack Add on Bay to suit M8106
M7325	Castor Kit to suit (includes 4 castors with brakes)

Multistaka Crates

- Industrial strength made from heavy duty, durable PP material
- Food grade material
- Available in white and blue colour
- Lids available in white only









Code	Details	Overall Size LxWxH (mm)	Cty Qty
M7850B	Blue Multistaka Crate - 13 Litre	432x324x127	5
M7850W	White Multistaka Crate - 13 Litre	432x324x127	5
M7851B	Blue Multistaka Crate - 22 Litre	432x324x203	5
M7851W	White Multistaka Crate - 22 Litre	432x324x203	5
M7852B	Blue Multistaka Crate - 32 Litre	432x324x305	3
M7852W	White Multistaka Crate - 32 Litre	432x324x305	3
M7853	Multistaka Crate Lid	438x330	5

Plastic Pails With Lids

These plastic pails are great for food and industrial applications

M7852W

- 4 standard sizes available
- Stainless steel carry handle with plastic sleeve
- Australian made
- Supplied with lids
- Colour: White

Code	Details	Overall Size Dia. x Height (mm)
M7854	Plastic Pail & Lid - 5L	204x176
M7855	Plastic Pail & Lid - 10L	260x270
M7856	Plastic Pail & Lid - 15L	280x332
M7857	Plastic Pail & Lid - 20L	280x410





Standard Plastic Export Pallet

Excellent pallets for one way use with no fumigation or heat treatment required.

- Suitable for food processing plants and pharmaceutical industries
- Passes all export regulations ISPM -15 compliant
- Able to be hot washed, steam cleaned and chemically sterilised
- No nails or splinters
- Re-sell value after usage
- Material: Made from recycled plastic
- 2 types available 2 way entry & 4 way entry

M7860

M7861

Code	Details	Static SWL (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7860	Standard Plastic Export Pallet-2 way entry	1000	1140x1140x120	7.7
M7861	Standard Plastic Export Pallet-4 way entry	1000	1100x1100x120	7.6

Heavy Duty Hygiene Pallet

Heavy duty Envionmentally friendly plastic pallets which are great for the food, pharmaceutical, grocery, printing, beverage and many other industrial applications.

- Size (LxWxH): 1165x1165x150mm
- Static Capacity: 8000kg
- Beam Racking and
 Forklift Movement Capacity: 2000kg
- Pallet Weight: 34kg
- Drive-In Racking Capacity: 1000kg
- Material: Recycled polyethylene



Please Note: Capacity weights are approx only and we recommend that racking trials be carried out in each case


Code	Static	Overall Size	Unit
	SWL (kg)	LxWxH (mm)	Weight (kg)
M7865	8000	1165x1165x150	34



Vented Collapsible Bin & Lid

- Made from UV Stabilised PP
- Full recyclable and Food Grade Approved
- 3:1 Fold Down ratio
- 2 way forklift and pallet truck Entry
- Can safely stack up to 10 bins high when empty, 7 high at 300kg, 5 high at 500kg and 3 high and 700kg
- Pallet Rack Safe Unique Positive Locking Base Design
- Racking Capacity 500kg
- Dynamic Capacity 1000kg
- Static Capacity 4000kg
- Bin Closed Dimensions (LxWxH): 1162x1162x270mm
- Bin Internal Dimensions (LxWxH): 1070x1070x630mm





M7811 - Open & Stacked



Code	Details	Volume (L)	Dimensions LxWxH (mm)	Unit Weight (kg)
M7811	Vented Collapsible Bin	730	1162x1162x780	46
M7816	Lid to suit M7811	-	1172x1172x63	6.2

📞 Sydney (02) 8865 1800 🛛 🔍 Me

Melbourne (03) 9115 9100

Grisbane (07) 3558 9700

Nally Plastic Mega Bins (Vented & Solid)

The Nally MegaBin is the original Australian bulk bin. Designed for fruit and vegetable movement and retail high performance the Nally MegaBin is clearly the way of plastic bins in Australia.

Rounded corners and smoother interior surfaces results in less bruising and damage to your produce. Multiple vents in sides and base provide superior airflow so products cool faster adding valuable shelf life to your produce. The smooth, non-absorbent surface will not harbour or transfer mould, bacteria or disease carrying organisms.

Nally Megabins are up to 40% lighter in weight than wood bins and the weight is constant as they don't absorb moisture. This allows for increased freight efficiencies of 4-5%. In practice you are able to transport 2-3 extra bins of fruit per semi-trailer load.

- Available in both solid and vented
- Standard pallet size (1165mm x 1165mm)
- Fits on standard pallet racking
- Maximum load capacity: 500kgs









Code	Details	Capacity (L)	Eternal Size LxWxH (mm)	Internal Size LxWxH (mm)	Unit Weight (kg)
M7800	Solid Mega Bin	780	1165x1165x780	1082x1082x650	44
M7810	Vented Mega Bin	780	1165x1165x780	1082x1082x650	44
M7815	Mega Bin Lid	-	1180x1180x35	-	10



Mesh Stillage Transport Storage Cage

- Multi-purpose transport or storage cages which are ٠ great for storing products both indoor and outdoor
- Pallet Rack Safe these cages have built in racking locators • making it an ideal storage cage and safe storage on pallet racking
- Drop down removable front gate •
- Rear gate hinges open for easy access to cage
- Cages can be stacked 3 high when loaded •
- and 5 high unloaded Finish: Zinc plated .
- Base to the top of the front gate when folded is . 390mm (internally)
- Base to the top of the front and back gates is . 780mm (internally)





Watch a video of this in operation on our website here: www.mhaproducts.com.au/M7530





M7530 pictured with M7502



Collapsed





Code	Details	Load Capacity (kg)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7530	Mesh Storage Cage	1000	1070x1070x840	1160x1205x1041	80
M7502	Galvanised Floor to suit M7530				
M7533	Lid to to suit M7530				
M7534	Full Height Divider to suit M7530				



Low Height Storage Cage

- This Low Height Storage Cage is great for storing products both indoor and outdoor.
- Pallet Rack Safe unique positive locking base design for racking
- Removable front gate
- Cages can be stacked 2 high when loaded
- 4 Way forklift & 2 Way Pallet Truck entry
- Finish: Zinc plated

1100

Supplied flatpacked





Watch a video of this in operation on our website here: www.mhaproducts.com.au/M7529





M7529 pictured with M7528



M7529 pictured with M7533

Code	Details	Load Capacity (kg)	Base Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7529	Low Height Storage Cage	1000	125	1070x1070x480	1160x1205x652	61
M7528	Half Height Divider to suit M7529					
M7533	Lid to to suit M7529					



Zinc Plated Storage Cage (Extra Wide)

- Front and rear gates fold down allowing for safe, easy and fast access to goods •
- Pallet Rack Safe unique positive locking base design
- Cage can be collapsed or assembled in seconds
- 4 Way forklift access & pallet truck entry •
- Anti-tip base design •
- Zinc plated finish .
- Optional Full Height Divider sold seperately
- Stackable 2 high loaded, and 4 high empty
- . Collapsed Height: 320mm



Stacked

M7540 pictured with 2 x M7543 & M7534

Load Unit **Internal Size Overall Size** Code Details Capacity Weight LxWxH (mm) LxWxH (mm) (kg) (kg) M7540 Zinc Plated Storage Cage (Extra Wide) 1050 2100x1085x810 2200x1160x1055 125 M7543 Lid to suit M7540 M7534 Full Height Divider to suit M7540

Collapsed





Workplace Equipment

Collapsible and Stackable Stillage Cage

- Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor.
- Great for storing products both indoor and outdoor
- Pallet Rack Safe Unique Positive Locking Base Design
- Front and rear gates are removable and half fold down
- Quick collapse sides so the unit can be quickly folded, stored and transported in the knock-down position
- 4 way pallet truck and forklift entry
- Cages can be stacked 3 high when loaded and 10 high folded
- Finish: Zinc plated
- Mesh Size: 100x50x6mm
- If fitted with M7542 Wheel Kit, the overall load capacity of the M7541 will reduce to 800kg





M7541 pictured with M7534



M7541 pictured with M7533





M7541 pictured with M7542



M7541 Collapsed & Stacked



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M7541



Code	Details	Load Capacity (kg)	Internal Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7541	Collapsible & Stackable Stillage Cage	1200	1035x1035x805	1125x1125x1040	80
M7542	Wheel Kit to suit M7541				
M7534	Full Height Divider to suit M7541				
M7533	Lid to to suit M7541				



Wire Pallet Cages

- Convert your pallets into cages with the quick and easy to use cages.
- Ideal for storing odd or awkward shaped goods/products
- Can be folded down flat for easy storage when not in use
- Mesh Size: 100x50mm 6mm
- Pallet not included



Galvanised Mesh Cage

- These mesh cages are an excellent form of warehouse and yard storage.
- These units are stackable as well as having the capability of being stored on pallet racking
- Can be folded down flat for easy storage when not in use
- Can be safely stacked 2 high when in use
- Folded Height: 210mm
- Load Capacity: 1000kg



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M7518





📞 Sydney (02) 8865 1800 👘 📞 Me




Code	Details	Overall Size LxWxH (mm)	Internal Size LxWxH (mm)
M7509	Stillage Pallet Cage (Half Height)	1200x1200x655	1080x1080x448
M7528	Half Height Divider to suit M7509		
M7510	Stillage Pallet Cage (Full Height)	1205x1165x1028	1080x1080x825
M7534	Full Height Divider to suit M7510		
M7533	Lid to to suit M7509 & M7510		

M7525 stacked

Stackable Stillage Cage

These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse.

- Fits standard Australian size pallets including Chep and Loscam
- Can be safely stacked 3 high when in use
- Finish: Zinc plated
- Base Material Size: RHS 30x60x1.8mm
- Post Size: 60x2.5mm
- Cupped feet add an additional 100mm to the external size (50mm per side)
- Clearance between ground and bottom frame is 110mm
- Clearance between stillages when stacked is 1545mm



Poles slide into base for quick setup



Watch a video of this in operation on our website here, www.mhaproducts.com.au/M7525



Code	Load Capacity (kg)	Post Height from Top of Base (mm)	Internal Size LxWxH (mm)	External Size LxWxH (mm)	Base Height (mm)	Unit Weight (kg)
M7525	1000	1490	1250x1250x1490	1390x1390x1655	170	54

Sydney (02) 8865 1800

128

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700



Large Stackable Stillage Cage

These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse.

- Can be safely stacked 2 high fully loaded, 4 high empty
- Pallet Rackable
- Finish: Zinc
- Load Capacity: 1000kg
- Stillage Cage comes with optional accessories to suit.








M7586 in use & stacked 2 high

Code	Details	Fork Pocket Centre (mm)	Fork Pocket Size (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7586	Large Stackable Stillage Cage	850	154x62	2140x1165x1025	2550x1165x1025	97
M7587	Fork Entry Bar to suit M7586					
M7588	Stopper/Divider to suit M7586					
M7589	Eye Nut to suit M7586					
M7907	Towing Set to suit M7586					
M1283	Castor Kit to suit M7586					



Collapsible & Stackable Stillage Cage (Rectangular)



M7562 Optional Wheel Kit to suit M7561

Stackable Mesh Stillage Picking Cage





Stillage Mesh Cage (Foldable Sides)

- These mesh cages are an excellent form of warehouse storage.
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage mesh cages may be stacked higher than
- a normal mesh cage due to the stillage posts.
- Pallet Rack Safe these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Powder coated frames with gal mesh sides
- Forklift access from front and sides
- Solid steel floor
- Can be collapsed for storage
- Can be safely stacked 4 high empty and 2 high fully loaded











Crane Pallet Cage

- The M7565 Crane Pallet Cage is a lightweight, affordable solution for storing and transporting loose goods by crane or forklift.
- Fully opening front gate for easy loading and unloading
- Stacking feet allow cages to be stacked 3 high when empty or 2 high when loaded
- Suitable for storage on pallet racking
- Fitted with 4 point lift crane lugs and forklift pockets
- Sheet metal floor fitted standard
- Zinc finish
- Fork Pocket Size: 245 x 80mm
- Fork Pocket Centres: 452mm
- Supplied standard as flatpack for on-site assembly or supplied fully assembled (M7565A)







Code	Details	Working Load Limit (kg)	Internal Dimensions LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7565	Crane Pallet Cage	1000	1060x1060x900	1250x1250x1100	110
M7565A	Crane Pallet Cage Assem	bly Available			

Grisbane (07) 3558 9700



NO MORE THAN 2 PERSONS MAY BE LIFTED. WEIGHT OF PLATFORM 134KGS. THE LOAD INCLUDING PERSONNEL & EQUIPMENT SHALL NOT EXCEED 250KG USE ONLY ON INDUSTRIAL TRUCKS HAVING A CAPACITY OF 1800KG (COUNTERBALANCED) OR 1080KG (REACH TRUCK) AS APPROVED. DO NOT USE IN PROXIMITY TO LIVE ELECTRICAL EQUIPMENT. FOR USE ONLY AS APPROVED BY STATE STATUTORY AUTHORITY.

Forklift Safety Cage/Work Platform

- Manufactured to meet relevant Australian Standards
- Zinc plated finish
- Designed to carry 2 persons (250kg max)
- Mesh safety screen
- · Toe boards all sides with skid resistant floor plate
- · Inward opening, self closing door
- · Internal handrail with safety loops to hook safety harness
- Full length fork sleeves
- Castors can be fitted to the bottom of cage for easy manoeuvrability in warehouse or yard
- Fork Pocket Size: 160x60mm
- Fork Pocket Centres: 640mm
- Supplied as flatpack for easy storage and transport however can be ordered with assembly




Code	Details	Internal Floor Dimensions (mm)	Overall Height (mm)	Height to Railing (mm)	Unit Weight (kg)
M4000	Forklift Safety Cage (supplied flatpacked)	1000x1100	2000	1000	124
M4002	Full Body Safety Harness & Lanyard				
M4000A	Forklift Safety Cage Assembly Available				



Heavy Duty Longspan Shelving (with Steel Shelves)

- This heavy duty longspan shelving system is a strong and versatile shelving system, which is similar to pallet racking just in a similar profile, which is great for storing small parts and archives.
- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Comes standard with steel shelves (2 pieces per level)
- End frames are supplied assembled for quick and easy setup
- Standard longspan 450mm and 600mm deep stock sizes are listed below however other configurations and sizes can be ordered on request to suit your particular requirements
- Step beams which the steel decks sit flush with the beam
- Shelf Capacity: 390kg/level 1800(L) Beam, 290kg/level 2400(L) Beam
- · For overall bay length add 60mm per frame




Height (mm)	Width (mm)	Depth (mm)	Starter Bay Code	Add On Bay Code	Extra Shelf Level Code
1800	1800	450	M8000	M8001	M8008
1800	1800	600	M8002	M8003	M8009
2400	1800	450	M8004	M8005	M8008
2400	1800	600	M8006	M8007	M8009
1800	2400	450	M8015	M8016	M8023
1800	2400	600	M8017	M8018	M8024
2400	2400	450	M8019	M8020	M8023
2400	2400	600	M8021	M8022	M8024

M7325 Castor Kit to suit Longspan Shelving (includes 4 castors with brakes)



Heavy Duty Longspan Shelving (with Mesh Shelves)

- This heavy duty longspan shelving system is a strong and versatile shelving system, which is similar to pallet racking just in a similar profile, which is great for storing small parts and archives.
- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Comes standard with mesh shelves (2 pieces per level)
- End frames are supplied assembled for quick and easy setup
- Standard longspan 450mm and 600mm deep stock sizes are listed below however other configurations and sizes can be ordered on request to suit you particular requirements
- Step beams which the mesh decks sit flush with the beam
- Shelf Capacity: 390kg/level 1800(L) Beam, 290kg/level 2400(L) Beam
- For overall bay length add 60mm per frame





Height (mm)	Width (mm)	Depth (mm)	Starter Bay Code	Add On Bay Code	Extra Shelf Levels
1800	1800	450	M8030	M8031	M8038
1800	1800	600	M8032	M8033	M8039
2400	1800	450	M8034	M8035	M8038
2400	1800	600	M8036	M8037	M8039
1800	2400	450	M8045	M8046	M8053
1800	2400	600	M8047	M8048	M8054
2400	2400	450	M8049	M8050	M8053
2400	2400	600	M8051	M8052	M8054

M7325 Castor Kit to suit Longspan Shelving (includes 4 castors with brakes)

Pallet Racking End Protectors

Pallet Racking End Protectors are a highly effective solution for preventing damage to racking and inventory by forklifts.

No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking. You can avoid major injuries and pallet rack damage by installing these protection guards.

Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.

- Single Bay End Protector to suit 838mm frame
- Double Bay End Protector to suit 838mm frame + 430mm space + 838mm frame
- Conforms to relevant Australian Standards



M7405

M7406

Code	Description	Height (mm)	Overall Length (mm)
M7405	Racking End Protector (to suit single bay of racking)	400	1080
M7406	Racking End Protector (to suit double bay of racking)	400	2350



Pallet Racking Mesh Decks

- Our mesh decks are made to suit almost any standard pallet racking system
- Other sizes can be made to order
- Comes complete with support bars
- 2 pieces per beam



Code	Details	Load Capacity (kg)	Width (mm)	Depth (mm)
M7462	Pallet Racking Mesh Decks (suits 2600mm beams)	1000	1250	840
M7463	Pallet Racking Mesh Decks (suits 2750mm beams)	1000	1350	840

Pallet Racking Column Guards

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts.
- No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking.
- You can avoid major injuries and pallet rack damage by installing these protection guards.
- Damage and failure not only causes serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.
- Conforms to relevant Australian Standards





400x220



M7400

Visit www.mhaproducts.com.au for more images and prices





General Purpose Plastic Step Stool

- Ideal for offices, libraries, and archive areas
- Strong plastic construction with non-slip steps
- Anti-skid rubber feet

Code	Load Capacity (kg)	Platform Size (mm)	Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M4120	150	390x390	370	510x510x265	3.3

All Purpose Step Ladders

- Compact Folding Design
- Anti-Slip Treads
- Made From Highly Durable Steel
- Capacity: 120kg







Code	Description	Ladder Open Height (mm)	Platform Height (mm)	Unit Weight (kg)
M4140	All Purpose Step Ladder (2 Steps)	1100	450	6
M4141	All Purpose Step Ladder (3 Steps)	1250	680	8





Workplace Equipment

Fibreglass Industrial Platform Ladders

- Available in 3 platform heights: 900mm, 1200mm and 1500mm
- Large anti-skid work platform with raised edges keeps feet in side
- the platform for greater safety and comfort
- One piece, smooth operation simply folds out and locks
- Platform size: 600x600mm
- Rated to 150kgs
- Complies to AS/NZS 1892:1998









Code	Details	No. of Steps	Platform Height (mm)	Unit Weight (kg)
M4210	Fibreglass Platform Ladder	3	900	13
M4211	Fibreglass Platform Ladder	4	1200	15
M4212	Fibreglass Platform Ladder	5	1500	17
M4220	Platform Ladder Castor Kit to suit Fibreglass Platform Ladders			
M4230	Platform Ladder Safety Gate Kit to suit Fibreglass Platform Ladders	3		

Access Platform Ladders

These Access Platform Ladders are designed for safe, easy and efficient use in

- warehousing, vehicle maintenance, mining, aviation and heavy industry workplaces.
- Access Platform 2-In-1 With Bonus Work Shelf
- Super strong 'fully welded' design fabricated from heavy duty aluminium
- Steel bracing under bottom tread and side bracing provides additional protection from impact damage
- 100mm deep treads improve safety and comfort when climbing
- Suited to 'high frequency' use
- Walk-thru' design for stock picking and access to mezzanine floors, vehicle access and warehousing
- Large 125mm wheels improved portability and 'easy glide' action
- Large stable work platform (safe and stable) 590mm x 800mm
- Manually operated braking system with high-vis powder coated activation arm helps minimize unauthorised access
- Two safety gates fitted (a 2 in 1 product allowing for walk-thru access)
- Toeboard on three sides (helps secure tools/accessories)
- Shelf included
- Made to AS/NZS 1892.1
- 170kg load rating
- Industrial duty rating for use on commercial sites
- Meets Work Cover requirements (safety gate + 900mm handrail, toeboard)
- Supplied as a 'flat pack' for optimal transporting however can be assembled on request







6 Step Access Platform Ladder





Workplace Equipment





Code	Details	Platform Height (mm)	Reach Height (mm)	Open Size LxW (mm)	Unit Weight (kg)
M4150	Access Platform Ladder - 3 Step	828	2800	1168x724	38
M4151	Access Platform Ladder - 4 Step	1104	3100	1309x764	40.5
M4152	Access Platform Ladder - 5 Step	1381	3400	1451x804	43
M4153	Access Platform Ladder - 6 Step	1656	3700	1592x844	46



6 Tonne Capacity 1 Piece Container Ramp


This container ramp is a great general purpose ramp for unloading containers using pallet trucks or forklifts. This is a one piece unit with forklift slots at the front for easy transport. Finished in painted yellow and supplied with chain & D Shackle, the 6 Tonne container ramp is ready for immediate delivery.



VERDEA			16	1016	
Code	Load Capacity (kg)	Width (mm)	Height (mm)	Length (mm)	Unit Weight (kg)
M4010	6000	2200	160	1200	180

8 Tonne Capacity 1 Piece Container Ramp

This container ramp is a great general purpose ramp for unloading containers using pallet trucks or forklifts. This is a one piece unit with forklift slots at the front and side for easy transport. Finished in painted yellow and supplied with chain & D Shackle, the 8 Tonne container ramp is ready for immediate delivery.





Code	Load	Width	Height	Length	Side Fork	Unit
	Capacity (kg)	(mm)	(mm)	(mm)	Pocket Size (mm)	Weight (kg)
M4015	8000	2200	160	1720	80x165	270

142


Melbourne (03) 9115 9100

Brisbane (07) 3558 9700




7 Tonne Capacity Container Ramp

This container ramp is designed primarily for bridging into a standard container from ground level that is slightly uneven due to its self-levelling lip. The ramp footing fold has handles which you can easily fold back to move the ramp using the fork slots. Finished in painted yellow and supplied with chain & D shackle, the 7 Tonne container ramp is ready for immediate delivery.













Code	Load	Width	Length	Fork Pocket	Fork Pocket Size	Unit
	Capacity (kg)	(mm)	(mm)	Centres (mm)	(mm)	Weight (kg)
M4020	7000	2200	2000	775	165x60	275

Watch a video of this in operation


www.mhaproducts.com.au/M4020

on our website here:

ventex .

10 Tonne Heavy Duty Container Ramp

The M4025 container ramp is a heavy duty ramp for unloading containers of heavy products with a large forklift. This ramp has been designed for fast positioning and removal with tine pockets on the side plus pop up tine slots in the top for front removal. The ramp has an enamel painted finish. Comes standard with 100mm raised side plates which ensure the forklift remains on the ramp.






easy to move around with a forklift

Code	Load	Width	Platform Height	Length	Top Fork Pocket	Unit
	Capacity (kg)	(mm)	(mm)	(mm)	Centres (mm)	Weight (kg)
M4025	10,000	2320	260	1800	518	410

10 Tonne Heavy Duty Container Ramp (Extra Long)

The M4030 extra long container ramp has an metres (1.5 metres of which is horizontal allow and removal of the first and second line of pe This ramp has been designed for fast positio with tine pockets on the side plus pop up tine for front removal. The ramp has an enamel pe standard with 100mm raised side plates which remains on the ramp.





easy to move around with a forklift

n overall length of 3 owing easy placement oallets in a container. oning and removal	
e slots in the top	THE REAL PROPERTY OF THE PROPERTY OF THE REAL PROPE
painted finish. Comes	
ich ensure the forklift	
The second	11
	VERDEX -

Code	Load	Width	Overall Height	Length	Top Fork Pocket	Unit
	Capacity (kg)	(mm)	(mm)	(mm)	Centres (mm)	Weight (kg)
M4030	10,000	2320	250	3000	718	600

144

Sydney (02) 8865 1800

Melbourne (03) 9115 9100

C Brisbane (07) 3558 9700





Workplace Equipment

Mobile Loading Dock/Container Ramp

- Features a large deck for entry between truck and trailer •
- Quick setup to minimise wasted time
- Designed specifically for rough applications •
- Maintenance-free design eliminates downtime
- Towing / Maneuvering; the ramp has fork pockets at the lower end for a forklift to enter and push into position
- Safety chain for the securing ramp to the trailer
- Galvanized reinforced metal grate, making it ideal in • slippery weather conditions
- Constructed from strong materials allowing it to be used frequently
- Two solid filled tires fitted to assist with ramp relocation
- Front Lip Length: 700mm
- Rear Lip Width: 2000mm
- Front Lip Width: 950mm ٠
- Min / Max Height: 1060/1650mm







Watch a video of this in operation on our website here: www.mhaproducts.com.au/M4040



Code	Load	Ramp Length	Ramp Width	Ascent Length	Straight Length	Unit
	Capacity (kg)	(mm)	(mm)	(mm)	(mm)	Weight (kg)
M4040	8000	10500	2150	5000	2500	2650

Fixed Safety Bollards

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage .
- 3 options available however other sizes can be made to order to • your particular specifications
- Powder coated finish



Code	Details	Size (mm)	Diameter (mm)	Bolt Hole Size (mm)	Base Plate Size (mm)	Wall Thickness (mm)		
M7420	'U' Bar High Bollard	1068x1220 (HxL)	115	22	203x203x10	3mm		
M7421	'U' Bar Low Bollard	230x1220 (HxL)	115	22	203x203x10	3mm		
M7422	Fixed Straight Bollard	915 (H)	115	22	203x203x10	3mm		
M7427	Tru-Bolt Galvanised 16x120mm (M16)							

146

Brisbane (07) 3558 9700



Safety Bollards (Concrete Fillable)

- Ideal for protecting expensive equipment and racking from possible • forklift damage
- Great for protecting edges of roller doors from truck damage •
- 2 options available however other sizes can be made to order to • your particular specifications
- The 1200mm high bollards (M7425 & M7426) can be concrete filled .
- Available in Galvanised and Powder coated options



Code	Details	Height (mm)	Diameter (mm)	Bolt Hole Size (mm)	Base Plate Size (mm)	Wall Thickness (mm)
M7425	Galvanised Bollard	1200	165	17	280x280x10	3mm
M7426	Powdercoated Yellow Bollard	1200	165	17	280x280x10	3mm
M7427	Tru-Bolt Galvanised 16x120mm(M16)					

Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post and panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled and disassembled rail system
- Supplied with all necessary bolts and fixingsBase Size of the post is 255x255x16mm












Workplace Equipment



Code	Description Dimensions (mm)		Height (mm)
M7430	Single Height Corner/End Post	100x100	470
M7431	Single Height Centre Post	100x100	470
M7432	Double Height Corner/End Post	100x100	1085
M7433	Double Height Centre Post	100x100	1085
Code	Description	Height (mm)	Length (mm)
M7435	Safety Rail Section	370	1120
M7436	Safety Rail Section	370	1730
M7437	Safety Rail Section	370	2340
M7438	Safety Rail Section	370	2945

Pedestrian Handrail Barrier System

Our modular pedestrian barrier system is very easy to install with 2 metre long rails to form a continuous barrier or can be cut to your desired length. The 950mm high posts simply lock together with pre-fitted couplings.

Our system uses rounded corners which allow you to have a continuous handrail along winding passageways and around corners.

- No welding required, easily assembled and versatile
- Made to Australian Standards AS 1428.1:2021 and AS 1657:2018
- Powder coated yellow Post and Rail
- Hot Dipped Galvanised Cast Iron Connectors and Base Flange
- Post Rails: 48 (D) x 950mm
- Horizontal Rails: 48 (D) x 2000mm
- All Post are supplied with 2 x M10 60mm Galvanised Dynabolts



Sydney (02) 8865 1800

М7470


Brisbane (07) 3558 9700



Melbourne (03) 9115 9100







Side Outlet Tee Set

M7475

151

2

Single Belt Retractable Post Barrier with 2m Belt

- Used as a portable crowd control and for other settings to manage and guide the flow of people. •
- Consists of a retractable belt within a post, allowing for easy set up and removal. •
- **Black coloured Belt**
- Cast Iron Black Base with Steel Cover
- **Built in Rubber Floor Protectors**
- Black Powder Coated Finish
- Diameter of Base: 350x25mm



Wall Mount Retractable Barrier with 10m Belt

- Setting up the display is straightforward with the • included hardware kit.
- Black & yellow diagonal stripes for hazard alert
- This unit offers flexibility as it includes all combinations of fixings and mounts - Retractable belt is 10m long, making it easy to section off any area
- The unit can be mounted to the wall by Magnetic, Adhesion or screws

Sydney (02) 8865 1800





Melbourne (03) 9115 9100

	Code	Length (mm)	Unit Weight (kg)	
	M7416	10,000	1	
152		Sydney (02) 8865 1800	Melbourne (03) 9115 9100	t Br



Safety Swing Gate

• Self closing gate is designed to restrict access to areas of potential hazard

AUTHORISED PERSONS ONLY

- Authorised Personnel Only sign supplied (x2)
- Adjustable to suit 830-1280mm openings
- Suits ball fence & SHS up to 50mm
- Gate swings inward
- Fits left and right hand openings, inwards opening
- Can be used with ball fence gates
- Bulit-in gate stop
- Self-closing stainless steel spring hinges
- Zinc Finish




Code	Details	Overall Length (mm)	Height (mm)	Width (mm)	Unit Weight (kg)
M7455	Safety Swing Gate	910-1360	440	110	10
M7454	Post to suit M7455				

Adjustable Safety Swing Gate

M7455

- Self closing gate is designed to restrict access to areas of potential hazard
- Adjustable to suit 780-1330mm openings
- Suits ball fence & Pedestrian Handrail System
- Gate swings inward
- Fits left and right hand openings, inwards opening
- Built-in gate stop
- Heavy Duty Self-closing hinges
- Powder Coat Finish






M7476

Code	Details	Overall Length (mm)	Height (mm)	Width (mm)	Unit Weight (kg)
M7476	Adjustable Safety Gate	890 - 1440	440	500	11
M7477	Adjustable Safety Gate Sign Holder	425	512	53	4





Code	Castors (mm)	Base Width (mm)	Collapsed Size LxH (mm)	Expanded Size LxH (mm)	Height with castors (mm)	Height without castors (mm)	Unit Weight (kg)
M7412	50	305	350x1030	3000x1030	1030	970	6

5 Metre Double Expanding Barrier

- Made from powder coated steel, aluminium and high-tech plastics
- Colour: Black/Yellow
- Rubber castors 6 x swivel with brakes







Code	Castors (mm)	Base Width (mm)	Collapsed Size LxH (mm)	Expanded Size LxH (mm)	Height with castors (mm)	Height without castors (mm)	Unit Weight (kg)
M7410	50	305	540x1030	5000x1030	1030	970	11
154	S yc	d ney (02) 8	3865 1800 🔍 M	lelbourne (03) 9115 91	00 📞 Brisbo	ı ne (07) 3558 9700	





Workplace Equipment

7.1 Metre Expanding Barrier

- Made from powder coated steel and aluminium
- Colour: Black
- Rubber castors 8 x swivel with brakes










Code	Castors (mm)	Base Width (mm)	Collapsed Size LxH (mm)	Expanded Size LxH (mm)	Barrier Tube Size (mm)	Post Size (mm)	Unit Weight (kg)
M741	5 75	460	560x2050	7100x1930	20x20	40x40	36

Light Weight Expanding Barrier

- Portable, lightweight and durable
- Built-in handle and locking strap for ease of handling
- Corrosion resistant
- Use indoors or outdoors
- Safety yellow and black plastic construction
- Injection moulded ABS plastic
- Width: 2.4 metres expanded (250mm closed)

sales@mhaproducts.com.au



www.mhaproducts.com.au

Shipping / Parcel Scales

- Low profile design
- Rigid construction
- Remote display unit for weighing ease
- Hold or net / gross function
- Unit conversion available (KG/LB/OZ)
- Large and bright easy-to-read LCD display
- Auto-off function for power saving in seconds (120, 180, 240, 360, off optional)
- Rechargeable Battery and AC adaptor supplied
- Function Keys: Zero, Tare, Hold, Unit, On/Off





Code	Details	Load Capacity (kg)	Platform Size (mm)	Unit Weight (kg)
M7703	Parcel Scale (10g increments)	30	310x310	5
M7706	Parcel Scale (20g increments)	60	405x355	6

Floor Pallet Scales

- Great for weighing pallets and large
 bulky and heavy items
- Adjustable levelling feet for uneven ground
- Can be pit mounted so that it sits flush with the ground
- Low Profile 70mm height from ground level
- Construction: Mild Steel



display unit

Code	Load Capacity (kg)	Increments (kilo)	Power Supply (V)	Platform Size LxWxH (mm)	Unit Weight (kg)
M7700	2000	0.5	240	1200x1200x70	75
156	Sydney (02) 8865 18	300 📞 Melbou	urne (03) 9115 9100	& Brisbane (07) 355	8 9700



750mm Pedestal Industrial Fan

- Quality robust construction designed for everyday use in industrial workshops.
- Zinc coated mesh.
- Powder coated steel frame.
- High output & quiet running
- 3 speed motor.
- Oscillating function
- Motor: 240V 3 Speed
- Flow Rate: 290m³/min
- Level of noise: 61 decibels





Code	Blade Diameter (mm)	Adjustable Height (mm)	
M6430	750	1490-1650	5

T-Top Bollards

- Fluoro red post with reflective tape
- Heavy weight Rubber base
- Complies to relevant Australian Standards







Heavy Duty Wheel Chock Trolley

- Finish: Powder coat Yellow
- M1213 Capacity: 6 Heavy Duty Rubber Wheel Chocks (M7847)
- M1214 Capacity: 2 Heavy Duty Rubber Wheel Chocks (M7847)
- Fitted with 2 Wheel Chock Holder (M7847)
- Optional add-on Holder is available (M1214)
- 200mm Rubber Wheels





Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
M1213	Wheel Chock Trolley	815x475x1130	16
M1214	Wall Mounted Wheel Chock Holder	570x110x115	1

Heavy Duty Rubber Wheel Chock

- The Heavy Duty Rubber Wheel Chocks are designed to prevent unintentional movement of vehicles, especially when they are parked or stationary.
- These Wheel Chocks can be used for various applications such as maintenance, loading/unloading, truck/trailer parking, boat trailers, construction sites.
- Manufactured from 100% recycled rubber
- Superior constuction ensures the wheel chocks will
 not warp, crack, chip or rot
- Rope Material: Yellow Darcon
- Rope Length: 1000mm
- These Wheel Chocks are sold as 2/carton







Floor Brush with Squeegee

This set is extremely versatile, not only allowing you to sweep your workshop for debris and dust but to also scrub it for liquid spills etc.

- 600mm Floor brush with Squeegee
- Durable 25mm Powder coated Steel Handle
- 60mm long Synthetic Bristle
- Overall Size: 590x100x1420mm
- Unit Weight: 1.3kg



Large Dustpan and Broom Set

This compact & versatile set can be easily accessible as freestanding or even folded & hung up for easy storage.

- Broom and Dustpan handles are made from Durable Powder Coated steel
- Broom head is constructed from durable polypropylene plastic
- Broom Handle: 20mm
- Dustpan Handle: 25mm
- 140mm long Synthetic Bristle
- Unit Weight: 1.8kg









Code	Overall Size of Dustpan & Broom (mm)	Dustpan Folded Size (mm)	Dustpan Size in use (mm)	Opening Size (mm)	Broom Size (mm)
M6405	340x280x1350	320x130x1020	320x280x890	300x100	340x50x1215

Wet & Dry Vacuum Cleaners

<complex-block>

Code	Details	Motor (W)	Airflow (L/Sec)	Hose Length (mm)	Cable Length (mm)	Height (mm)	Unit Weight (kg)
M3000	30L Wet/Dry Vacuum Cleaner	1200	53	2500	7200	720	11
M7000	70L Wet/Dry Vacuum Cleaner	2000	106	2500	7200	980	24

Manual Push Floor Sweeping Machine

Ideal for sweeping factory floors, carparks, footpaths, entry ways etc Independent rolling brushes prevent waste fallback Sweeper works by simply being pushed along which • activates the roller and brushes Waste is picked up by the the roller and brushes and • pushed into the waste container located under the main cover Waste container is removable allowing for easy Removable 40 litre tipping into another bin waste container Watch a video of this in operation on our website here: Adjustable inner roller height option www.mhaproducts.com.au/M9000 Cleaning Waste Container **Overall Size** Unit Code Capacity (L) Width (mm) LxWxH (mm) Weight (kg) м9000 40 920 1260x960x1040 23

160

Sydney (02) 8865 1800

Melbourne (03) 91<u>15 9100</u>


L Brisbane (07) 3558 9700






Anti-fatigue Safety Cushion Matting

- Popular general purpose safety mat
- Comfort non-slip mat
- Bevelled edges for safety
- Optional grease resistant formula
- Ideal for factories, kitchens, food preparation areas, boats and behind counters







Code	Details	Туре	Overall Size (mm)
M7720	Anti-fatigue Safety Cushion Mat	General Purpose	600x900mm
M7721	Anti-fatigue Safety Cushion Mat	General Purpose	900x1500mm
M7722	Anti-fatigue Safety Cushion Mat	Grease Resistant	600x900mm
M7723	Anti-fatigue Safety Cushion Mat	Grease Resistant	900x1500mm

Ergo Tred Anti-Fatigue Matting

Ergo Tred is a hardwearing, comfortable, non-slip anti-fatigue mat. It is used in dry, demanding work areas such as at checkouts, counters, machines, workbenches and workstations.

- Extremely comfortable provides relief from constant standing
- Domed surface is ergonomically designed to improve circulation in feet and legs
- Hard wearing long mat life even in demanding conditions
- Yellow border option makes mat edges stand out to warn user of hazard
- HACCP Certified for use in dry areas



Code	Details	Туре	Overall Size (mm)
M7730	Ergo Tred Anti-Fatigue Mat	Black	600x900mm
M7731	Ergo Tred Anti-Fatigue Mat	Black with Yellow Border	600x900mm
M7732	Ergo Tred Anti-Fatigue Mat	Black	900x1200mm
M7733	Ergo Tred Anti-Fatigue Mat	Black with Yellow Border	900x1200mm



Galvanised Concrete Collection Tray

- The Galvanised Concrete Collection Tray is designed to limit environmental damage wherever a concrete pump is being used on site.
- This low profile tray fits under the concrete pump to collect spillage washout water and concrete waste.
- Fitted with 4-way fork pockets and four crane lifting and up-ending lugs and is manufactured with tapered sides.
- Capacity: 0.85 cu. m



Concrete Collection Tray

- The Concrete Collection Trays are designed to limit environmental damage wherever a concrete pump is being used on site.
- This low profile tray fits under the concrete pump to collect spillage washout water and concrete waste.
- Low profile tray with tapered sides
- Reinforced base and sides
- Fitted with crane lifting and up-ending lugs
- 4-way fork pockets allowing access from all sides
- Optional disposable plastic liner available
- Enamel paint finish
- ork Pocket Centres: 880mm







Code	Details	SWL (kg)	Overall Size LxWxH (mm)	Fork Pocket Size (mm)	Unit Weight (kg)
M6210	Concrete Collection Tray (0.5 cubic metres)	1000	1860x1560x360	170x85	150
M6212	Disposable Plastic Liner to suit M6210				

L Sydney (02) 8865 1800 **L** Melbourne (03) 9115 9100

Brisbane (07) 3558 9700



Bulk Bag Filling Frame

- This frame is designed to safely hook open a bulk bag and fill with free-flowing bulk products such as sand and gravel, removing the need for the operator to hold the bag open or manually fill themselves.
- 4 safety swivel hooks hold bulk bag in position whilst filling
- Adjustable bag restraining chains position bulk bag at correct height
- 3 adjustable height settings to suit your operational requirements
- Fork pockets fitted for easy transport
- Optional clamshell gate for control over flow rate
- Optional spill guard prevents overspill
- Upper hopper assembly enamel paint finish. Support frame zinc finich
- Fork Pocket Size: 140x65mm
- Fork Pocket Centres: 850mm



BFU250CS - Optional Clamshell Gate





Code	Description	Overall Dimensions (mm)	Hopper Opening (mm)	Unit Weight (kg)
M6220	Bulk Bag Filling Frame	1800x1150	554x400	270
BFU250CS	Optional Clamshell Gate			
BFU250SG	Optional Spill Guard			



Concrete Block Moulds

- The Concrete Moulds' simple construction and portable design make it the perfect solution for recycling leftover concrete on-site.
- Simple construction is fast to assemble
- Lightweight & stackable design is easy to transfer between sites
- Concrete blocks can be used as temporary foundation blocks, retaining walls, security blocks and anchor blocks for boat moorings
- Provision for cast in ferrule (suits 12mm reinforcing bar)
- Supplied with a single M20 eyebolt and ferrule
- Half mould insert available for smaller blocks to be used in retaining wall applications
- Enamel paint finish







M6205 - Ferrule Kit

Code	Description	Finished Block Dimensions (mm)	Overall Dimensions (mm)	Unit Weight (kg)		
M6200	Concrete Block Mould (0.432cu.m capacity)	1200x600x600	1356x756x600	178		
M6201	Half Mould Insert to suit M6200					
M6205	Ferrule Kit - Includes Ferule & 1m Reo Bar & M20 Eyebolt					
M6206	M20 Eyebolt					

164



Site Tool Cabinets

- These Site Tool Cabinets are designed as a secure storage solution on work sites that can be transported by overhead crane and forklift.
- Heavy duty construction .
- Fitted with crane lugs and fork pockets for easy relocation •
- Adjustable shelves allowing flexible storage options

sales@mhaproducts.com.au

- Dual locking mechanism door provide added security against theft
- Designed & certified in accordance with Australian Standards
- Wheels fitted (removable)
- Powder coated finish
- Features a dust and weatherproof seal
- Working Load Limit (WLL): 1000kg
- Load Centre: 350mm
- HCG: 376mm





Code	Details	Opening WxH (mm)	Overall Dimensions WxDxH (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
M7570	Site Tool Cabinet - Single Door	1055x1055	1155x700x1450	166x67	660	180
M7571	Site Tool Cabinet - Double Door	1250x1405	1350x700x1780	166x67	762	260

www.mhaproducts.com.au

Scissor Lift Trolleys (Single Scissor)

- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Durable powder coated finish
- Polyurethane castors 2 x fixed, 2 x swivel with brakes









Code	Load Capacity (kg)	Castors (mm)	Table Size LxW (mm)	Lifting Range (mm)	Unit Weight (kg)
M2000	150	100	700x450	225-730	46
M2001	300	125	850x500	340-900	77
M2002	500	125	850x500	340-850	81
M2003	750	150	1000x510	435-1000	175

📮 DELIVERING AUSTRALIA WIDE

Scissor Lift Trolleys (Double Scissor)

- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Durable powder coated finish
- Polyurethane castors 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
M2010	350	125	910x500	380-1330	105
M2011	500	150	1010x520	440-1615	168
M2012	700	125	1220x610	445-1510	195

Rough Terrain Scissor Lift Trolley

- Rough terrain scissor lift trolley is ideal for outdoor applications
- Foot Pedal Cycles to Max Height: 25
- Durable powder coated finish
- Rubber castors 2 x fixed, 2 x swivel with brakes
- Min. Height of Table: 330mm
- Max Lift Height: 1000mm
- Overall Length: 1120mm



Code	Load	Castors	Table	Lifting	Unit
	Capacity (kg)	(mm)	Size (mm)	Range (mm)	Weight (kg)
M2015	200	200	1000x500	340-1010	71



Electric Scissor Lift Trolleys

- The battery electric scissor lift trolleys are available in both standard lift and high lift versions and 3 load capacities; 300kg, 500kg and 1000kg.
- Smooth lifting of heavy loads with ease
- Automatic 12v charger
- Push button, battery/hydraulic operation
- Polyurethane castors 2 x fixed, 2 x swivel with brakes







Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
M2060	300	125	850x500	290-880	115
M2063	500	150	1010x520	495-1618	198
M2064	1000	150	1200x800	430-1220	225

168

DELIVERING AUSTRALIA WIDE


Extra Large Scissor Lift Trolleys

- The extra large scissor lift trolleys are excellent for handling large bulky items.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder coated finish
- Stepless rate of lowering regardless of load weight
- Available in 500kg and 1000kg load capacities
- M2020: Polyurethane castors- 2 x fixed, 2 x swivel with brakes
- M2021: Nylon castors- 2 x fixed, 2 x swivel with brakes





Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
M2020	500	125	1600x810	290-915	154
M2021	1000	180	2035x750	360-1360	198



Stainless Steel Scissor Lift Trolleys

use in foo Foot oper Lever rele Safety ove Stepless r Scissor ar Stainless Polyurethe	inless steel scissor li d, pharmaceutical d ated hydraulic oper- ase control erload bypass valve ate of lowering rego nd pump unit is galv Steel Grade 304 ane castors – ? x swivel with brakes	or hygiene ar ation ardless of loa anised	eas.			
Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Handle Height (mm)	Lifting Range (mm)	Unit Weight (kg)
M2040	100	100	700x445	1000	250-1220	55

Svdnev (02) 8865 18

350

100

00

M2041

170

Melbourne (03) 9115 9100

830x500

1000

330-1295

78

Galvanised Scissor Lift Trolley

- Galvanised version which is great for food and medical areas
- Foot operated hydraulic operation
- Lever release control
- Double scissor lift version
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Polyurethane castors 2 x fixed, 2 x swivel with brakes

Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
M2050	150	100	830x500	435-1430	80

Spring Scissor Lift Trolleys (With Centre Wheel Kit)

- Self-leveling, fully adjustable, weight sensitive
- Designed to maintain an ideal working height for • assembly lines and loading / unloading operations
- Balance achieved by double springs fitted to the shock absorbers
- Simple to operate spring tension adjustment
- Centre wheel kit is ideal for movement in small spaces
- Polyurethane castors 2 x fixed centre, 4 x swivel with brakes
- Centre Castors: 200mm





Code	Details	Load Capacity (kg)	Swivel Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
M2075	Scissor Lift Trolley	300	100	830x500	360-770	65
M2076	Scissor Lift Trolley (X Large)	300	100	1200x500	360-770	82

Self Propelled Electric Scissor Lift Trolley (With Cage)


- These self propelled lift tables take the effort of having to push • heavy items manually as well as having electric operated lift.
- With the centre drive wheel it makes it extremely easy to • manoeuvre loads in narrow eisles or tight spaces.
- Comes complete with side cage as pictured which can be easily removed if not required
- 4 x swivel castors with brakes
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds
- Castors: 150mm
- Middle Wheels: 275mm



Code	Load	Table	Lifting	Overall Size	Unit
	Capacity (kg)	Size (mm)	Range (mm)	LxWxH (mm)	Weight (kg)
M2080	400	1000x600	460-900	1240x600x1100	180

Self Propelled Electric Scissor Lift Trolley

(Single Scissor)







Self Propelled Electric Scissor Lift Trolley (Double Scissor) Double Scissor lift is optimal for reaching • high spaces with heavy loads 2 x rear swivel castors with brake 2 x pneumatic drive wheels Batteries: 2x12V 33Ah Curtis Controller: 70A Motor (Driving): 400W Motor (Lifting): 400W Lifting Time: 17 seconds Front Wheels: 275mm Castors: 150mm Lifting **Overall Size** Unit Load Table Code Capacity (kg) Size (mm) Range (mm) LxWxH (mm) Weight (kg) 400 1100x600 460-1600 1340x660x1100 234 M2082 **Self Propelled Electric Scissor Lift** Trolley with Cage (Double Scissor) . These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift. With the centre drive wheel it makes it extremely easy to . manoeuvre loads in narrow eisles or tight spaces. Comes complete with side cage as pictured . which can be easily removed if not required Includes centre wheel unit 4 x swivel castors with brake 2 x pneumatic centre drive wheels Batteries: 2x12V 33Ah Curtis Controller: 70A Motor (Driving): 400W Motor (Lifting): 400W Lifting Time: 17 seconds Castors: 150mm Middle Wheels: 260mm Cage Height: 450mm



sales@mhaproducts.com.au

Code	Load	Table Size	Lifting	Overall Size	Unit
	Capacity (kg)	(mm)	Range (mm)	LxWxH (mm)	Weight (kg)
M2083	400	1000x600	460-1625	1340x600x1055	234



Super Low Profile Lift Tables

- These lift tables achieve a super low closed height, eliminating the need for a pit installation
- The upper platform is fitted with a safety perimeter to prevent descent on contact with obstructions
- 24v control unit with up/down buttons and emergency stop
- Power supply is AC 415V/50HZ/3phase
- The external power pack is equipped with a relief valve against overloading and a compensated flow valve for controlling lowering speed
- Hose burst safety valve which stops the table lifting in case of a hose breakage



Code	Load Capacity (kg)	Platform Size WxL (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2122	1500	1200x1270	35-800	1850x1850x350	380
174	C Sydney (02) 886	5 1800 📞 Melb	ourne (03) 9115 9100	& Brisbane (07) 3558	9700

Low Profile Pallet Lift Tables

- Many applications require the regular loading and unloading of palletised goods.
- Repetitive lifting and stretching can be time consuming and hazardous.
- Using pallet lift tables elevates pallets to the optimum lift height reducing the risk of repetitive strain injury and increasing productivity.
- Supplied with entry ramp to allow pallet truck entry
- Can be supplied with optional rotator ring
- Tables are specially made for handling pallets, no need for a pit or load ramps
- Upper platform fitted with safety perimeter to prevent descent on contact with obstructions
- 24v control box with UP and DOWN buttons and emergency stop
- External power pack equipped with a relief valve against overloading and a compensating flow valve for controlling lowering speed
- Power Supply: 240v (3 phase 415v available if required)

sales@mhaproducts.com.au

- Hose burst safety value to stop the lift table lowering in case of hose breakage
- Removable lifting eyes to facilitate handling and installation of the lift table
- Oil-less bushings on pivot points

Easy to use controller which sits 900mm off ground level



Ramp supplied with lift table



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M2100



Code	Load Capacity (kg)	Platform Size LxW (mm)	Lifting Range (mm)	Lifting Time	Unit Weight (kg)
M2100	1000	1420x1140	85-880	25 secs	357
M2101	2000	1600x1180	105-880	25 secs	419

🗰 www.mhaproducts.com.au

Electric Scissor Lift Tables

Lift tables can be applied in many work places to increase productivity and safety. Loads can be elevated or lowered to optimum heights at the push of a button.

- Heavy duty design and construction
- High quality European power packs
- Suitable for on floor applications or in floor pit applications
- Self lubricating bushings on pivot points
- Removable lifting eyes to facilitate installation
 and maintenance
- 240V power supply (3 phase available as an option)
- Upper platform fitted with aluminium safety bar preventing descent on contact with obstructions
- Low volt (24v) control box with up-down buttons.
- Internal power pack equipped with relief valve against overloading and compensated flow valve for controlled lowering speed
- Heavy duty cylinders with drainage system and check valve to stop the lift table lowering in case of hose burst
- Safety clearance between scissors to prevent trapping during operation.
- Push button pendant control with up, down and emergency stop



Single Scissor Electric Scissor Lift Tables

Single scissor lift tables for lifting various sized loads. These tables are ideal for applications where

Code	M2150	M2151	
Capacity	2000kg	2000kg	
Table Size	850x1300mm (WxL)	1000x2000mm (WxL)	
Base Frame Size	785x1255mm (WxL)	785x1630mm (WxL)	
Min Height'	230mm	250mm	
Max Height	1000mm	1300mm	
Raise Time	20-25 seconds	25-30 seconds	
Unit Weight	235kg	315kg	
Power Supply	240 volt	240 volt	

Other custom sizes available - contact us!

Code	Description		
M2150	Single Scissor Electric Lift Table		
M2151	Single Scissor Electric Lift Table		





176

Brisbane (07) 3558 9700



Double Scissor Electric Lift Tables

Code	M2165	M2166	
Capacity	2000kg	4000kg	
Table Size	850x1300mm (WxL)	1200x1720mm (WxL)	
Base Frame Size	785x1220mm (WxL)	900x1600mm (WxL)	
Min Height	360mm	400mm	
Max Height	1780mm	2050mm	
Raise Time	35-45 seconds	55-65 seconds	
Unit Weight	295kg	520kg	
Power Supply	240 volt	240 volt	

Other custom sizes available - contact us!

Code	Description
M2165	Double Scissor Electric Lift Table
M2166	Double Scissor Electric Lift Table



Extra Long Scissor Electric Lift Table

Extra long lift tables are perfect for oversized goods

4
Code
M2155

Code	M2155-16			
Capacity	2000kg			
Table Size	820x2500mm (WxL)			
Base Frame Size	640x2460mm (WxL)			
Min Height	205mm			
Max Height	1000mm			
Raise Time	40-45 seconds			
Unit Weight	265kg			
Power Supply	3 Phase 415 volt			
Other custom sizes available - contact us!				

Description

Extra Long Electric Scissor Lift Table

High-Lift Electric Scissor Lift Tables

High lift scissor lift tables are ideal for moving goods up levels, including on construction sites and to mezzanines

M2161	M2160	
2000kg	400kg	
1000x1700mm (WxL)	1200x1720mm (WxL)	
1010x1606mm (WxL)	1000x1600mm (WxL)	
560mm	600mm	
3000mm	4140mm	
70 seconds	30-40 seconds	
750kg	547kg	
240 volt	240 volt	
	2000kg 1000x1700mm (WxL) 1010x1606mm (WxL) 560mm 3000mm 70 seconds 750kg	

Other custom sizes available - contact us!

Code	Description		
M2161	High Lift Electric Scissor Lift Table		
M2160	High Lift Electric Scissor Lift Table		



Pneumatic Scissor Lift Table

- This pneumatic scissor lift table runs on air with no electrics or hydraulics used great for pharmaceutical and medical areas as its extremely clean and quite operation
- Safe, clean and extremely low maintenance
- Raise Time: 40-45 seconds •
- Air Pressure 263 MPA



Code	Load	Table Size	Lifting	Base Frame Size	Unit
	Capacity (kg)	WxL (mm)	Range (mm)	WxL (mm)	Weight (kg)
M2105	1000	812x1220	230-840	784x1229	263

Optional Accessories for Scissor Lift Tables

As well as the following optional accessories, MHA has the capability to manufacture custom solutions for your application. Give us a call on 1800 750 900 to discuss!





Bishamon Pneumatic Rotating Pallet Positioner (For Varying Pallet Weights)

The most advanced pallet positioner available!

- EZ Loaders are designed to eliminate worker bending by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs, motors or hydraulics.
- The new EZ loader can now handle a wide range of weight capacities from 110 kilos to 1800 kilos.
- The EZ Adjust knob a three position knob that allows adjustment of the collapsed capacity without changing the air pressure.
- EZ Loaders also allow easy pallet rotation for near-side loading so the worker does not have to reach or strain.
- As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.
- The patented pneumatic system found only on the EZ Loader has proven to be the choice of industry professionals worldwide.





EZ adjust knob provides up to 550kgs of capacity adjustment with the turn of a knob



Patented self-contained pneumatic system offers unsurpassed performance



Rollers are entrapped in the base frame and platform for added stability







Watch a video of this in operation on our website here: www.mhaproducts.com.au/M2175



Code	Details	Load Capacity (kg)	Rotator Ring Dia. (mm)	Lifting Range (mm)	Base Frame Size (mm)	Unit Weight (kg)
M2175	EZ Loader	110-1800	1092	267-775	1245x617	172
M2171	Rotator Ring Brake					
M2172	Bellows Skirting to suit M2175					



Spring Loaded Rotating Pallet Tables

- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting.
- This pallet elevator can be moved with a standard Pallet Truck
- It is proving highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different heights
- Turntable allows the operator to rotate the load with minimal stretching and reaching.
- No ground fixing required
- · Available in Galvanised or Powder Coated finishes
- Fork Pocket Centres: 615mm





Beginning loading







Fully loaded



(powder coated model)





PVC Protection screen supplied standard
 Rotating Tops (can be fixed if required)

_ Springs to suit a wide range of pallet weights

Easy spring changing lock mechanism

_ Fork pocket centres for easy relocation



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M2135



Code	Details	Load Capacity (kg)	Table Diameter (mm)	Lifting Range (mm)	Fork Pocket Size (mm)	Unit Weight (kg)
M2134	Powder coated	2000	1110	290-750	300x90	195
M2135	Galvanised	2000	1110	290-750	300x90	195

180


Melbourne (03) 9115 9100

Brisbane (07) 3558 9700



Rotatable Electric Lift Table

- The pallet elevator is electric up and down via foot • pedal and manual rotating top
- It is ideal for varying weight pallets as there is no need to change springs
- Turntable allows the operator to rotate the load with • minimal stretching and reaching while controlling the up/down operation via the foot pedal controls
- Can be easily moved around factory with a forklift
- No ground fixing required
- Power: 240V





Foot Pedal to raise and lower platform

Code	Load Capacity (kg)	Lifting Range (mm)	Table Diameter (mm)	Base Frame Size LxW (mm)	Unit Weight (kg)
M2125	2000	300-710	1110	935x915	175

Powered Rotatable Electric Lift Table

- · The pallet elevator is electric up, down and rotating top via pendant control
- · It is ideal for varying weight pallets as there is no need to change springs
- · Powered Rotation in both directions which can be set to rotate continuously.
- · Can be easily moved around factory with a forklift
- No ground fixing required
- Power: 240V





Watch a video of this in operation on our website here: www.mhaproducts.com.au/M2126



Code	Load	Lifting	Table	Base Frame	Unit
	Capacity (kg)	Range (mm)	Diameter (mm)	Size LxW (mm)	Weight (kg)
M2126	2000	340-710	1110	935x915	190

Heavy Duty Pallet Stands The heavy-Duty steel constructed Pallet Stand keeps • the load off the ground limiting the need for bending and lifting. This Pallet Stand has accessories tailored for all applications and • is proving highly effective at reducing the incidences of repetitive strain and back injury. Optional Accessories to suit below • M7908 Steel Construction with a powdercoated finish • Heavy Duty Pallet Stand • M7908 Height: 250-400mm (with Short Adjustable Legs) M7909 Height: 500-650mm • Platform Size: 1250x1250mm • Optional 100mm Castor Kit: 2 x Fixed, 2 x Swivel • with brakes (Adds 160mm Height) M7909 Heavy Duty Pallet Stand (with Tall Adjustable Legs) **Pallet Stand** pictured with all accessories M7903 Corner Gussets M7905 Wheel Kit M7908 pictured with M7903, M7905 & M7907 M7906 Adjustable Handle M7907 Tow Hitch Kit M7904 Steel Cap Base

Code	Description	Capacity (kg)	Unit Weight (kg)
M7908	Heavy Duty Pallet Stand with Short Adjustable Legs	2000	40
M7909	Heavy Duty Pallet Stand with Tall Adjustable Legs	2000	43
M7903	Gussets to suit M7908 & M7909		7.5
M7904	Steel Cap to suit M7908 & M7909		24.5
M7905	Castor Kit to suit M7908 & M7909	2000	11
M7906	Handle to suit M7908 & M7909		4.65
M7907	Tow Hitch Kit to suit M7908 & M7909	4500	7

Melbourne (03) 9115 9100



Heavy Duty Pallet Stand (with Adjustable legs & Turntable)

• The Heavy Duty Pallet Stand with Turntable is designed to rotate pallets, allowing for easier access to goods and materials on your pallet.

IBC Tilting Stand with Short Adjustable Legs

IBC Tilting Stand with Tall Adjustable Legs

Steel Cap Base to suit M7910 & M7911

Castor Kit to suit M7910 & M7911

Handle to suit M7910 & M7911

- · Designed to prevent the operator from unecessary strain when operating
- Steel Construction with a powdercoated finish
- M7912 Height: 275-425mm

M7910

M7911

M7904

M7905

M7906

- M7913 Height: 525-675mm
- Platform Size: 1250x1250mm
- Optional 100mm Castor Kit: 2 x Fixed, 2 x Swivel with brakes (Adds 160mm Height)







2000

2000

2000

145

148 24.5

> 11 4.5

Code	Description	Capacity (kg)	Unit Weight (kg)
M7912	Pallet Stand with Short Adjustable legs & Turntable	2000	160
M7913	Pallet Stand with Tall Adjustable legs & Turntable	2000	163
M7904	Steel Cap to suit M7912 & M7913		24.5
M7905	Castor Kit to suit M7912 & M7913	2000	11




Battery Electric Work Positioner

- A range of highly manoeuvrable, lightweight lifts, designed to take the strain out of any lifting job from ground level to over shoulder height
- Ideal for use in narrow aisles and confined spaces. Perfect for all applications from pharmaceutical to catering, from packing line to food processing
- Automatic electric overload protection system ensures safe operation
- Quick change attachment options available
- EN1757 compliant. CE marked
- Battery electric with built in charger that you can plug in anywhere

Pendant controller on flexi cord

- Load Centre: 235mm
- 24v, 7.2Ah battery
- 75mm fixed rubber castors on front
- 125mm swivel rubber castors with brakes on rear
- Leg Height: 105mm









Code	Details	Load Capacity (kg)	Platform/ Attachment Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2200	Work Positioner	100	470x660	130-1700	890x600x1990	62
M2201	Work Positioner	150	470x660	130-1500	890x600x1790	65
M2202	V Block Attachment -	400x400x80mn	n			
M2203	Roll Prong Attachmen	t - 600x50mm				
M2204	Double Prong Attachment - 450x50mm (200mm between)					
M2205	Reel Handler Rotator A	Attachment - 43	30x90mm			

184


Pendant controller

on flexi cord

Stainless Steel Battery Electric Work Positioner

- These stainless steel lifters are ideal for the food and pharmaceutical • industries where hose down is required.
- Automatic electric overload protection system ensures safe operation. •
- EN1757 compliant. CE marked ٠
- Battery electric with built in charger that you can plug in anywhere ٠
- Battery: 24V, 12.0Ah .
- Power: 24V, 200W •
- Compatible with attachments pictured on previous page
- Load Centre: 235mm .
- 75mm fixed rubber castors on front
- 125mm swivel rubber castors with brakes on rear
- Leg Height: 115mm ٠ S/S Grade: 304 .







	Ũ				
Code	Load Capacity (kg)	Platform/ Attachment Size(mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2210	100	470x600	130-1700	890x600x1990	63
M2211	150	470x600	130-1500	890x600x1790	66

www.mhaproducts.com.au

Battery Electric Platform Work Positioners

- A range of highly manoeuvrable, lightweight lifts, designed to take the strain out of any lifting job from ground level to over shoulder height
- Ideal for use in narrow aisles and confined spaces. Perfect for all applications from pharmaceutical to catering, from packing line to food processing
- Automatic electric overload protection system ensures safe operation
- Load Centre: 237mm
- Platform/ Attachment Size: 475x605mm
- Lifting/Lowering Speed: 55mm/s
- Steering Wheel: 100mm
- Battery: 12x2-10Ah
- Charger: DC-24V-2A



130-1700

130-1500

920x505x2160

920x505x1950

L Brisbane (07) 3558 9700

65

65

Sydney (02) 8865 1800	Melbourne (03) 9115 9100
Sydney (02) 0000 1000	

100

150

M2190

M2191





Lifting & Handling Equipment

Trailer Stabilising Jack Stand


- The Trailer Stabilising Jack is a heavy-duty support system designed to provide unrivalled stability and safety for trailers with a capacity of up to 45 tonnes.
- Engineered for maximum strength and durability, this jack is perfect for use in a wide range of industrial and commercial applications, such as loading docks, warehouses, and transportation hubs
- Top Diameter: 200mm
- 200mm Rubber Wheel





Code	Lifting	Static	Lifting Range	Unit
	Capacity (kg)	Capacity (kg)	(mm)	Weight (kg)
M2451	18,000	45,000	1003-1295	40

10 Tonne Hydraulic Jack



Compact Ride-On Electric Materials Handling Tug

The Liftex ride-on compact electric tug is the ultimate manual handling solution designed for good's transport for trolleys and anything that is difficult to push or pull around in the hospital, aged care and industrial warehouse environments.

The Liftex Materials Handling Electric Towing Tug is a ride-on unit that doesn't compromise its small size for a ride. Its compact size allows it to be effective in confined spaces, whilst being able to turn on its self. With a very low centre of gravity, the risk of tipping is greatly reduced. Its two front steer wheels create exceptional stability across many rough surfaces.

- Motor Voltage: 24 Volts
- Range: 30-60km



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M1505







Code	Push	Pull	Overall Size	Wheel Base	Unit Weight
	Capacity (kg)	Capacity (kg)	LxWxH (mm)	(mm)	(kg)
M1505	1200	1500	790x660x1340	620	115

Brisbane (07) 3558 9700

188

1000kg Smart Tow Tug

Great for moving dolleys, trolleys and roll cages throughout the warehouse, workshop or shopping centres etc. Compact design which makes it extremely manoeverable and easy to transport in vehicles.

- Travel Speed: up to 6km/h •
- Programmable speed controller
- Battery: 24v, 18Ah & DC 24v, 300w
- Motor: DC 24v, 300w •
- Rear Wheels Solid: 250mm •
- Front Wheels Poly: 75mm
- Handle Height: 750-1050mm (adjustable)
- Turning Radius: 475mm .

Attachments pictured are supplied as standard with the Tow Tug



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M1500





Code	Traction Capacity (kg)	Width (mm)	Overall Size LxH (mm)	Unit Weight (kg)
M1500	1000	465	810x490	65





sales@mhaproducts.com.au

Manual Fork/Platform Stacker


- Foot pump hydraulic lift
- Comes with a removable platform and has 2 adjustable fork tines under platform for lifting skids and pallets
- Polyurethane castors 2 x fixed, 2 x swivel with brakes



for lifting skids and pallets



Code	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Platform Size (mm)	Fork Length (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2230	400	125	75	660x580	650	75-1500	1040x590x1710	85



190

Sydney (02) 8865 1800

Melbourne (03) 9115 9100



Aluminium Hand Stacker

- These aluminium lifters are great for assisting in the lifting, positioning and installation of goods up to 2500mm in height
- Manual hand winch control with automatic braking action
- Foot pedal brake
- Fits through standard doorways
- Quick set up requires no tools
- Legs are straddle with quick adjustment





Code	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Platform Length (mm)	Load Centre (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2250	180	200	50	570	254	50-2500	1100x736x1700	66

120KG Fork/Platform Trolley

- Robust, light weight steel construction platform lift trolley which is ideal for lifting heavy items to a work bench level for working on
- The platform is removable and has 2 fork tines which are adjustable under platform for lifting small skids







Code	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Platform Size (mm)	Fork Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2255	120	200	50	500x420	50x420	95-1050	700x460x137	39

Platform and Fork Lift Trolley

- The ideal trolley for lifting loads up to 150kg with ease
- Complies to relevant Australian Standards
- Swappable accessories for handling of different loads
- Forks for lifting small pallets and skids
- Platform for general lifting
- Patented silent winch which locks the load at any height
- Steel cable which runs inside the mast to prevent pinching
- Puncture proof rear wheels
- Made from aluminium
- Load Capacity (with forks): 150kg
- Load Capacity (with platform only): 120kg
- Platform Dimensions (DxW): 360x420mm
- Fork Dimensions (WxL) : 50x460mm

Watch a video of this in operation on our website here:

www.mhaproducts.com.au/M2265





Code	Details	Lift Height (mm)	Folded Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2265	Platform Lift Trolley	1030	300x500x1320	710x530x1320	27
M2266	Fork Kit to suit M2265				

192

📞 Sydney (02) 8865 1800 🛛 🔍

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700

Heavy Duty Manual Fork Stackers

- These manual fork stackers are a very heavy duty ٠ construction and are an economical alternative to forklifts
- Manual hydraulic lift via pallet truck style handle or foot pedal •

46

Straddle leg model for use with standard • 1170mm Australian pallets

 \triangleright

- Standard leg model for use on Euro pallets • and small skids
- Lockable rear wheels are standard on all models .

Watch a video of this in operation on our website here: www.mhaproducts.com.au/M2280







Straddle Legs	

Code	Details	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2280	Standard Leg Fork Stacker	500	150	80	90-1600	1640x805x2000	160
M2281	Straddle Leg Fork Stacker	500	150	80	70-1600	1600x1500x2000	225
M2282	Standard Leg Fork Stacker	1000	150	80	90-1600	1640x1000x2085	250
M2283	Straddle Leg Fork Stacker	1000	150	80	70-1600	1560x1450x2050	295

sales@mhaproducts.com.au



www.mhaproducts.com.au

Standard Legs

Pallet Turntable Disc

- The Pallet Turntable Disc is designed specifically so that pallets can be placed on or removed from the turntable using only a hand pallet truck
- Lifting lug screws into the centre of the disc and makes transportation of the unit easy.
- Disc Diameter: 1105mm



Code	Load	Overall Size	Unit
	Capacity (kg)	HxD (mm)	Weight (kg)
M2145	2000	25x1235	120

Pallet Rotator Ring

- The rotator ring is popular due to its light weight and easy maneuverability.
- It can be moved easily by one person.
- 16 roller bearings to ensure smooth rolling for heavy loads





📞 Sydney (02) 8865 1800






The Edge - Electric Pallet Truck

- The economical option for an electric pallet truck avoid the strain of manually pushing a pallet standard pallet truck.
- Capacity up to 1500 kg and ability to overcome ramps up to 4/16% (loaded/unloaded) makes the truck suitable for work in loading docks and on delivery operations in different conditions
- The battery for this unit has a 3-6 hour battery life.
- Load Capacity: 1500kgs
- Min Fork Height: 85mm
- Lowered Height: 80mm
- Wheel Type: Polyurethane
- Travel Speed (unloaded): 5.8km/h
- **Electric Brake**
- Battery: 24V 20Ah
- Brushless AC motor
- Emergency stop button



Capacity up to 1500kg and ability to overcome ramps up to 4/16% (loaded/unloaded) makes the truck suitable for work in loading docks and on delivery operations in different conditions



M2325

M2323

2500KG Industrial Pallet Trucks

- All our pallet trucks come with a maintenance free pump. • This means they are all made using high quality parts and German seal kits and are fitted with long life rollers and steering wheels.
- These safety yellow powder coated trucks are available in standard size 685mm wide, narrow pallet size 520mm and small skid size 450mm wide
- Steering Wheel Size: 50x180mm Rear steering wheels and . fixed front castors





Polyurethane wheels

Nylon wheels

Sydney (02) 8865 1800

Code	Details	Load Capacity (kg)	Tine Size (mm)	Fork Length (mm)	Width (mm)	Overall Length (mm)	Min. Fork Height (mm)	Unit Weight (kg)
M2322	Standard Size - Poly Wheels	2500	50x160	1150	685	1550	85	70
M2323	Standard Size - Nylon Wheels	2500	50x160	1150	685	1550	85	67
M2325	Narrow Size - Poly Wheels	2500	50x160	1150	520	1550	85	60
M2326	Small Skid Size - Poly Wheels	2500	50x160	1150	450	1550	85	66

M2322



		(kg)	(mm)	()	(mm)	(kg)
M2330	Low Profile Pallet Truck - Nylon Wheels	1000	1120	685	1550	80
M2329	Low Profile Pallet Truck - Polyurethane Wheels	1000	1120	685	1550	80

196

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700





Extra Long 2000KG Pallet Trucks

- · These extra long pallet trucks are extremely useful for extra deep pallets
- Available in 1800 and 2500mm
- Also can be used to pickup two pallets in one lift.
- Tine Size: 60x160mm
- Steering Wheel Size: 50x200mm
- Powdercoated safety yellow
- Polyurethane wheels as standard however nylon wheels can be ordered if required




Watch a video of this in operation on our website here: www.mhaproducts.com.au/M2345



Code	Details	Load Capacity (kg)	Tine Size (mm)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)
M2345	Extra Long Pallet Truck	2000	60x160	1800	520	85	100
M2346	Extra Long Pallet Truck	2000	60x160	1800	685	85	110
M2347	Extra Long Pallet Truck	2000	60x160	2500	685	85	285





Nylon wheels

v2340

www.mhaproducts.com.au/M2340

on our website here:





Code	Details	Load Capacity (kg)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)
M2340	Stainless Steel Pallet Truck (Standard Size)	2000	1150	685	85	77
M2341	Stainless Steel Pallet Truck (Euro Size)	2000	1150	520	85	75

198

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700



2000KG Pallet Truck With Load Scales

DELIVERING AUSTRALIA WIDE

- Our scale pallet trucks are extremely reliable and highly accurate in measuring your pallet weight.
- This fork truck has a totalising function which adds up multiple pallet weights giving the total weight per shipment or order.
- The weighing unit uses four AA batteries which give approx 4200 weighting actions
- The unit gives a low battery warning and shuts off after 3 minutes
- The digital display can be read from any angle in ambient light conditions
- Optional scale printer unit available on request
- Scale Increments: 1kg
- Scale Functions: Zero correction, gross/net weight, total weight
- Nylon Wheels





Watch a video of this in operation on our website here:

W	<u>ww.mhaprodu</u>	cts.com.au/M2350						
Code	Load Capacity (kg)	Steering Wheel Size (mm)	Tine Size (mm)	Fork Length (mm)	Width (mm)	Min. Fork Height (mm)	Overall Size LxW (mm)	Unit Weight (kg)
M2350	2000	50x180	50x182	1150	690	76	1650x690	113



Code	Load Capacity (kg)	Tine Size (mm)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)	
M2355	2000	50x182	1150	690	85	138	



5 Tonne Heavy Duty Pallet Truck

These extra heavy duty pallet trucks can be used to move • heavy machinery and come with a towing hook for pulling if required

- Steering Wheel Size: 50x200mm
- Powder coated safety yellow
- Steel roller wheel



Rough Terrain Pallet Truck

This rough terrain pallet truck is great for applications such as timber yards, brick yards and hard stand areas where the ground is gravel or rough.

- Large pneumatic wheels •
- Adjustable Fork Width: 228-735mm
- Width Inside Front Wheels: 1230mm
- Front Wheel Size: 550x132mm (Dia x Width) •
- Rear Wheel Size: 265x80mm (Dia x Width) •
- Turning Radius: 1500mm
- Axle Distance between Front and Rear Wheels: 973mm

Sydney (02) 8865 1800



Code	Load Capacity (kg)	Load Centre (mm)	Tine Size (mm)	Fork Length (mm)	Min. Fork Height (mm)	Max. Fork Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M2360	1200	450	100x50	860	63	233	1375x1605x1200	245
200	Syde	New (02) 886	5 1800	Melbourne		Brisba	ne (07) 3558 9700	

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700

Manual Hi-Lift Pallet Trucks

- Great for lifting skids and pallets with no bottom rail
- Extremely easy to pump and light weight
- Quick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Automatic descending speed control, regardless of load
- · Front support legs and adjustable stabilisers ensure maximum stability
- Heavy duty design
- Conforms to EN 1757-4
- Not suitable for closed pallets with a bottom rail
- Stainless Steel option is available as a special order

Code	Load Capacity (kg)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Max. Fork Height (mm)	Tine Size (mm)	Lifting Range (mm)	Unit Weight (kg)
M2371	1000	1100	520	85	800	50x160	85-800	118
M2370	1000	1150	680	85	800	50x160	85-800	125

Electric Hi-Lift Pallet Trucks

- Great for lifting skids and pallets with no bottom rail
- Quick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Automatic descending speed control, regardless of load
- Front support legs and adjustable stabilisers ensure maximum stability
- Heavy duty design
- Conforms to EN 1757-4
- Not suitable for closed pallets with a bottom rail
- Battery: 12v, 54Ah

Stainless Steel option is available as a special order

Code	Load Capacity (kg)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Max. Fork Height (mm)	Tine Size (mm)	Lifting Range (mm)	Unit Weight (kg)
M2373	1500	1100	520	85	800	50x160	85-800	150
M2372	1500	1150	680	85	800	50x160	85-800	160

Fork Extension Slippers / Tines (Galvanised)

- Fork slippers extend the versatility of your lift truck
- The safe working load (SWL) is measured per pair at 600mm load centre
- Slippers conform to relevant Australian Standards
- Designed and manufactured in accordance with AS2359.15 and other relevant Australian standard which requires the slippers used for general usage to be not longer than 167% of the supporting tine's length.





Code	*SWL (kg)	Length (mm)	Internal Tine Size (mm)	External Tine Size (mm)	HCG (mm)	Weight Per Pair (kg)
M2405	*4500	1780	138x55	150x67	845	66
M2406	*4500	2400	138x55	150x67	1154	88
M2407	*8500	1800	170x76	185x92	830	133
M2408	*8500	2400	170x76	185x92	1154	177
M2409	*8500	3000	170x76	185x92	1454	221

*SWL shown here is the maximum however it varies depending on forklift capacity - Refer to load capacity plate on your forklift

Cable Drum Stirrups

- The M2416 Cable Drum Stirrups is an affordable soution to lift and transport cable drums by forklift.
- Cradle to suit up to 50mm diameter spindles
- Supplied with a 48mm diameter x 1200mm long spindle

Sydney (02) 8865 1800

- · Locking bolt safely secures the drum stirrup in position on forks
- Supplied as a pair
- Enamel paint finish





📞 Brisbane (07) 3558 9700

Code	Working Load Limit (kg)	Max. Fork Arm Width (mm)	Fork Pocket Size (mm)	Unit Weight (kg)
M2416	70	130	150x45	30

Melbourne (03) 9115 9100


202

Crane / Forklift Spreader Beam

Using a Crane, loads can be lifted via the centre single hook point (as a 'Lifting Beam'), or end lifted using a 2 leg Chain Sling (as a 'Spreader Beam').

If lifting by forklift, the 600mm long slipper pockets allow for fast and safe connection to the truck. The Spreader Beam load connection points are adjustable to 3 positions by moving the extendable arms each end. Both extendable arms are locked into position via safety pins.

The unit is supplied standard with a safety swivel hook each end. The extendable arms are zinc plated with the main body painted in 'safety orange'.



Code	F/Lift	Rated	Fork Pocket	Fork	Overall	Unit
	HCG (mm)	Capacity (kg)	Size (mm)	Centres (mm)	Size (mm)	Weight (kg)
M2470	2405	9000	190x65	900	2600x600x410	172

Slip-On Roll Forklift Prong

Slip-on Roll Prong suitable for fabric, cable, carpet and coil products. These attachments quickly adapt to almost any forklift and require only the connection of a safety chain to prevent unintentional disengagement.

- Prongs are manufactured from solid steel
- Finish: Zinc Plated
- The safe working load (SWL) is measured at 1400mm load centre
- SWL: 510kg



Code	Prong	Length	Fork Pocket	Fork Centres	HCG	Unit
	Diameter (mm)	(mm)	Size (mm)	(mm)	(mm)	Weight (kg)
M2415	70	2800	190x65	345	845	163





- Capacity: 3000kg at 600mm Load Centre
- Load Guard Height: 560mm



Forklift Sweeper Attachments

- The fork mounted sweeper is a quick and easy solution for reheaping products such as sand, top soil, grain or similar
- · Equiped with rachet straps to fasten securely on the forklift mast
- HCG: 205mm
- Fork Pocket Size: 218x44mm
- Fork Pocket Centre: 520mm
- Number of Bristle Rows: 8
- Bristle Height: 275mm

Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
M6035	1500mm Forklift Sweeper	1500x465x326	75
M6036	1800mm Forklift Sweeper	1800x465x326	85

204

📞 Sydney (02) 8865 1800 🛛 🔍 M

Melbourne (03) 9115 9100

C Brisbane (07) 3558 9700

VERDEX





Bulk Bag Jib (3 Tonne)

- This Bulk Bag Jib is designed to safely handle and move bulk bags by both forklift and overhead crane.
- Versatile design allows easy transfer from forklift to crane and vice versa
- Fitted with four safety swivel hooks for securing the bulk bag straps at 800mm centres
- Allows for one handed connection and disconnection of straps
- Certified to relevant Australian Standards
- Zinc finish





Code	Safe Working	HCG	Overall Size	Fork Pocket	Fork Pocket	Unit
	Load (kg)	(mm)	LxWxH (mm)	Size (mm)	Centres (mm)	Weight (kg)
M2438	3000	450	900x860x190	190x90	500	85

Bulk Bag Lifter

- · Designed for lifting bulk bags by overhead crane
- Enamel paint finish
- Designed with 4 lifting loops for easy positioning of bulk bag
- Suits 80cm standard bulk bags

VERDEX

- Safe Working Load: 2000kg
- Hook Centre 'A': 800mm
- Hook Centre 'B': 1170mm



Code	Safe Working	Hook Centre	Hook Centre	Unit
	Load (kg)	'A' (mm)	'B' (mm)	Weight (kg)
M2537	2000	800	1170	45

Adjustable Pallet Hook (2200kg)


The M2461 Pallet Hook features variable body height and adjustable tine width, making this versatile attachment ideal for the transport and construction industry.

Load balancing is via the moveable lifting ring. The Pallet Hook has been designed & certified in accordance with relevant Australian Standards

- Adjustable Clearance is the distance between tines and head
- Finish: Zinc plated



















See page 158

4.5 Tonne Telescopic Short Jib

- This 4500kg telescopic short fixed jib is designed as an affordable general purpose jib which is great for confined spaces and has a 1.9 metre reach when fully extended.
- Finish: Zinc plated
- 4 jib positions
- Overall Dimensions at position 1
 (LxWxH): 1270x490x250mm

idea.	VERDEX
Ν	
4	
925	
750	

SAFE WORKING LOADS (SWL) PER POSITION								
POSITION	1	2	3	4				
EXTENSION (mm)	670	1165	1545	1925				
SWL (kg)	4500	2900	1300	750				

Code	SWL (kg)	Jib Length When Closed (mm)	Jib Length When Extended (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
M2420	4500	1250	1900	185x65	290	95

4.5 Tonne Telescopic Long Jib

- This 4500kg tonne telescopic jib is a general purpose jib which is great for reaching across pits and areas where the forklift cant drive up to as it has a 3.5 metre reach when fully extended.
- Safe Working Load: 4500kg
- Load Centre: 870mm
- HGC: 836mm
- Finish: Zinc plated
- 6 jib positions
- Overall Dimensions at position 1 (LxWxH): 2040x490x250mm



SAFE WORKING LOADS (SWL) PER POSITION								
POSITION	1	2	3	4	5	6		
EXTENSION (mm)	870	1945	2325	2705	3085	3465		
SWL (kg)	4500	1300	750	560	380	200		

Code	SWL (kg)	Jib Length When Closed (mm)	Jib Length When Extended (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
M2421	4500	2000	3500	185x65	290	140
_						

208

Sydney (02) 8865 1800




VERDEX

2.0 Tonne Hook & Tow Jib Attachment

This 2000kg hook & tow jib is suitable for most forklifts and is a simple slip-on attachment with safety chain and swivel hook as pictured.

- Safe Working Load: 2000kg at 1160mm load centre •
- Finish: Zinc plated
- Maximum weight on towball must not exceed 500kg
- Hook jib has 2 lifting positions
- Overall Dimensions at position 1: (LxWxH): 1410x420x140mm



Code	Details	SWL (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Fork Pocket Length (mm)	Unit Weight (kg)
M2429	Hook Jib - 2.0 Tonne Capacity	2000	140x65	250	1220	45
M2430	Hook & Tow Jib - 2.0 Tonne Capacity	2000	140x65	250	1220	45

4.5 Tonne Long Tilting Jib

This 4500kg long tilting jib is the most versatile jib in our range and allows for additional height of up to 2.23 metres.

- SWL chart is show in table
- Finish: Zinc plated
- 6 jib positions
- Overall Dimensions at position 1 (LxWxH): 2100x520x650mm
- HGC: 735mm

SAFE WORKING LOADS (SWL) PER POSITION								
POSITION	1	2	3	4	5	6		
EXTENSION (mm)	770	2010	2390	2770	3150	3530		
SWL (kg)	4500	1100	630	470	300	150		

Code	SWL (kg)	Jib Length When Closed (mm)	Jib Length When Extended (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
M2422	4500	2100	3530	185x65	322	190



Deluxe Drum Cradle

- Heavy duty drum cradle with retractable
 handles for use on 210 litre steel drums
- Great for moving drums around the site and to lay drums into the side position.
- Durable zinc plated finish
- Single person operation
- Wheel Type: Nylon



Code	Load	Length	Width	Horizontal	Unit
	Capacity (kg)	(mm)	(mm)	Height (mm)	Weight (kg)
M5000	300	1000	370	450	14.5





Sydney (02) 8865 1800

210




Plastic Drum Carrier / Rotator

- Remarkably versatile 210 litre Drum Carrier/Rotator Raises, • transports, rotates, tilts and drains fully loaded plastic drums
- Lockable in horizontal or vertical position
- Can be turned end over end to agitate contents

sales@mhaproducts.com.au

200mm roller bearing castors and 100mm swivel castor





Steel & Plastic Drum Trolley

- These drum trolleys are ideal for transporting both steel and plastic drums and are available in solid wheel and pneumatic wheels for rough and uneven ground
- This trolley is also self-standing which means the operator can leave without drums falling over
- Wheels: 400mm front, 75mm castors on the rear



DELIVERING AUSTRALIA WIDE

Steel & Plastic Drum Lifter/Palletiser



Drum Palletiser Stackers

- These drum palletisers stackers are great for loading and unloading both plastic and steel drums onto pallets
- Can also be used to stack drums on top of another drum or to place on a truck or ute
- M5036 comes with a battery operated weighing scale which gives you an accurate measurement of the drums weight





Code	Details	Load Capacity (kg)	Max Lift Height (mm)	Leg Length (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M5035	Drum Palletiser Stacker	450	1100	500	1140x950x1870	130
M5036	Drum Palletiser Stacker (with load scales)	450	1100	500	1150x950x1870	135



Hydraulic Drum Truck Easily transport steel drums with this drum truck Pallet truck style design Nylon wheels Load Min Arm Max Arm Radius of Arm **Overall Size** Unit Code Capacity (kg) Height (mm) Height (mm) (mm) LxW (mm) Weight (kg) 365 270 390 270 1022x722 53 M5040



Drum Dollies

• Drum dollies are suitable for both steel and plastic drums and containers

Sydney (02) 8865 1800

- Powder coated and stainless steel options
- Heavy duty easy wheel castors
- 3 versions available
- Castor Size: 75mm

oth steel and	A more and	
eel options		
	M5051	
renex		
1		
м5050 🧤	👕 м5052 🛛 📳 🥤	5

Code	Details	Load Capacity (kg)	Overall Size LxWxH (mm)	Inner Diameter (mm)	Outer Diameter (mm)	Unit Weight (kg)
M5050	Drum Dollie (Powder coated)	300	710x710x150	600	710	7.5
M5051	Drum Dollie (Stainless Steel)	300	710x710x150	600	710	7.5
M5052	Heavy Duty Drum Dollie (Powder coated)	500	630x630x150	615	630	9

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700

Lifting & Handling Equipment

Drum Tongs

- For lifting steel drums with an overhead crane or the fork tine hook
- To operate, set locking lever in locked open position
- Hooks automatically engage when lifted and disengage when the drum is put down
- Suitable for steel drums

Code	Load	Jaw Opening	Unit
	Capacity (kg)	Distance (mm)	Weight (kg)
M5055	500	910	8

2.5 Tonne Forklift Tine Hook

- Converts forklift into a mobile crane in seconds
- Adjustable mounting position along the length of the fork
- Secured to forks by thumb screw
- Swivel hook includes safety latch



Code	Load Capacity (kg)	Fork Pocket Size LxW (mm)	Unit Weight (kg)	
M2440	2500	150x60	25	



Hook Drum Lifter

- Suitable for both steel and plastic 210 litre drums
 - Works on almost any drum that has a rim to grab onto

VED

Ideal for picking up a drum in the middle of a cluster without having to move any that are in front

Code	Load	Overall Size	Unit
	Capacity (kg)	HxWxD (mm)	Weight (kg)
M5056	500	215x711x711	13

Drum Sling Lifter

- This sling lifter is ideal for lifting drums and cylinders using an overhead crane or forklift lifting hook device
- Suits up to 210 litre drums
- Supplied with metal head ring

Code	Details	Sling Length (mm)	Unit Weight (kg)
M5057	Drum Sling Lifter - 500kg	1100	3
M5058	Drum Sling Lifter - 1000kg	1100	4





Forklift Geared Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel and plastic drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- Finish: Painted safety yellow
- Drum Size: 570-600mm



Code	Load	Fork Pocket	Fork Pocket	Unit
	Capacity (kg)	Size (mm)	Centres (mm)	Weight (kg)
M5065	300	150x55	825	60

Forklift Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- 3 metre pull chain from operators seat
- 30:1 gearing ratio
- Finish: Painted safety yellow



Sydney (02) 8865 1800



Code	Load Capacity (kg)	Fork Pocket Size (mm)	Drum Size dia. (mm)	Unit Weight (kg)
M5066	380	180x65	570-600	97



DELIVERING AUSTRALIA WIDE

_

Drum Tipper / Dumper

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap & locked in place with the over-centre catch & locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Rotational ability 180 degrees





Code	Working Load	Load	Fork Pocket	Fork Pocket	Overall Size	Unit
	Limit (kg)	Centre (mm)	Size (mm)	Centres (mm)	LxWxH (mm)	Weight (kg)
M5069	500	1000	185x65	840	1400x1040x600	85

 Attaches quickly Heavy duty weld Lifts, transports of without having to Finish: Galvanise Load Centre: 134 		k trucks		
on our web	deo of this in operation site here: products.com.au/M5076			VERDEX
Code	Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
M5076	500	165x65	325	78



Forklift Drum Grab

- Attaches quickly and easily to most fork trucks
- Heavy duty welded steel construction
- Lifts, transports and deposits steel drums without having to leave the drivers seat
- Finish: Painted safety yellow

Code	Load	Fork Pocket	Fork Pocket	Unit
	Capacity (kg)	Size (mm)	Centres (mm)	Weight (kg)
M5075	680	177x58	330	56



Watch a video of this in operation

Parrot Beak Drum Lifters

- Suitable for both steel and plastic 210 litre drums
- Simple auto clamp operation, no need to leave the drivers seat •
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Height adjustable for use with different drum shapes
- Available in single and double drum pickups
- Finish: Painted safety yellow





Unit

Weight (kg)

45

62

	our website here:	M5080	M	5081
Code	Details	Load Capacity per beak (kg)	Fork Pocket Size LxWxH (mm)	Fork Pocket Centres (mm)
M5080	Parrot Beak Drum Lifter (single)	360	750x150x55	500
M5081	Parrot Beak Drum Lifter (double)	360	750x150x55	590

Galvanised Parrot Beak Drum Lifter

- Suitable for both steel and plastic 210 litre drums with a top lip
- Simple auto clamp operation no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Finish: Zinc plated
- Load Centre: 1194mm





	Code	Load Capacity (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
	M5085	1000	1194	185x60	250	68
218		Sydney (02) 8865 1800		a (03) 9115 9100	Brisbane (07) 355	8 9700

DELIVERING AUSTRALIA WIDE

Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Can change drum position from vertical to horizontal & vice-versa
- Hinged tines automatically lock when lowered to the ground in horizontal position
- Suitable for loading drums onto transport vehicles
- Works great for loading & unloading drums off rack stands
- Can be operated without the driver having to leave the forklift seat





Code	Load	Prong Distance	Fork Pocket	Fork Pocket	Overall Size	Unit
	Capacity (kg)	Apart (mm)	Size (mm)	Centres (mm)	LxWxH (mm)	Weight (kg)
M5090	400	575	150x60	420	1800x700x660	75

Fixed Prong Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Works great for loading and unloading drums off rack stands



Code	Load	Prong Distance	Fork Pocket	Fork Pocket	Overall Size	Unit
	Capacity (kg)	Apart (mm)	Size (mm)	Centres (mm)	LxWxH (mm)	Weight (kg)
M5091	300	565	140x50	560	1360x715x120	42



Side Shift Drum Palletiser

- The Side Shift Drum Palletiser is specially designed for moving • drums and barrels from any position on a pallet.
- It uses a sliding side-shift arrangement allowing it to even be used . for moving containers and drums placed in the centre of a pallet.
- The palletiser straddles the pallet and only requires access to one side, thus allowing pallets in confined areas to be kept against the wall even when unloading.
- When moving the drum onto another pallet, scales or the floor, the drum can also be moved to either side using the side-shift arrangement
- This unique design side shift drum palletiser can pickup drums • from any position on the pallet, skid or bund -straddles beside and over the pallet
- Suitable for both steel and plastic drums
- The operator requires only 12kg of force on the handle to lift a 300kg drum



Watch a video of this in operation on our website here: <u>www.mhaproducts.com.au/M5160</u>







POPULAR FORKLIFT ATTACHMENTS & LIFTING EQUIPMENT

























Steel & Plastic Drum Lifter & Rotator

- This drum lifter can pickup and rotate drums with ease
- Manual foot or handle hydraulic pump for lifting
- Geared rotation using steering handle
- Worm drive handle for drum tilting





Sydney (02) 8865 1800



Load Lifting Distance Distance Unit Leg **Overall Size** Length Capacity Height **Between Inner Between Outer** Weight Code LxWxH (mm) (kg) (mm) (mm) Legs (mm) Legs (mm) (kg) M5106 450 1500 770 630 810 1400x1000x2100 190

222

Grisbane (07) 3558 9700

Electric Drum Lifter & Rotators

These electric drum lifters pickup and rotate drums using battery electric power for both up and down and for tilting.

- Suitable for both steel and plastic drums
- Lifting Speed: 120mm per second
- Rotation Speed: 180° 30 seconds
- Battery: 12v, 120Ah








Load Unit Leg Length (mm) Max Lift Distance Between **Overall Size** Capacity Weight Code Height (mm) Legs (mm) LxWxH (mm) (kg) (kg) M5150 450 2300 740 1600x950x1920 355 630

2 x M3005

Expanding Skate Conveyors

- Self tracking flexible expanding conveyor which expands from 1100mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels



Watch a video of this in operation on our website here: www.mhaproducts.com.au/M3005



Code	Width (mm)	Load Capacity Per Metre (kg)	Castors (mm)	Length Retracted (mm)	Length Expanded (mm)	Height Range (mm)	Unit Weight (kg)
M3005	460	100	125	1100	4000	690-1000	112
M3006	610	100	125	1100	4000	690-1000	124
M3007	760	100	125	1100	4000	690-1000	142

Expanding Roller Conveyors

- The flexible expanding roller conveyor expands from 1500mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods where the skate wheel conveyor wont work
- Easy and quick setup with height adjustable legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers
- Length Retracted: 1500mm

Stainless Steel options available online




Width

(mm)

460

610

760



Code

M3010

M3011

M3012

Sydney (02) 8865 1800

Load Capacity

Per Metre (kg)

130

130

130

125

4000

Brisbane (07) 3558 9700

690-1000

Expanding Nylon Skate Conveyor

- Self tracking flexible conveyor which can expand from 1100mm to 4000mm
- Multiple units can be joined to make I continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with nylon skate wheels



Width

(mm)

610

Code

M3041



4000

690-1000

90

Electric Expanding Roller Conveyors

Load Capacity

Per Metre (kg)

75

(mm)

105

- Simply plug in and go, this powered electric roller conveyor is • great for carrying boxes and items up hill where gravity may not be achievable
- This conveyor is flexible and expands from 1500mm to 4000mm
- Multiple units can be joined to make I continuous powered conveyor system
- Great for loading and unloading containers
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Quiet operation 240V AC motor with forward and reverse action and adjustable roller speed







Code	Width (mm)	Load Capacity Per Metre (kg)	Castors (mm)	Length Retracted (mm)	Length Expanded (mm)	Height Range (mm)	Unit Weight (kg)
M3030	460	140	125	1500	4000	690-1000	126
M3031	610	140	125	1500	4000	690-1000	131
M3032	760	140	125	1500	4000	690-1000	172

Conveyor Components

Roller conveyors are one of the most common types of conveyors applied in conveying flat bottom type products. These kind of conveyors improve efficiency distribution & line links between different stages of production of your product.

M3240

- Power coated Blue
- 40 Rollers = 75mm pitch between roller
- 20 Rollers = 150mm pitch between roller
- Frame Capacity: 200kgs / mtr

M3140


- Power coated Blue
- Adjustable Height: 805-1105mm (includes frame)

M3142

- Roller Size: 527x48mm
- Shaft Size: 10x8mm
- Spring Loaded Shaft
- Pre-Galvanized Tube 1.65mm Thick
- Capacity: 100kg / Roller
- 20 per carton

M3143

- Roller Size: 527x48mm
- Shaft Size: 10x8mm
- Spring Loaded Shaft
- Capacity: 20kg / Roller
- 20 per carton













Code	Description	Overall Size LxWxH (mm)	Unit Weight (kg)
M3240	Conveyor Frame - 600x3000mm (Rollers Sold Seperately)	3000x660x80	19
M3140	Conveyor Stand to suit 600mm Frames	660x125x1015	8.5
M3142	600mm Galvanised Steel Rollers (20 Rollers per carton)	552x48	1.35
M3143	600mm Poly Rollers (20 Rollers per carton)	552x48	0.98
M3144	600mm Conveyor Gate (Steel Rollers only)		
M3102	Castor Kit to suit M3144		
M3145	Conveyor End Stop to suit M3144		

Steel Roller Conveyor Kit (3 Metres long x 600mm wide)

Roller conveyors are one of the most common types of conveyors applied in conveying flat bottom type products such as cases, boxes, pallets & trays. These kind of conveyors improve efficiency distribution & line links between different stages of production of your product.

- Powdercoated Blue Frames and Legs
- Supplied With 40pcs Galvanised Steel Rollers
- Supplied With 3 Stands
- Can be joined together to make one continuous conveyor line
- Pitch: 75mm



Code	Details	Capacity (kg/M)	Adjustable Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M3340	Steel Roller Conveyor Kit	200	805-1105	3000x660x1105	98
M3102	Castor Kit to suit M3340				
M3145	Conveyor End Stop to suit M3	340			

Poly Roller Conveyor Kit (3 Metres long x 600mm wide)

Roller conveyors are one of the most common types of conveyors applied in conveying flat bottom type products such as cases, boxes, pallets & trays. These kind of conveyors improve efficiency distribution & line links between different stages of production of your product.

- Can be joined together to make one continuous conveyor line
- Supplied With 40pcs Poly Rollers
- Supplied With 3 Stands
- Pitch: 75mm
- Powdercoated Blue Frames and Legs









Code	Details	Capacity (kg/M)	Adjustable Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M3341	Steel Roller Conveyor Kit	120	805-1105	3000x660x1105	88
M3102	Castor Kit to suit M3341				
M3145	Conveyor End Stop to suit M	3341			



4 Drum Bunded Spill Pallet

- Heavy duty bunded pallets made from UV stabilised polyethylene
- Removable grate and nestable when not in use for easy storage
- Holds up to 4x 205L Drums
- Easy 4 way forklift and pallet truck entry
- Corrosion Resistant
- Complies with safety standard and EPA requirements
- Complies with AS4326-2008, AS2714-2008, AS/NZS-4452-1997, AS3780-2008



Code	Spill	Overall Dimensions	Unit Weight
	Capacity (L)	WxDxH (mm)	(kg)
M7673	250	1300x1300x300	32

Single & Double IBC Bunded Pallets


- Heavy duty bunded pallets made from UV stabilised polyethylene
- Removable grate and nestable when not in use for easy storage
- Easy forklift and pallet truck entry
- Corrosion Resistant
- Complies with safety standard and EPA requirements
- Complies with AS4326-2008, AS2714-2008, AS/NZS-4452-1997, AS3780-2008
- SWL: 3000kg (static)

*Please Note: The IBC Containers are not included





M7677 pictured With IBC Container



Sydney (02) 8865 1800

M7678 pictured with 2 x IBC Containers*

M7678

Brisbane (07) 3558 9700

Code	Details	Bund Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
M7677	Single IBC Bunded Pallet	1300	1350x1350x900	71
M7678	Double IBC Bunded Pallet	1100	2200x1300x500	96

Melbourne (03) 9115 9100



IBC Galvanised Spill Bin

- These zinc plated spill bins have been specifically designed for IBC's and suit most IBC's available
- The close spacing support bars allow protection of the IBC frame .
- Easy forklift and pallet truck entry
- These spill bins have a spill capacity exceeding Australian
- Government regulations of 125% containment of the IBC

• Finish: Galva	nised		VERDEX	
Code	SWL (kg)	Bund Capacity (L)	Overall Dimensions LxWxH (mm)	Unit Weight (kg)
M7585	2500	1250	1456x1456x830	195

Galvanised 4 Drum Spill Bin

- This pallet racking friendly spill bin is designed for storage of up to 4 standard 205 litre bins • and can be transported by forklift or pallet trolley.
- Suits 4 x 205 litre drums
- Close spacing support bars allows direct placement of large or small drums
- Timber pallets may be fitted within the raised skirt if required
- Fitted with a drain plug to empty the containment area
- Elevated base allows transport by forklift or pallet trolley
- Steel fabricated, non-flammable unit
- Provides a spill capacity exceeding Australian Standards for 'portable' units
- Long life galvanised finish



Code	Load	Spill	Fork Pocket	Fork Pocket	Overall Dimensions	Unit Weight
	Capacity (kg)	Capacity (L)	Size (mm)	Centres (mm)	WxDxH (mm)	(kg)
M7582	2000	245	245x80mm / 180x80	450/910	1210x1210x265	70



Galvanised 1 Drum Spill Bin

- Suits 1 x 205 litre drum
- Close spacing support bars allows direct placement of large or small drums
- Fitted with a drain plug to empty the containment area
- Elevated base allows transport by forklift or hand pallet jack
- Steel fabricated, non-flammable unit
- Provides a spill capacity exceeding Australian Standards for 'portable' units
- Long life galvanised finish





Code	Spill	Overall Dimensions	Unit Weight
	Capacity (L)	WxDxH (mm)	(kg)
M7580	240	810x760x490	55

Galvanised 2 Drum Spill Bin

- This Spill Bin provides complete protection against costly and environmentally damaging chemical spills from leaking drums.
- Suits 2 x 205 litre drums
- Close spacing support bars allows direct placement of large or small drums
- Fitted with a drain plug to empty the containment area
- Elevated base allows transport by forklift or hand pallet jack
- Steel fabricated, non-flammable unit
- Provides a spill capacity exceeding Australian Standards for 'portable' units
- Long life galvanised finish





Pictured with 2 x Drums

230		Sydney (02) 8865 1800	Melbourne (03) 9115 9100	C Brisbane (07) 3558 9700	
M75	581	2000	250	1210x610x440	60
Co	de	Load Capacity (kg)	Spill Capacity (L)	Overall Dimensions Un WxDxH (mm)	it Weight (kg)



Spring Loaded Tilting Stand

- These clever yet simple spring loaded tilting stands are designed to make it easy to decant from IBC bulk storage containers.
- The hinged platform slowly raises to a 10 degree angle as the weight decreases.
- Sits on a base with bolt on fork pockets which can be removed if required
- Easy to move with a forklift
- Simple and easy-to-use
- Finish: Zinc Plated

See page 183 for our IBC Tilting Stand

Code	Details	Load Capacity (kg)	Fork Pocket Centres (mm)	Fork Pocket Size (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7680	Tilting Stand	2000	730	190x90	1200x1130	1130x1200x360	105
M7681	Extra Spring for M	7680					

Single and Double Cylinder Trolleys

- These gas cylinder trolleys are available for transporting either 1 or 2 cylinders
- Heavy duty solid rubber wheels to • suit the M1210 & M1211
- Supplied with securing chains as pictured
- The M7635 gas cylinder rack can • be bolted to the wall for secure storage of gas cylinders



M1210

M1211

M7635

Code	Details	Castors (mm)	Cylinder Size Dia. (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
M7635	Gas Cylinder Rack	-	140-250 x 2	540x350x1000	18
M1210	Single Cylinder Trolley	200	140-250	600x600x1360	17
M1211	Double Cylinder Trolley	390	140-250 x 2	690x690x1310	44



Universal, Chemical, Oil & Fuel Spill Kits

Emergency response Spill Kits contain a premium range of bioactive absorbents providing rapid and effective clean up of hazardous chemical, oil, hydrocarbon or water based liquid spills

Selection Guide

UNIVERSAL CHEMICAL OIL & FUEL

L Clean-up of most liquids used in factories and workshops.

MICAL Clean-up of aggressive liquids. Suitable for most chemical spills

UEL Clean-up of oils, fuels and other non-water soluble liquids. Not suitable for water based liquids



Please Note: Image shown is the universal kit

Universal 40L Components

Content: 1 x 1.2m absorbent minibooms, 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form

Chemical 40L Components

Content: 1 x 1.2m absorbent minibooms, 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form

Oil & Fuel 40L Components

Content: 1 x 1.2m absorbent miniboom, 20 x 410mm x 460mm absorbent pads, 1 x 5kg MaxSorb premium floorsweep, 1 x elbow length PVC gloves, 1 x printed disposal bag, 1 x PVC labelled carry bag, 1 x product instruction sheet including re-order form



Please Note: Image shown is the universal kit

Universal 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set,

1 x elbow length PVC gloves, 2 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form

Chemical 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form

Oil & Fuel 120L Components

Content: 3 x 3.0m absorbent minibooms, 50 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 120L labelled wheelie bin, 1 x product instruction sheet including re-order form



Please Note: Image shown is the universal kit

Universal 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 1 x elbow length PVC gloves, 4 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Chemical 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 2 x elbow length PVC gloves, 8 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Oil & Fuel 240L Components

Content: 7 x 3.0m absorbent minibooms, 100 x 410mm x 460mm absorbent pads, 1 x 10kg MaxSorb premium floorsweep, 1 x industrial brush & pan set, 2 x elbow length PVC gloves, 8 x printed disposal bags, 1 x 240L labelled wheelie bin, 1 x product instruction sheet including re-order form

Code	Details	Absorbent Capacity (L)	Packaging	Unit Weight (kg)
M7641	Universal Spill Kit	40	PVC Carry Bag	6
M7642	Universal Spill Kit	120	120L Wheelie Bin	32
M7643	Universal Spill Kit	240	240L Wheelie Bin	52
M7644	Chemical Spill Kit	40	PVC Carry Bag	8
M7645	Chemical Spill Kit	120	120L Wheelie Bin	32
M7646	Chemical Spill Kit	240	240L Wheelie Bin	52
M7647	Oil & Fuel Spill Kit	40	PVC Carry Bag	6
M7648	Oil & Fuel Spill Kit	120	120L Wheelie Bin	32
M7649	Oil & Fuel Spill Kit	240	240L Wheelie Bin	52

To order refill kits, please add 'K' to the end of the code number, eg M7642K

Sydney (02) 8865 1800

Melbourne (03) 9115 9100



Galvanised Drum Trolley with Bund



Gas Cylinder Cage

- Designed to safely store and transport gas cylinders by • forklift or overhead crane
- 4 crane lifting lugs at top & 2 forklift pockets underneath for easy transport
- Ideal for use on building sites and mines
- Suitable for many different sized cylinders
- Load binder allows cylinders to be securely fastened in position
- Folding ramp for easy access, reducing unsafe lifting of • cylinders by personnel
- Stacks two high when fully loaded
- Crane Working Load Limit: 500kg



Code	Fork Working Load Limit (kg)	Fork Pocket Centres (mm)	Fork Pocket Size WxH (mm)	Overall Size WxDxH (mm)	Internal Size WxD (mm)	Unit Weight (kg)
M7602	1000	600	192x92	1200x850x1065	1050x700	120
	🗙 sales@mhaproducts.co	m.au 🌐 www.	mhaproducts.cc	om.au Visit website f	or more details and pric	233 233

Flammable Liquid Safety Cabinets

- High quality construction using zinc coated steel sheeting
- Powder coat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Adjustable and removable shelves







Sydney (02) 8865 1800



Code	Storage Capacity (L)	Door Opening Size (mm)	Internal Size LxWxH (mm)	External Size LxWxH (mm)	Unit Weight (kg)
M7650	30	420x555	420x375x555	505x465x800	43
M7651	60	420x820	420x375x820	505x465x1065	55
M7652	100	835x555	835x525x555	920x615x800	76
M7653	160	1015x1050	1015x375x1050	1100x465x1295	110

Brisbane (07) 3558 9700

DELIVERING AUSTRALIA WIDE



250L Flammable Liquid Safety Cabinet



www.mhaproducts.com.au

sales@mhaproducts.com.au

Lockable Storage Cage

- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Full metal roof which provides weather protection
- Finish: Zinc plated
- Lockable door
- Load Centre: 515mm
- HCG: 600mm



Fork slots for easy moving







Code	Details	Safe Working Load(kg)	Fork Pocket Size (mm)	Overall Size WxDxH (mm)	Internal Size WxDxH (mm)	Unit Weight (kg)
M7600	Storage Cage	750	165x65	1060x1060x1800	930x930x1850	180
M7601	Ramp to suit M7600			500x1015x40		13
M7600A	Assembly of Lockable Storage Cage Available					



Gas Cylinder Cage

Heavy duty lockable cage suited for storage of up to 24 x 9kg BBQ gas bottles but can be used for many other storage applications including firewood at service stations where easy access and excellent security is a requirement.

- Tamper-proof lock guard prevents cutting of the padlock by bolt cutters, along with anti-tamper gate hinges
- Sturdy construction with bump rails to protect the high visibility mesh sides
- Stack 3 high when empty and 2 high when fully loaded
- Bolted mid shelf can be excluded during construction for storage of 18kg forklift gas bottles
- Sheet metal shelves allow easy sliding of cylinders to the back of the cage.
- Sheet metal roof provides weather protection
- · Forklift provision is provided under the cage for transport around worksite
- · Zinc finish for long life corrosion protection









Code	Details	Load Limit (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
M7555	Gas Cylinder Cage	500	2040x760x1285	200
M7555A	Assembly of Gas Cylinder Co	age Available		

Lockable Mesh Storage Cage

- Lockable mesh storage cage is designed for strength, visibility and ventilation
- Ideal for use in workshops, warehouses, construction sites and industrial applications
- Can be bolted to the ground for additional security
- Key Lockable for safe and secure storage
- Supplied with 3 adjustable shelves
- Shelf capacity: 200kg
- Powder coated finish





Code	Details	Load Capacity (kg)	Mesh Size (mm)	Overall Size WxDxH (mm)	Internal Size WxDxH (mm)	Unit Weight (kg)
M7550	Storage Cage	600	50x50	1150x450x1800	1050x390x1770	70
M7550A	Assembly of Lock	able Mesh Storag	e Cage			

Mesh Storage Cage (with shelves)

- The Mesh Storage Cage's unique design incorporates a left or right opening gate which is totally removable if required.
- Comes complete with three removable shelves and a forklift accessible base for easy transportation.
- Spacing between shelves: 420mm
- Reversible opening gate
- Longlife durable zinc finish
- Optional castor kit 100mm castors (2 fixed & 2 swivel)





Code	Details	WorkingLoad Limit (kg)	Mesh Size (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
M7605	Mesh Storage Cage with shelves	500	50x50	1160x580x1985	145
M76054	A Assembly of Mesh Storage Cage Available				
M76050	C Castor Kit to suit M7605				

Sydney (02) 8865 1800



Forklift Gas Storage Cages

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Power coated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety
- Designed to comply with relevant Australian Standards
- M7623 Distance Between Shelves 860mm (Top) 875mm (Bottom)









Code	Details	Door Opening Size (mm)	Internal Size LxWxH (mm)	External Size LxWxH (mm)	Unit Weight (kg)
M7620	Fork Gas Storage Cage (2 Cylinders)	650x780	690x380x815	730x430x960	32
M7621	Fork Gas Storage Cage (4 Cylinders)	650x810	690x680x845	730x730x990	43
M7622	Fork Gas Storage Cage (6 Cylinders)	1000x810	1040x680x820	1080x730x990	60
M7623	Fork Gas Storage Cage (12 Cylinders)	1000x1760	1040x680x1760	1080x730x1940	182



Aerosol Lockable Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans, how
 ever are a great storage cage for tools and equipment
- Power coated green
- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards



Code	Details	Internal Size LxWxH (mm)	External Size LxWxH (mm)	Door Opening Size (mm)	Unit Weight (kg)
M7660	Aerosol Storage Cage (12 Can Capacity)	490x205x355	500x250x400	440x320	12
M7661	Aerosol Storage Cage (60 Can Capacity)	695x265x605	700x300x650	640x570	25
M7662	Aerosol Storage Cage (108 Can Capacity)	845x360x850	852x400x900	770x820	34
M7663	Aerosol Storage Cage (216 Can Capacity)	1650x365x850	1655x400x900	1575x820	85

DELIVERING AUSTRALIA WIDE



Aerosol Lockable Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans, however are a great storage cage for tools and equipment
- Power coated green

- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards





Code	Details	Internal Size LxWxH (mm)	External Size LxWxH (mm)	Door Opening Size (mm)	Unit Weight (kg)
M7664	Aerosol Storage Cage (216 Can Capacity)	847x368x1750	850x400x1800	770x1720	77
M7665	Aerosol Storage Cage (432 Can Capacity)	1650x365x1750	1655x400x1800	1575x1720	152

Safety Cabinets for Corrosive Goods

- Heavy duty 1.2mm double skin wall construction, with 40mm air gap to provide thermal insulation
- Self closing door mechanism, with three point lock.
- Double door cabinets right door can be set a 7 locking positions between 20 and 90° for easy access
- Fully welded deep liquid tight sump
- Recessed handle with key lock, that can be opened from inside.
- Designed to comply with relevant Australian Standards
- All safety signage included







Code	Details	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Number of Shelves	Unit Weight (kg)
M7690	Safety Cabinets For Corrosive Goods (30L Capacity)	535x425x375	805x520x475	1	53
M7691	Safety Cabinets For Corrosive Goods (60L Capacity)	800x425x375	1070x520x475	2	62
M7692	Safety Cabinets For Corrosive Goods (100L Capacity)	560x835x530	810x935x680	1	100
M7693	Safety Cabinets For Corrosive Goods (160L Capacity)	1045x1015x375	1295x1115x525	2	138
M7694	Safety Cabinets For Corrosive Goods (250L Capacity)	1580x1015x475	1830x1115x525	3	187



X Shape Laundry Cart


- Lightweight trolley which is great for carting linen or waste
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors 4 x swivel
- Castors: 100mm

Code

M9060

M9061

- Load Capacity: 100kg
- Volume Capacity: 150L



Plastic X Shape Laundry Cart

- Lightweight trolley which is great for carting linen or waste •
- Easily remove the waste bag by unhooking from the frame •
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors 4 x swivel •
- Castors: 75mm
- Load Capacity: 60kg
- Volume Capacity: 178L
- Folded Size (LxWxH): 660x440x1100mm

M9071 Replacement Bag

Overall Size Unit Code Details LxWxH (mm) Weight (kg) M9070 Plastic X Shape Laundry Cart 690x660x950 10 M9071 Replacement Bag to suit M9070

400L Steel Waste Trolley

- The waste trolley is an ideal device for collecting and • moving waste and scrap parts
- Perfect for collecting waste from production lines and engineering workshops
- Powder coated finish
- Pneumatic Wheels: 400mm diameter
- Single Rubber Rear Wheel: 200mm diameter



Code	Load	Overall Size	Unit
	Capacity (kg)	LxWxH (mm)	Weight (kg)
M6060	400	1390x740x920	55



VERDEX

244

Sydney (02) 8865 1800





350L Waste Collection Bin

Great for use in warehouses and on sites, for • general waste and rubbish 2 front wheels and 1 rear wheel for easy wheeling throughout the workplace Pull handle which releases the bin forward • View video of this in operation here: www.mhaproducts.com.au/M6300 Front Wheel **Rear Wheel** Bin Safe Working **Bin Dimensions** Unit Code Size (mm) Size (mm) Capacity (L) Load (kg) LxWxH (mm) Weight (kg) M6300 340 125 350 350 1350x850x1040 72

Plastic Bin Trolleys

- · Heavy duty rotomoulded bin with 25mm steel tubular frame
- Castors 2 fixed & 2 swivel
- Load capacity of trolley: 400kg
- Overall Size of Bin (LxWxH): 1030x730x600mm
- Internal Base Dimensions of Bin (LxW): 780x500mm
- Internal Top Dimensions of Bin (LxW): 910x615mm
- Wall thickness of bin: 4mm
- Height from ground to top rim of Trolley: 740mm
- Bins available to purchase seperately from the Bin Trolleys







Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
M1270B	Blue Bin Trolley (Includes Bin)	1170x730x800 (Inc Handle)	25
M1270W	White Bin Trolley (Includes Bin)	1170x730x800 (Inc Handle)	25
M1271	Blue 280L Bin	1030x730x600	8.5
M1272	White 280L Bin	1030x730x600	8.5



VERDEX

Round Plastic Waste Bins (Flat Lid)

- Plastic construction will not rust, chip or peel, resists dents.
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids allow for secure, stable stacking
- Built-in handles allow easy, non-slip lifting
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- Quick and easy twist on, twist off dolly available to suit
- The dolly raises the bin overall height by 130mm
- Lid supplied with bin
- Colour: Grey
- M6310 Overall Height with Dollie: 745mm
- M6311 Overall Height with Dollie: 830mm
- M6312 Overall Height with Dollie: 930mm



M6320

VERDEX

M6310

Sydney (02) 8865 1800



M6321

VERDEX

Bin locks into dollie base



Code	Details	Overall Dia. Inc Handle (mm)	Dimensions DxH (mm)	Unit Weight (kg)
M6310	Round Plastic Waste Bin (80L Capacity)	555	505x615	4
M6311	Round Plastic Waste Bin (120L Capacity)	630	575x700	5
M6312	Round Plastic Waste Bin (168L Capacity)	700	620x800	7
M6320	Round Dollie to suit M6310	-	400 (D), 130 (H)	2
M6321	Round Dollie to suit M6311 & M6312	-	450 (D), 130 (H)	3

M6311

Melbourne (03) 9115 9100

Brisbane (07) 3558 9700





Round Plastic Waste Bins (Swing Lid)

- Plastic construction will not rust, chip or peel, resists dents.
- Double-ribbed base which increases stability and dragging capacity •
- Reinforced rims add strength and durability ٠
- Strong, snap-on lids allow for secure, stable stacking •
- Built-in handles allow easy, non-slip lifting •
- Tight-fitting indented lid design helps protect dry goods and other contents, • while facilitating stacking during transportation and storage

м6320

VERDEX

- Quick and easy twist on, twist off dolly available to suit
- The dolly raises the bin overall height by 130mm
- Lid supplied with bin
- Colour: Grey

M6321

- M6315 Overall Height with Dollie: 910mm ٠
- M6316 Overall Height with Dollie: 1020mm



VERDEX

Code	Details	Overall Dia. Inc Handle (mm)	Dimensions DxH (mm)	Unit Weight (kg)
M6315	Round Plastic Waste Bin (80L Capacity)	555	505x780	4
M6316	Round Plastic Waste Bin (120L Capacity)	630	570x890	5
M6320	Round Dollie to suit M6315	-	400 (D), 130 (H)	2
M6321	Round Dollie to suit M6316	-	450 (D), 130 (H)	3

M6316

M6315

VERDEX

Wheelie Bin Stands

- This wheelie bin security stands are great for • securing your bins in public areas
- The stand is Hot dip galvanised which is great ٠ for use in coastal areas
- The stands come standard with a lid restrictor . and a spring loaded locking mechanism
- Supplied with one security Allen key to open the • locking mechanism
- Can be secured on the ground using . (4) M12 dynabolts



M6386 Single Wheelie Bin Stand Mount to suit 120L & 240L Bins





Single Wheelie Bin Stand (with Base Plate)





Double Wheelie Bin Stand (with Base Plate)



Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
M6380	Single Wheelie Bin Stand with Base Plate (120L)	395x250x1030	10.5
M6381	Double Wheelie Bin Stand with Base Plate (120L)	540x250x1030	12.5
M6382	Single Wheelie Bin Stand with Base Plate (240L)	395x250x1155	11
M6383	Double Wheelie Bin Stand with Base Plate (240L)	538x250x1255	13
M6384	Single Wheelie Bin Stand Inground (120L & 240L)	345x75x1425	9.5
M6385	Double Wheelie Bin Stand Inground (120L & 240L)	538x75x1425	11.5
M6386	Single Wheelie Bin Stand Mount (120L & 240L)	548x250x421	7

Sydney (02) 8865 1800 **Melbourne** (03) 9115 9100 **Brisbane** (07) 3558 9700





Foot Pedal Lifting Wheelie Bins

- These wheelie bins come supplied with a foot pedal operated lid which avoids touchingthe lid when disposing of waste
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays
- Ideal for food preparation areas
- Available in Blue, Green and Grey
- Wheel Diameter: 200mm





Code	Details	Overall Size WxDxH (mm)	Unit Weight (kg)
M6340	Blue 120L Wheelie Bin (with foot pedal)	500x550x930	9.2
M6341	Green 120L Wheelie Bin (with foot pedal)	500x550x930	9.2
M6342	Grey 120L Wheelie Bin (with foot pedal)	500x550x930	9.2
M6345	Blue 240L Wheelie Bin (with foot pedal)	590x740x1070	14.5
M6346	Green 240L Wheelie Bin (with foot pedal)	590x740x1070	14.5
M6347	Grey 240L Wheelie Bin (with foot pedal)	590x740x1070	14.5

www.mhaproducts.com.au visit w

70L Garbage Bins

- Small waste bins with four swivel castors
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV Rays
- Available in four colours: Yellow, Blue, Grey and Green



Code	Details	Castors (mm)	Bin Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
M6330	70L Garbage Bin (Yellow)	50	70	450x440x680	2.8
M6331	70L Garbage Bin (Blue)	50	70	450x440x680	2.8
M6332	70L Garbage Bin (Grey)	50	70	450x440x680	2.8
M6333	70L Garbage Bin (Green)	50	70	450x440x680	2.8

Plastic Wheelie Bins

- Wheelie bins available in 2 standard sizes and 5 colours
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays

Blue	reen	Red Yellow	Grey
Code	Details	Overall Size WxDxH (mm)	Unit Weight (kg)
M6350	Plastic Wheelie Bin (120L)	480x550x940	10
M6360	Plastic Wheelie Bin (240L)	580x730x1080	13
*Bin colours availa	ble online		



Waste Handling Equipment



These tippers are available for tipping 240 litre wheelie bins

DELIVERING AUSTRALIA WIDE

- Simple and safe tipping operation operated via a pull cord from the drivers seat
- The wheelie bin is firmly secured into position by the frame assembly preventing any bin movement, with the additional securing chain around the front of the bin. Returning the bin to the upright position can be done manually or with the forklift, the bin automatically locking into position once upright.
- 180 degree tipping operation
- Enamel painted finish





Code	Bin	Safe Working	Load	Fork Pocket	Fork Pocket	Unit
	Capacity (L)	Load (kg)	Centre (mm)	Size (mm)	Centres (mm)	Weight (kg)
M6100	1 x 240	500	1000	192x67	840	80

Pull Cord Forklift Wheelie Bin Tippers

- The M6101 Wheelie Bin Tipper is designed to safely transport about the worksite.
- This Tipper can empty a 660 litre and/or 1100 litre plastic wheelie bins by forklift, or an overhead crane.
- Allows 160° rotation of a 660 or 1100 litre wheelie bin
- Suitable for operation with a forklift or overhead crane
- Pull cord tipping action activated at a safe distance by operator
- Shock absorber controls tipping forces
- Ratchet tensioners for simple and secure fastening of bin to attachment
- Enamel paint finish





Code	Load Capacity	Overall Size	Load	Fork Pocket	Fork Pocket	Unit
	(kg)	WxDxH (mm)	Centre (mm)	Size (mm)	Centres (mm)	Weight (kg)
M6101	500	1655x1200x1615	850	185x65	800	185

🔀 sales@mhaproducts.com.au

Battery Electric Wheelie Bin Tipper (1.6metre)

This bin tipper is everything a bin tipper should be - safe, economic, easy to use, versatile, and efficient. Perfect for light industrial use to empty bins at schools, factories, recycling centres and more. These tippers are battery powered which have a sealed battery and an industrial-quality 'float' charger built in.

Specifications

- Fast 20 seconds to empty a bin
- Tipping height up to 1600mm
- Battery-powered with a sealed battery and an industrial-quality 'float' charger built in
- Suits standard bin sizes 80L, 120L, 140L and 240L, with no adjustment
- 4 x 125mm swivel castors, 2 with brakes
- Rugged powder coated frame
- Indoor or outdoor use
- · Lockout key and two-hand controls for safety
- These units are battery electric hydraulic bin tippers and charged from a standard 240 volt power point
- Lift Capacity: 150kg



View video of this in operation here www.mhaproducts.com.au/M6080







Sydney (02) 8865 1800

Waste Handling Equipment



Battery Electric Wheelie Bin Tipper (1.8 metre)

- These bin tippers are highly versatile and can be used in numerous applications, ranging from emptying rubbish bins into skips to pouring food ingredients into hoppers or mixers
- Has unique tipping action whereby bins are lifted straight up, and then gently rolled forward around the lip of the skip bin or hopper being emptied into
- Standard wheelie bins do not require clamping simply place on the cradle and press the 'Raise' button
- Can be fitted with multi-purpose cradles which can empty all standard sizes from 80 to 240 litre bins or even 80 to 360 litre bins with no adjustment
- Indoor or outdoor use
- These units are battery electric hydraulic bin tippers and charged from a standard 240 volt power point.
- 4 x 125mm swivel castors, 2 with brakes
- Tipping Height: 1800mm
- Lift Capacity: 250kg





View video of this in operation here www.mhaproducts.com.au/M6082



Overall Width

(mm)

950

Manual operation (assisted lift) **Finish: Powercoated**

bins using gas struts.



.

Code

M6082

View video of this in operation here www.mhaproducts.com.au/M6081

Tipping Height

(mm)

1800



Lifting Capacity

(kg)

250

Code	Lifting Capacity (kg)	Dimensions WxDxH (mm)
M6081	30	840



Overall Length

(mm)

1150

Overall Height

(mm)

2865



253

660L Wheelie Bin with Rotator Base

- 60 litre wheelie bin suits high volume waste & recycling
- Fitted with rotator base allowing rotation by a forklift
- 4 swivel wheels, 2 fitted with brakes for manoeuvrability
- 2 large handles on each side
- Strong and sturdy design
- Smooth inner walls for ease in emptying & cleaning
- Resistant to acid, alkali, corrosion & durable to endure impact



Fork pockets for forklift attachment



Code	Capacity	Dimensions	Fork Pocket	Fork Pocket	Unit
	(L)	LxDxH (mm)	Size (mm)	Centres (mm)	Weight (kg)
M6365	660	370x780x1240	160x60	365	72

Large Plastic Wheelie Bins

- Large plastic wheelie bins available in 2 standard sizes
- Choice of various bin and lid colours
 (green, blue, yellow, red)
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays
- Other custom colours and sizes can be made to order
- Wheel Diameter: 200mm
- M6361 Capacity: 660L
- M6362 Capacity: 1100L
- Visit online to order bins in seperate colours to the lids (eg red bin with blue lid)

Other Bin Colours available:





Code	Details	Wheel Base Size WxD (mm)	Overall Size WxDxH (mm)
M6361	Large Plastic Wheelie Bin - Flat Lid 660L	490x870	1310x775x1175
M6362	Large Plastic Wheelie Bin - Flat Lid 1100L	750x880	1373x1073x1354

Brisbane (07) 3558 9700



Forklift Waste Tipping Bin

- This light weight fork waste bin is great for use in warehouses • and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for • easy wheeling throughout workplace
- Simply pull the cord or handle which releases • mechanism for tipping into larger bins or skips
- Painted finish
- Polyurethane castos 2 x fixed, 1 swivel with brake







M6000 125 500 150 140x55 600 710 1160x750x805 95	Co	de	Castors (mm)	Load Capacity (kg)	Bin Capacity (L)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Height to Top of Lip (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
	M6	000	125	500	150	140x55	600	710	1160x750x805	95

Forklift Waste Self Tipping Bins

- Great for use in warehouses & building sites for general waste & rubbish
- Available in painted yellow or galvanised
- Pull cord to release the mechanism for tipping into larger waste . bins which saves the operator having to leave the forklift
- Safe Working Load: 350kg
- 150L & 300L Capacities available
- Fork Pocket Size: 140x65mm





Code	Details	HCG (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M6070	150L Waste Tipping Bin (Yellow Painted)	402	600	970x750x820	90
M6071	300L Waste Tipping Bin (Yellow Painted)	451	800	1065x950x960	116
M6075	150L Waste Tipping Bin (Galvanized)	402	600	970x750x820	90
M6076	300L Waste Tipping Bin (Galvanized)	451	800	1065x950x960	116



Drum Tipper / Dumper

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Rotational ability 180 degrees





Code	Working Load Limit (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M5069	500	1000	185x65	840	1400x1040x600	85

Hot Dipped Galvanised Forklift Waste Tipping Bins

This light weight fork waste bin is great for use in • warehouses and on sites for general waste and rubbish Fitted standard with 2 front wheels and 1 rear wheel for • easy wheeling throughout workplace Manual push over for tipping into larger bins or skips Drain plug fitted as standard Hot Dipped Galvanised Watch a video of this in operation on our website here: www.mhaproducts.com.au/M6005 SWL Fork Pocket Fork Pocket **Overall Size** Code Details (kg) Size (mm) Centres (mm) WxDxH (mm) M6005 Fork Waste Bin (350L Capacity) 350 140x65 367 720x1115x890 M6006 Fork Waste Bin (460L Capacity) 650 140x65 367 1000x1115x890



Sydney (02) 8865 1800






1000L Tipping Bin (with Release Mechanism)

- These heavy duty tipping bins are ideal for heavy waste including metal, timber and building site rubble
- The tipping release mechanism is activated by the forklift operator pulling the pull cord from the drivers seat - the custom built shock absorber prevents impact forces being transmitted to the forklift when emptying
- Fitted with a Drain Plug
- Finish: Galvanised









VERDEX



VERDEN

Code	Details	Bin Capacity (L)	Safe Working Load (kg)	Overall Size LxWxH (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
M6023	1100L Tipping Bin	1100	1000	1625x1140x1005	170x70	635	210
M6013	Wheel Kit to suit 11						

1 Tonne Waste Bin Compactor

- Used to compact bulky waste products using a forklift
- Suitable for use with a 660L wheelie bin or any larger bins
- Eliminates the unsafe practice of treading down loose waste
- · Slip-on attachment and safety chain for quick connection to a forklift
- Increased bin capacity helps lower waste removal costs
- Finish: Hot Dipped Galvanised
- Load Centre: 830mm





Watch a video of this in operation on our website here: www.mhaproducts.com.au/M6105

sales@mhaproducts.com.au



Safety Chain





www.mhaproducts.com.au

Self Dumping 1500kg Capacity Tipping Bins

- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Optional wheel kit available
- Hot Dipped Galvanised









Watch a video of this in operation on our website here: www.mhaproducts.com.au/M6010



Code	Details	SWL (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size WxLxH (mm)	Unit Weight (kg)
M6010	Self Dumping Tipping Bin (950L)	1500	185x75	380	1570x1010x1080	164
M6011	Self Dumping Tipping Bin (1250L)	1500	185x75	680	1570x1305x1080	188
M6012	Self Dumping Tipping Bin (1850L)	1500	185x75	680	1570x1905x1080	255
M6013	Wheel Kit to suit Tipping Bins (includes 4	wheels)				



Drop Bottom Bin (Solid Sides)

- These drop bottom bins are a heavy duty bin made for all types of waste
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying
- Sheet metal sides with sheet metal base
- Durable Zinc finish





view video of this in operation here:	10
www.mhaproducts.com.au/M6040	븟뢼



Code	Volume (L)	Safe Working Load (kg)	Bin Dimensions LxWxH (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
M6040	1500	1000	1540x950x1350	165x50	784	200
260	Sydney (02) 8865 1800	Melbourne (03) 9115 9	100 📞 Brisk	ane (07) 3558 9 ⁻	700

VERDEX



Drop Bottom Bin (Mesh Sides)

- These drop bottom bins are a heavy duty bin made for all types of waste •
- Ideally suited to the recycling industry, the cage can be lifted by either a forklift or crane
- This bin is able to be transported either by fork lifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying
- Mesh sides with sheet metal base





Volume Safe Working **Bin Dimensions Fork Pocket** Fork Pocket Unit Code Load (kg) (L) LxWxH (mm) Size (mm) Centres (mm) Weight(kg) M6041 1500 1000 1540x950x1350 165x50 784 158

www.mhaproducts.com.au

CUSTOM SOLUTIONS & PROJECTS

MHA can custom design and manufacture materials equipment specific to your application and requirements eliminating physical strain and promoting efficiency in the workplace.


Should you require a particular design, model or configuration MHA has your workplace, custom solutions covered!

Custom Trolleys

MHA offer customers a wide range of custom trolleys to suit their particular manual handling problems and workplace needs. This means that if any of our existing range doesn't quite meet your specific requirements, we can tweak one, or combine styles to create a completely different and innovative trolley. These are some examples of our customised trolleys.



























Industrial Work Bench with 1 Drawer Unit

- This workbench has a 600kg top bench capacity
- 28mm thick laminated wooden top
- Comes standard with adjustable feet for leveling
 on uneven floors
- Finish: Powder-coated light grey

See online for more details on this Kit






Heavy Duty Industrial Work Bench Kit 1800mm long



Heavy Duty Industrial Work Bench Kit 1800mm long



Heavy Duty Industrial Work Bench Kit 2100mm long




(III) www.mhaproducts.com.au

sales@mhaproducts.com.au

1800mm Industrial Work Bench

(with Lockable 3 Drawer Unit)

- · Heavy duty steel industrial work bench which is ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- 100kg drawer capacity
- Finish: Powder coated light grey
- Bench top material is particle board with a PVC top and a high pressure, fireproof laminate base.



1800mm Industrial Work Bench

(with Lockable Cupboard)

- Heavy duty steel industrial work bench which is ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- Finish: Powder coated light grey
- Bench top material is particle board with a PVC top and a high pressure, fireproof laminate base.



2100mm Industrial Work Bench

(with Lockable 3 Drawer Unit)

- Heavy duty steel industrial work bench which is ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- 100kg drawer capacity
- Finish: Powder coated light grey
- Bench top material is particle board with a PVC top and a high pressure, fireproof laminate base.



2100mm Industrial Work Bench

(with Lockable Cupboard)

- Heavy duty steel industrial work bench which is ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- Finish: Powder coated light grey
- Bench top material is particle board with a PVC top and a high pressure, fireproof laminate base.



Custom Stillage and Storage Cages

MHA offer a vast range of stillage cages for purchase. Our Storage Cages are an excellent form of warehouse and yard storage and designed to store long and awkward objects for easy transport. They help to improve workplaces as they can be stacked to make use of the vertical space in warehouses.

In addition to our vast range of Stillage Cages, MHA offer Custom Stillage and Storage Cages for purchase. Custom Stillage and Storage Cages provides an opportunity to create the best storage solution suited to your particular storage requirements.

Whether you are after a cage with foldable sides, removable lid, pallet base or whatever size, MHA will ensure this is a possible result.

Our Custom Stillage Cages are made to suit a variety of industries such as retail, logistics, mining, industrial, construction, transportation and warehouse. MHA are able to provide custom made stillages cages in any colour and any size to suit your requirements.

















Custom Spring Loaded Rotating Pallet Tables

These Custom Spring Loaded Rotating Pallet Tables are the ideal solution for effortless and efficient material handling! Designed with convenience in mind, these tables have a unique spring-loaded mechanism that makes rotating pallets a breeze.

These Custom Spring Loaded Rotating Pallet Tables are designed to effortlessly turn your pallet, allowing for seamless access to goods from all angles.

Perfect for warehouses, workshops, and manufacturing facilities, these tables enhance productivity and streamline operations. Say goodbye to manual pallet turning hassles and embrace the innovation of MHA's Custom Spring Loaded Rotating Pallet Tables, for an easier and more accessible workflow.

















Custom Made Lifting Equipment





Tote Bin Lifter & Tipper













Work Positioner with conveyor platform

274

Manual Roll Prong Trolley



















Stainless Steel Platform Lifter



Notes

Sydney (02) 8865 1800

A

=

113
69,70
117
153
38
40
191, 192
72, 73
191, 192
72,73,172
70-75
.224-227

В

Barriers - Crowd Control	
Barriers - Expanding	
Barriers - Fixed	
Basket Trolleys	
Battery Electric Lifters	
Batterý Electric Wheelie Bin Tipp	er
Beam - Forklift Spreader	
Beer Keg Trolley	
Belt Barrier	
Bench Scales	
Benches - Work	96-101, 266-269
Bin Compactor	
Bin Lifter [']	
Bin Racks	
Bin Stands	
Bin Tipper Bin Tipper - Forklift Attachment	251-253, 256, 274
Bin Tipper - Forklift Attachment	
Bin Trollevs	64.87.245
Bins - Foot Pedal Operated	
Bins – Forkliftable	
Bins - Small Parts Storage	
Bins - Storage	
Bins - Storage Bins - Waste	
Bins - Wheelie	
Bishamon Lift Tables	
Bollards	
Bollards - T-Top	
Brooms	
Brute Bins	
Bucket - Plastic	
Bulk Bag Filing Frame	
Bulk Bag Lifter	
Bulk Dangerous Goods Store	
Bulk Handling Bins	
Bunded Pallet	
Bunding Products	

С

Cleaners Trolley.42-45Cleaning Equipment.159Clear View Storage Bins.111Collapsible Storage Cage.120Collapsible Trolley.8Column Guards for Pallet Racking.137Compactor - Waste Bin.257Compartment Boxes.111Concrete Block Moulds.164Concrete Collection Tray.162Concrete Fillable Bollard.147Construction Trolley.17, 40, 68-71, 244, 245Container Ramps.142-145Conveyors.224-227Conveyors.224-227Conveyors.224-227Conveyor Components.242Court Trolley.75Crane Cage.132Crane Hook.206, 207Crane Spreader Beam.203Crate Dollies.114Crates - Plastic.114-118, 120, 121Crowd Control Barriers.148-152, 154, 155Cupboards.90, 92-95, 101Custom Lift Tables.272, 273Custom Lifters.274, 275Cylinder Cages.233, 236-239Cylinder Trolley.75, 76, 231

D

Dangerous Goods Cabinet
Decanting Trolley/Stand
Dollies - Crate
Dollies - Drum
Double Scissor Lift Trolleys
Double Tub Trolley
Double Width Storage Cage
Drawer Cabinet
Drawer Trolley
Drop Bottom Bins
Drum Runding Pallets 228-229
Drum Carrier 7 Rotator
Drum Carrier / Rotator
Drum Dispensing
Drum Dollies
Drum Dumper
Drum Grab [']
Drum Grab [']
Drum Lifter 213 215 218 222-223
Drum Lifter With Scales
Drum Palletiser
Drum Positioner
Drum Prong
Drum Prong
Drum Sling Lifter
Drum Sling Lifter
Drum Stacker
Drum Storage
Drum Tipper
Drum Tongs
Drum Trolley
Dump Truck - Powered
Dump Truck - Powered

Ε

Electric Conveyor	
Electric Drum Lifter / Rotator	
Electric Fork Stacker	
Electric Lift Trolleys	.168, 172-173, 184-186
Electric Pallet Trúck	
Electric Scissor Lift Table	
Electric Scissor Lift Trolley	
Electric Work Positioner	
End Protectors for Pallet Rackin	ıg
Enviro Crates	
Equipment Skates	
Ergo Tred Matting	
Event Control Barriers	
Exchange Linen Trolley	
Executive Service Cart	
Expanding Barriers	
Expanding Conveyors	
Export Pallets	
Extension Fork Slippers	
EZ Loader Pallet Positioner	

F

Fan		.157
Fence - Expanding		-155
Fence - Pedestrian Fibreglass Ladders	150)-151
Fibreglass Ladders		.139
Filling Frame		.163
File Trolley		75
Fischer Bins		-109
Fixed Bollards		-147
Flammable Storage - Aerosol Cans .	240 [.]	-241
Flammable Storage - Gas Cylinders	.236, 237,	239
Flammable Storage - Gas Cylinders Flammable Storage - Liquids	.234-235,	242
Flexible Barriers		-155
Flexible Conveyor		225
Floor Brush		.159
Floor Pallet Scales		.156
Floor Sweeper		.160
Folding Cart	.8-11, 13, 72	2, 73
Folding Cart Folding Handle Trolley	.8-11, 13, 72	2, 73
Folding Lifting Platform Trolley		.192
Folding Stillage Cage124-12	26, 130-131,	270
Folding Trolleys	.8-11, 13, 72	2, 73
Folding Lifting Platform Trolley Folding Stillage Cage	115, 118	, 120
		·///U
Foot Stools		.138
Fork / Platform Trolley		-192
Fork Stacker - Electric		.202
Forklift Spreader		204
Fork Spreader Beam		204
Fork Stacker - Electric		, 201
		-192
Forklift - Manual		-193
Forklift Attachment - Bin Tipper		.251
Forklift Attachment - Lifting Jibs	.205, 208-	209
Forklift Attachment - Roll Prongs	203	, 219
Forklift Attachment - Bin Tipper Forklift Attachment - Lifting Jibs Forklift Attachment - Roll Prongs Forklift Attachment - Safety Cage Forklift Attachment - Slippers		.133
Forklift Attachment - Sippers		.202
Forklift Attachment - Spreader Forklift Attachment - Steel Bins		204
Forkill Allachment - Steel Bins	00, 200 [.]	-201
Forklift Attachments - Drum Handling Forklift Bins	J .210-219,	200
FOIKIIIL BINS	00, 200 [.]	201
Forklift Drum Grab	ZIS, ZIS	, ZI/
Forklift Drum Rotator	1, 210, 222,	223,
Forklift Cas Storage Case	ZII, ZIU	-21/ 020
Forklift Gas Storage Cage Forklift Ramps	.200,207, 140	∠JJ
Forklift Safety Cage		144
Forklift Sweeper		201
		204

Forklift Tine Hook	
Forklift Waste Bin	
Forklift Wheelie Bin Tipper	
Full Height Cupboards	
Furniture Dolly / Mover	
Furniture Hand Trucks	72-74

G

•	
Galvanised Pallet Trucks	
Galvanised Scissor Lift Trolley	
Garbage Bins	
Garbage Bin Stands	
Gas Cylinder Cage	
Gas Cylinder Račk	
Gas Cylinder Storage	
Gas Cylinder Trolleys	
Gate	
Geared Drum Lifter	
Genie Lift (Similar)	
Glass Trolley	
Goods Cages	
Goods Trolleys	
Gravity Conveyor	
Guard Rail Fencing	
•	

н

Half Height Cupboard
Hand Trucks / Trolleys 8-83 Hardware Trolley 13, 37, 38, 40, 44 Harness 133
Hazardous Material Storage
Hi-Lift Pallet Truck .201 Hook - Pallet .206, 207 Hook and Tow Jib .209
Hook Drum Lifter.215Hooks For Pegboard.112Hospital Storage Bins.106-109Hospital Trolleys.8, 9, 16, 17, 30-35
Hospitality Trolleys

I

•	
IBC Bunded Pallets	
IBC Spill Bins	
IBC Tilting Stand	
IBC Trolley	
Industrial Drawer Unit	
Industrial Fan	
Industrial Hand Trucks	
Industrial Storage Cabinets	
Industrial Workbenches	
Instrument Trolley	

J

Jack - Hydraulic
K Keg Trolley

1
Ladder – Fibreglass
Ladder Trolley
Laundry Trolley
Legal File Trolléy75
Library Trolleys
Lid Lifting Bin
Lift Assist Device
Lift Stacker - Electric
Lift Stacker - Manual
Lift Tables
Lift Trolleys
Lifters - Genie
Lifting Equipment
Linen Trolleys
Lockable Storage Cage
Lockable Trolleys
Longspan Bin Rack
Longspan Packing Bench
Longspan Shelving
Louvre Panel / Pegboard Trolley49,86, 88-90, 112
Louvre Panel Bins
Louvre Panels
Low Profile Pallet Truck
Low Profile Scissor Lift Table
LPG Cylinder Storage237, 239

Μ

Ν

Nally Bins	121
Nally Bins Nesting Crates / Bins	113-115
Nesting Trolleys	, 59, 61
No. 4, 4D, 7, 10, 15 Bins	.114, 115
Nylon Skate Conveyor	225

Ο

Office Trolley
Oxygen Bottle Trolleys

Ρ		
_		

Packing Bench	
Paint Storage Cabinets	
Paint Storage Cabinets Pallecon Tilter	
Pallet - Plastic	
Pallet Bin	
Pallet Cages	
Pallet Dispenser	
Pallet Elevator	
Pallet EZ Loader	
Pallet Hooks	
Pallet Jack Pallet Loading Trolley - For Drums	
Pallet Loading Trolley - For Drums	
Pallet Positioners	
Pallet Racking Mesh Decks	
Pallet Racking Protectors	
Pallet Rotator	
Pallet Scales	
Pallet Stands	
Pallet Tables	
Pallet Tilter	
Pallet Truck	
Pallet Truck - Electric	
Pallet Truck - Hi-Lift	
Pallet Truck - With Scales	
Pallet Wrapper	
Palomat	
Palring	
Panel Cart	
Parcel Scales Parrot Beak Drum Lifter	001
Parts Bin Trolley	210 97
Parts Cabinets	
Parts Trave / Boxos	106-107
Parts Trays / Boxes Pedestrian Control	150-155
Pedestal Fan	157
Pegboard	112-113
Pegboard Trolleys	89
Pegboard Accessories	
Picking Trolley	
Pipe Trolley	
Plastic Bin Racks	
Plastic Bin Trolleys	
Plastic Bins	
Plastic Crate Dollies	
Plastic Crates	114-118, 120, 121
Plastic Crates Plastic Drum Carrier / Rotator	
Plastic Drum Palletiser	
Plastic Drum Trolley	
Plastic Louvre Panel	
Plastic Mega Bins Plastic Pallet Bins	
Plastic Pallet Bins	
Plastic Pallets	
Plastic Parts Trays	87, 89, 102, 103
Plastic Step Stoóls	
Plastic Storage Bins	87, 89, 102, 103
Plastic Trolleys	, 36, 42, 45-51, 64
Plastic Trolleys	45-247, 249, 250
Platform Ladders	
Platform Scales	
Platform Stacker	
Platform Trolley - Stainless Steel	
Platform Trolleys	10-17, 33, 40, 54
Pneumatic Scissor Lift Tables	

P continued on page 280

P Continued

Poly Pallet	
Portable Barriers	
Post / Rail Barriers	148-152
Post Bollards	
Powered Conveyor	
Powered Dump Truck	
Powered Scissor Lift Table	
Powered Scissor Lift Trolley	
Powered Trolley	16, 17, 172, 173
Pressure Pack Śtorage	
Produce Crates / Bins	115, 118, 120, 121
Pull Cord Forklift Wheelie Bin Tipper	r
Pull Cord Waste Bin	

R

Racking - Longspan	134-135
Racking - Workbench	96
Racking Protectors	136
Rain Cover - Court File Trolley	
Ramps - Container	142-145
Recycled Plastic Crate	
Reel Handlers	
Relocatable Dangerous Goods Stores	
Retail Trolley	8–13
Retractable Barriers	
Roll Cage Trolley	
Roll Prong / Handler	
Rolled Upright Shelving	
Roller Conveyor	224-22/
Roller Load Skates	
Rolling Ladder	
Rolling Step Stool	
Rotator Ring	
Rough Terrain Pallet Truck	
Rough Terrain Scissor Lift Trolley	
Rough Terrain Trolley	
Round Plastic Waste Bin	
Rubbish Bin	
Rubbish Carts	65

S

Shifting Load Skates	84-85
Shipping Scales	156
Shopping Trolley Side Shift Drum Palletiser	8
Side Shift Drum Palletiser	220
Single Scissor Lift Trolley	166
Single Scissor Lift Trolley Site Tool Cabinet	165
Skate Conveyor	224, 225
Skates	84-85
Skip Bins	259
Slippers - Forklift	202
Sloping Shelf Trolley	63
Small Parts Bins	106
Small Parts Bins Small Parts Cabinet	103
Soiled Linen Trolleys	
Solicitors Trolley	75
Spare Part Trays Spill Bin Spill Kit	
Spill Bin	229, 230
Spill Kit	232
Spill Pallet for Drums	
Spray Can Storage	240-241
Spreader - Forklift Attachment	203, 204
Spring Loaded Pallet Positioner	
Spring Loaded Tilting Stand	
Spring Scissor Lift Trolley	
Spring Scissor Lift Trolley	
Square Hole Board	
Squeegee Stack & Nest Crates Stackable Fork Bins	
Stack & Nest Crates	
Stackable Fork Bins	
Stackable Storage Cage	
Stainless Steel Instrument Trolleys Stainless Steel Pallet Trucks	
Stainless Steel Scissor Lift Trolley	
Stainless Steel Trolleys	
Stainless Steel Work Positioner	
Stair Climbing Hand Truck Stand - Cabinet	
Stand - Capinet	
Stand - Tilting	146-147
Steel Bollards Steel Drum Carrier / Rotator	
Steel Drum Palletiser	210
Steel Drum Trolley	210_212
Steel Shelving	12/125
Steel Waste Bin	255-261
Steel Waste Trollov	255-256
Steel Waste Trolley Step Ladder	138
Step Ladder Trolley	ISO ЛЛ
Step Stools	120
Stillage Cages	100-107
Stirrups	
Stock Trolleys	202
	202
Stool - Foot / Step	
Stool - Foot / Step	
Stool - Foot'/ Step Storage - Dangerous Goods	
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic	202 58-59 138 234-242 114-115
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards	
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh	202 58-59 138 234-242 114-115 92-95 122-127
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh Storage for Drums	202 58-59 138 234-242 114-115 92-95 122-127 228-230
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh Storage for Drums Stor-Pak Bins	202 58-59 138 234-242 114-115 92-95 122-127 228-230 106
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh Storage for Drums Stor-Pak Bins Straddle Leg Stacker	202 58-59 138 234-242 114-115 92-95 122-127 228-230 106 193
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh Storage for Drums Stor-Pak Bins Straddle Leg Stacker Straight Bollards	202 58-59 138 234-242 114-115 92-95 122-127 228-230 106 193 146-147
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh Storage for Drums Stor-Pak Bins Straddle Leg Stacker Straight Bollards Strapping Machine	202 58-59 138 234-242 114-115 92-95 122-127 228-230 106 193 146-147 105
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh Storage for Drums Stor-Pak Bins Straddle Leg Stacker Straight Bollards Strapping Machine Stretch Wrapping Machine	202 58-59 138 234-242 114-115 92-95 122-127 228-230 106 193 146-147 105 105
Stool - Foot'/ Step Storage - Dangerous Goods Storage Bins - Plastic Storage Cabinets / Cupboards Storage Cages - Mesh Storage for Drums Stor-Pak Bins Straddle Leg Stacker Straight Bollards Strapping Machine	202 58-59 138 234-242 114-115 92-95 122-127 228-230 106 193 146-147 105 105 105 160, 204

=

т	
Table Lifters	5
Tanko Cabinet	
Tier Trolleys	3
Tier Trolleys - Stainless Steel	5
Tilt Trucks	
Tilting Jibs	
Tilting Stand	2
Timber Deck Trolley	с Л
) n
Tippers For Bins	2
	с О
Tool Board	2
Tool Board Trolleys	5
Tool Cabinets / Workstations	2
Tool Cabinet - Site	C
Tool Holders	5
Tool Trolleys	S
Tow Tug	3
Trailer Stand	/
Transport Cages	7
Tray - Concrete Collection	2
Traýs - Small Parts87	7
Trolley - Aluminium	2
Trolleý - Basket	3
Trolley - Cage	51
Trolley - Cleaning42-43	3
Trolley - Court	5
Trolley - Cylinder	5
Trolley - Drum Handling 210-21	2
Trolley - Folding	2
Trolley - Hand Truck	4
Trolleý - Keg	4
Trolley - Lifting	2
Trolley - Linen	2
Trolley - Office	3
Trollev - Panel Cart	9
Trolleý - Panel Cart	21
Trolley - Platform 11	2
Trolley - Scissor Lift	7
Trolley - Shopping	3
Trolley - Stainless Steel 30-33	3
Trolley - Wire Mesh 78-8	31
Trolleý - Wire Mesh	4
Trolley - With Doors	, 7
Trolley - With Doors	, 7
Trolley - With Pneumatic / Flat Free Wheels25	ź
Trolley - With Removable Side	g
Truck Access Platform	
Truck Unloading Ramp	
T-Top Bollards	7
	1
Tub Trolley	+
Tug	IJ N
Turntable - Stand	
Turntable - Wrapping	
101111001e - wrupping192	+
U	

U Bar Bollards	
Under Bench Storage	.97
Utility Cart	48

V

V-Cart	8
Vacuum Cleaners	160
Vehicle Safety Barriers	149
Vented Bins	120-121
Visi-Pak Bins	

W

X

X Shape Cart		
--------------	--	--

Υ	
Yard Ramp	



ACCOUNT APPLICATION FORM

MHA Products ABN: 38 368 064 476 Head Office Postal Address: PO Box 2157, North Parramatta NSW 1750 Tel: (02) 8865 1800 Fax: (02) 8865 1830 Email: accounts@mhaproducts.com.au Bank: Westpac BSB No: 032-080 Account No: 432546

Please complete this form and send to our head office by post, fax or email

COMPANY NAME	
HEAD OFFICE ADDRESS	
ABN NUMBER	HEAD OFFICE TELEPHONE NUMBER
NO. OF PEOPLE EMPLOYED	YEAR BUSINESS COMMENCED
TYPE OF BUSINESS	
CREDIT LIMIT REQUIRED	ESTIMATED MONTHLY PURCHASES

Account Contact Details

ACCOUNTS EMAIL ADDRESS	
ACCOUNTS CONTACT PERSON	
ACCOUNTS PHONE	
POSTAL ADDRESS	

Primary Contact Person

EMAIL ADDRESS			
CONTACT NAME			
PHONE	MOBILE		
POSTAL ADDRESS			
DELIVERY ADDRESS			

Alternative Contact Person

EMAIL ADDRESS		
CONTACT NAME		
PHONE	MOBILE	
POSTAL ADDRESS		
DELIVERY ADDRESS		

Trade References (please supply 3 references)

COMPANY NAME	CONTACT NAME	
EMAIL	PHONE	
COMPANY NAME	CONTACT NAME	
EMAIL	PHONE	
COMPANY NAME	CONTACT NAME	
EMAIL	PHONE	

ACKNOWLEDGEMENT

I, (Print Name)acknowledge that the above information is true and correct.

SIGN HERE POSITION HELD WITHIN THE BUSINESS

DATED ON BEHALF OF THE CUSTOMER

IN APPLYING FOR CREDIT, I AGREE ON MY/THE CUSTOMERS BEHALF, TO MHA Products's GENERAL TERMS AND CONDITIONS WHICH ARE WRITTEN ON THE FOLLOWING PAGE.

GENERAL TERMS AND CONDITIONS

1. SELLER means MHA PRODUCTS ABN 38 368 064 476 and BUYER means the Buyer whose order for the purchase of goods is accepted Seller

2. ACCEPTANCE OF BUYER'S ORDER: These terms and conditions shall apply to every sales contract and sale of goods between Se er and Buyer; any terms and conditions of Buyer's order deviating from or inconsistent with these Terms are expressly rejected by Seller. This rejection also extends to any statements by Buyer that Buyer's terms and conditions shall

prevail and to any stipulation by Buyer as to the manner of declaring such rejection. A contract shall only be or be deemed to have been entered into between Seller and Buyer for the supply of goods when, upon an order having been placed upon Seller for goods, that order has been accepted by Seller. (Such acceptance of order may be made and communicated by Seller in writing or by overt act of acceptance.) The provisions of this clause 2 shall apply to every quotation or offer by Seller for the supply of goods.

3. PRICES: All prices are listed in our quotations and website exclude 10% GST. Prices listed and/or quoted are subject to ange or alteration without notice. Quotations are to be treated as estimates only and subject to withdrawal, correction or alteration at any time before acceptance of Buyer's order by Seller.

4. INSURANCE: Buyer is responsible to effect whatever insurance cover he requires at his expens

5. PRODUCTS: Products pictured in our product catalogue or on our quotations are to be used as a guide only. Products may b substituted for as close as possible equivalent if they become unavailable.

6. FREIGHT PRICES: Standard freight prices are calculated on our website to your postcode. Extra freight charges will apply or bulky, large or long items however we will confirm this with you prior to processing your order. Freight charges to regional and all other areas may have some additional fees.

7. PAYMENTS: Payments can be made via credit card or direct deposit. If the Seller shall extend credit to Buyer, payment f all goods sold will be within thirty (30) days from the last day of the month in which each delivery was made. Interest shall be payable by Buyer on all amounts overdue to Seller at the rate of two (2) per centum per month. Buyer is liable for all expenses incurred by Seller in recovering the debt.

8. CANCELLATION: Orders accepted by the Seller cannot be countermanded or delivery deferred or goods returned except with t written consent of Seller and upon terms that

reimburse and indemnify Seller against all loss including cartage, bank charges and other incidental expenses on any part of the order that is cancelled. Where Seller agrees to accept goods for return a re-stocking charge of 20% may apply of the price of the goods returned.

9. ACCEPTANCE OF CLAIMS: Acceptance of the goods delivered shall be deemed for all purposes to have taken place at the expi tion of seven (7) days from the date of each delivery.

10. DELIVERY AND RISK: Unless the Buyer has requested Seller to make special delivery arrangements the risk in respect of Buyer's premises or the nominated carrier's depot. The Buyer shall provide or cause to be provided full and clear access for delivery and will at its own expense provide all necessary

assistance in unloading the goods at the nominated place of delivery. Seller will not in any circumstances accept liability for damage, shortage or loss during transit. If delivery of the goods by Seller is delayed for a cause other than its own negligence the Buyer shall be liable for extra charges, losses or expenses incurred by Seller and the Buyer shall not be entitled to cancel the order by reason thereof.

11. SPECIAL ORDERS: Buyer will place order in writing to Seller for non-standard and customised items. Seller will not ac t return of these items unless the manufacturer agrees to accept return from Seller. Seller may deduct transport handling and restocking charges of 20% of the price of the goods from the credit due to Buyer.

12. RISK AND PROPERTY: The risk in the goods or services sold shall pass to Buyer at the point of delivery. This shall al apply to any partial delivery of goods. If delivery of goods is delayed due to any circumstances beyond the control of Seller the risk passes to Buyer on the day regarded as date of delivery. The Seller accepts no responsibility for the misuse or

improper use of goods or products supplied. The Buyer accepts the full responsibility for any damage or injury either to property or persons caused by the products or services supplied by the Seller.

13. PERSONAL PROPERTIES SECURITIES ACT 2009 (PPSA): The Buyer hereby acknowledges that these Terms and Conditions of Trade stitute a security agreement which creates a security interest in favour of the Seller in all Goods previously supplied by the Seller to the Buyer (if any) and all after acquired Goods supplied by the Seller to the Buyer (or for the Buyer's account) to secure the payment from time to time and at a time, including future advances. The Buyer agrees to grant a "Purchase Money Security Interest" to the Seller. The Buyer acknowledges and agrees that by assenting to these terms the Buyer grants a security interest (by virtue of the retention of title clause in these Terms and Conditions of Trade) to the Seller and all Goods previously supplied by the Seller to the Buyer (or for the Buyer's account) and these terms shall apply notwithstanding anything express or implied to the

contrary contained in the Buyer's purchase order. The Buyer undertakes to;

(i) sign any further documents and/or provide any further information (which information the Buyer warrants to be complete, accurate and up -to-date in all respects) which the Seller may reasonably require to enable registration of a financing statement or financing change statement on the Personal Property Securities Register ("PPSR"); (ii) not register a financing change statement of the PPSA or make a demand to alter the financing statement pursuant to the PPSA in respect of the Goods without the prior written consent of the Seller.

(iii) give the Seller not less than 14 days written notice of any proposed change in the Buyer's name and/or any other changes in the Buyer's details (including by not limited to changes in the Buyer's address, facsimile number, email address, trading name or business practice); (iv) pay all costs incurred by the Seller in registering and maintaining a financing statement (including registering a financing change statement) on the PPSR and/or enforcing

(v) pay all costs incurred by the Seller in registering and maintaining a financing statement (including registering a financing change statement) on the PPSR and/or enforcin or attempting to enforce the security interest created by these Terms and Conditions of Trade including executing subordination agreements; (v) be responsible for the full costs incurred by the Seller (including actual legal fees and disbursements on a solicitor and client basis) in obtaining an order pursuant to

(v) be responsible for the full costs incurred by the Seller (including actual legal fees and disbursements on a solicitor and client basis) in obtaining an order pursuant to section 182 of the PPSA; and the Buyer waives any rights it may have under sections 115 of the PPSA upon enforcement. Pursuant to section 157 of the PPSA, unless otherwise agreed to in writing by the Seller, the Buyer waives the right to receive the verification statement in respect of any financing statement or financing change statement relating to the security interest. The Buyer agrees that immediately on request by the Seller the Buyer will procure from any persons considered by the Seller to be relevant to its security position such agreement and waivers as the Seller may at any time require.

14. DELIVERY TIME: Seller may deliver the goods by instalments or partial shipments and Buyer will accept each delivery. uirements of Buyers shall not be a condition or of the essence of the sale. Seller shall be under no liability for direct or consequential loss or damage to Buyer arising from delay or postponement in delivery.

15. WARRANTY: Goods sold shall only have the benefit of a manufacturer's warranty if the purchaser has complied with the m facturer's instructions in relation to maintenance and operation of the goods sold. Sellers liability in respect of a breach of a consumer guarantee for any goods not of a kind ordinarily acquired for personal, domestic or household use is limited to, to the extent permissible by law and at the Seller's option in relation to the goods.

(i) The replacement of the goods or the supply of an equivalent;

(ii) The repair of the goods;

(iii) The payment of the cost of replacing the goods or acquiring equivalent goods, or the payment for the cost of having the goods repaired. The exemption, limitations, terms and

conditions in these Terms apply whether or not the loss or damage is caused by negligence or actions constituting fundamental breach of contract. The Seller is not otherwise liable for any direct, indirect or consequential loss or damage howsoever arising or occurring, whether founded in tort, contract, statute or otherwise. Goods returned by Buyer to Seller for repair will be free of all charges to Seller and at Buyer's risk.

16. NO IMPLIED SERVICE: The Buyer acknowledges that excepting as provided by law this agreement does not entitle the Buyer to demand to receive from us any site inspection or service of the goods supplied, delivered and installed if applicable. If the Buyer does require our services in respect of site inspection and service of the goods, the subject of this

agreement, then the Buyer should arrange with us to enter a separate agreement in respect of same. In the event that no separate agreement in relation to site inspection and service is required by the Buyer, then the Buyer acknowledges that in the event of the goods supplied required to be serviced or inspected due to breakdown or otherwise, then the Buyer shall rely solely on any benefit in respect of same provided by the manufacturer.

17. COUNCIL APPROVAL: Our products make no allowances for building or development application or Fees to Council or relevan pprovals for use required by Council or Government Codes. Responsibility is solely on the Buyer for such approvals for goods and their installation or use.

18. CLERICAL ERRORS: Clerical errors in computations, typing or otherwise in our product catalogue or quotation shall be s ect to correction. Errors and omissions excepted.

19. MODIFICATIONS: All modifications and amendments to these Terms and Conditions shall be in writing and if otherwise sha not be binding upon Seller.


20. If any of the provisions of the Contract are unlawful or invalid by reason of any applicable statute or rule of Law, th such provision shall be severed from the rest of this Contract which shall remain valid and binding on the parties.

Materials Handling, Workplace & Safety Equipment SCAN TO VIEW OUR FULL RANGE ONLINE



Edition 24 PRODUCT CATALOGUE

L 1800 750 900 mhaproducts.com.au





Brisbane (07) 3558 9700 42 Mineral Sizer Court, Narangba QLD 4509 sales@mhaproducts.com.au

Sydney (02) 8865 1800 1 Fairview Place, Marsden Park NSW 2765 sales@mhaproducts.com.au

Melbourne (03) 9115 9100 52 Gilbert Park Drive, Knoxfield VIC 3180 sales@mhaproducts.com.au

